R 3850-4-F

RISK-ADJUSTED
HOSPITAL READMISSION
NORMS

CPHA PUBLICATIONS

1987 WORKBOOK

©Copyright 1988 by the Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

PROJECT STAFF

Jeanine DeLay, MA, Project Manager and Assistant Manager, Publications

Nancy Cauthen, MA, Product Manager, Publications

Marion Morris, Senior Programmer Analyst

Lale Olson, Senior Electronic Publishing Analyst

Billie Thompson, Electronic Publishing Analyst

The Project Staff is indebted to many individuals at CPHA. Special thanks to Rhonda Gregory and Linda Hurd for clerical and word processing assistance, Ann Miller for marketing advice, Roger Wroblewski, MSC, for statistical help, and to members of the Operations and Supply staffs.

Appreciation is also extended to Steve Maggio for graphics work.

Finally, we gratefully acknowledge the hospitals that support this book and other publications by making their data available.

Preface

As chronic disease in an aging population increases, and medical technology improves, practical uses of research on quality of care become more compelling for health care providers and purchasers.

Nowhere is this more evident than in the growing interest in patient health outcome measures, such as mortality and readmission rates, to monitor quality of care.

In 1986, influential organizations in both the public and private sectors moved in a new direction: the Health Care Financing Administration publicly released results of provider-specific mortality rates for Medicare patients, and the Joint Commission on Accreditation of Healthcare Organizations announced plans to substitute measures identifying ability to meet standards, for those measuring a hospital's actual performance, to determine a hospital's accreditation.

To meet this changing agenda, CPHA Publications has developed the Quality of Care series, which includes the 1986 and new 1987 Risk-Adjusted Hospital Mortality Norms Workbook and this volume: the 1987 Risk-Adjusted Hospital Readmission Norms Workbook.

TABLE OF CONTENTS

HOW TO USE THE 1987 RISK-ADJUSTED HOSPITAL READMISSION NORMS WORKBOOK ii

DEFINITION OF READMISSION iv

READMISSION DATA AS A QUALITY MEASUREMENT TOOL v

DESCRIPTION OF THE DATABASE viii

ORGANIZATION OF THE 1987 RISK-ADJUSTED HOSPITAL READMISSION NORMS xii

INSTRUCTIONS FOR USING THE WORKBOOK xvi

USER SERVICES xxiii

HOW TO USE THE 1987 RISK-ADJUSTED HOSPITAL READMISSION NORMS WORKBOOK

The 1987 Risk-Adjusted Hospital Readmission Norms Workbook is designed for the following members of the health care team:

- Quality assurance coordinators
- Physicians

In addition, the workbook can be purposefully applied by professionals whose role includes monitoring health care issues, specifically quality of care:

- PRO, HMO, and PPO quality assurance specialists
- Corporate benefit and insurance company analysts
- Health care policy experts

As its name implies, the publication includes practical exercises. The user needs to obtain several commonly used institution or provider-specific data items and to perform two simple calculations to complete the workbook.

The user must obtain the total number of patient discharges categorized by DRG from an institution or provider, further stratified by:

1. Readmission status, i.e., an admission occurring within 30 days of a preceding discharge.
2. Presence or absence of a HCFA-defined complication or comorbidity.
3. Age group (<65, 65-74, and 75+).

The calculations are easily accomplished on a pocket calculator:

1. Divide the number of DRG categorized patient discharges with or without CCs, in one of the three age groups who were readmitted, by the total number of patients in a particular DRG, CC, and age category; and
2. Multiply by 100 to get the percent of those patient discharges who were readmitted.

The workbook is based on the premise that the collection and maintenance of large, uniform, inpatient databases enables the development of health care industry norms, in this instance risk-adjusted readmission norms.

Users are instructed to calculate and compare institution or provider-specific readmission rates to the national and regional predicted readmission norms constructed from a large, standardized, inpatient database, refined through potential risk-adjusted attributes, including the presence of complications or comorbidities and age group. Comparisons allow users to:

- suggest further investigations where patient outcome measures reveal anomalies or outliers from the norm;
- describe differences or similarities affected by demographic, clinical, and financial characteristics;
- discern the need for changes in data collection and efforts to improve accuracy;
- determine the extent to which patients with similar attributes are at greater or lesser risk for readmission; and
- define the importance of readmission as a reliable patient health outcome measure.

The 1987 Risk-Adjusted Hospital Readmission Norms Workbook constitutes only one component or information source for a comprehensive quality assurance program or patient outcome measure monitoring system. The workbook does not attempt to set standards for readmission rates for a region or the nation. The workbook has been created to help health care professionals more uniformly define quality of care issues through the application of readmission data, an accessible quality indicator often used in conjunction with mortality data, to measure patient health outcomes.

DEFINITION OF READMISSION

In this publication, a readmission is an inpatient who has been discharged from and readmitted to the same hospital within 30 days, during the period 1 January 1987 - 31 January 1988. January 1988 has been added to the study period to obtain readmissions for patients discharged during December 1987.

The two illustrations below describe readmission operationally:

1. A 76 year old (75+ age group) patient with a nervous system neoplasm (DRG 10), and no complications and/or comorbidities (without CCs group) is admitted to the hospital on 5 January 1987 and discharged on 15 January 1987. The patient is readmitted to the same hospital to have a craniotomy (DRG 1) with complications and/or comorbidities (with CCs group) on 20 January 1988 (5 days later) and discharged on 10 February 1987. The patient is not readmitted to the same hospital within the next 30 days.

   In this publication, the patient is counted as having one discharge in DRG 10, without CCs, age 75+, one readmission for DRG 10 with those same attributes, and one discharge for DRG 1, with CCs, age 75+. The graphic below displays how the patient is counted in the workbook.

	DRG 10 with CCs			DRG 10 without CCs		
	<65	65-74	75+	<65	65-74	75+
Total Number of Readmissions						1
Total Number of Discharges						1

	DRG 1 with CCs			DRG 1 without CCs		
	<65	65-74	75+	<65	65-74	75+
Total Number of Readmissions						
Total Number of Discharges			1			

2. A 74 year old (65-74 age group) patient with pneumonia (DRG 89), without complications and comorbidities (without CCs group) is admitted to the hospital on 10 March 1987 and discharged from the hospital 10 days later. The patient is not readmitted to the same hospital during the year. This patient is counted as having one discharge in DRG 89, without CCs, age 65-74. The graphic below displays how the patient is counted in the workbook.

	DRG 89 with CCs			DRG 89 without CCs		
	<65	65-74	75+	<65	65-74	75+
Total Number of Readmissions						
Total Number of Discharges					1	

READMISSION DATA AS A QUALITY MEASUREMENT TOOL

In a recently published paper, CPHA researchers suggest that patient health outcomes are the result of three factors:

- Case mix; the reasons for hospital admission (principal diagnosis, significant procedures).
- Case complexity; the risks associated with the patient's level of physiological reserve (age, comorbidities, race, sex, family history of disease, health behavior, etc.).
- Provider performance.

This relationship is illustrated in the following graphic:


Reasons for Admission (Case Mix: Principal Diagnosis, Significant Procedures)
Patient Physiological Reserve (Case Complexity: Risks Associated with the Patient's Age, Comorbidities, Severity of Principal Diagnosis, etc.)
Provider Performance (Hospital Staff, Physician, etc.)
Responses to Treatment (Outcome)

Accordingly, differences in outcome or provider performance relating to quality can be isolated, once differences in reasons for admission and patient physiological reserve, i.e., case mix and complexity, have been adjusted.[1]

This model represents the conceptual framework of the 1987 Risk-Adjusted Hospital Readmissions Workbook. It also underscores the importance of risk-adjustment as a method to identify characteristics which influence patient health outcomes. Finally, the model highlights the potential use of patient health outcomes in evaluating quality of care, perceived as one aspect of provider performance.

The literature on patient health outcome measures frequently cites two quality of care indicators, mortality and readmission, as valuable information for the operation of a quality assurance program.

---

[1] Susan DesHarnais et al.,The Risk-Adjusted Mortality Index: *A New Measure of Hospital Performance*, Medical Care, forthcoming December 1988.

Readmission is less easily defined as an outcome than mortality. For this reason, proponents of readmission as a quality of care indicator are more cautious in their appraisals. Uneven data quality (e.g., underreporting), and nonspecificity charges (e.g., high death rates do not necessarily mean poor quality of care), have been leveled against mortality data. Readmission data have been critiqued on similar grounds, except that overreporting is more likely in readmissions, since patients are often counted more than once as they enter and re-enter the health care system. In addition, readmission as a quality indicator is less uniformly collected, and fewer risk-adjusted readmission rate models have been tested and validated.

Moreover, there are concerns specifically connected to readmission as a patient health outcome measure. Among them:

1. The lack of uniformity among health care institutions in defining readmission, e.g., 7 days, 15 days, 30 days;

2. The difficulty in easily and inexpensively obtaining large, representative samples of patients whose encounters with the health care system can be tracked over time;

3. The frequency with which readmissions result from treatment or care sequences, requiring repeated hospitalization to gain access to treatments or specialists; and

4. The increasing incidence of chronic disease. Chronic conditions are more likely to lead to repeated use of the health care system, especially when there are several treatment options. As public health researchers Zook, Savickis, and Moore have suggested, "Medical success (short of cure) and failure (short of death) favor patient recidivism, repeated hospitalization for treatment of the same disease... In end-stage chronic renal failure, kidney dialysis requires lifelong repetitive therapy, and even kidney transplantation, will sometimes lead to repeated hospitalization ... In all, a superior science has made possible the first step, yet the sequelae continue to demand medical resources."[2]

First, it would be ideal to recommend a different time frame for each readmission, taking into account the demographic, social, and clinical variability for each case type. This is impractical, given the amount of time and expert advice requisite to define individual or "customized" risk factors for each case type.

Second, in contrast to mortality, in which a patient either does or does not die, readmission can be applied as a dichotomous or continuous variable. Use of readmission as a continuous variable, where the patient is monitored in and out of several settings for a period of years, is preferable, except that data are not routinely collected this way.

Consequently, readmission is most often treated as a discrete event, i.e., the patient is/is not readmitted to an institution within a specified period, rather than as a longitudinal process in the patient's health care.

Third, as medical technology advances and chronic disease becomes the norm in an older population, readmission is likely to increase. As a result, some readmissions are "scheduled" because practice/treatment patterns dictate additional hospitalization. For example, a patient having a total knee replacement is scheduled for the procedure on one knee, and the other knee a few weeks later. A pregnant patient admitted with a false labor diagnosis is "scheduled," in that the patient is expected to be readmitted at a later date. These "scheduled" readmissions need to be accounted for, or at least acknowledged, especially when applying readmission as a quality of care indicator.

---

[2] Christopher J. Zook, Sheila Flanigan Savickis, and Francis D. Moore. *Repeated Hospitalization for the Same Disease: A Multiplier of National Health Costs*, Milbank Memorial Fund Quarterly/Health and Society 58 (3): p. 454.

Fourth, other readmissions are connected to the chronicity of the patient's condition, which may require repeated hospitalization. For example, a patient with inoperative colon cancer is readmitted several times, if the combination of chemotherapies results in complications, such as acute respiratory or cardiovascular problems. A newborn with congenital defects needs prolonged therapy or several procedures, all of which require hospitalization, before the defects are corrected.

Together, these factors point to effective comparisons and uses for mortality and readmission, in determining quality of care. Below is a summary of the similarities and differences between mortality and readmission as quality indicators.

Comparison Point	**Mortality**	**Readmission**
Definition	Easy to determine • discrete, dichotomous variable • nonrepetitive • uniform	Hard to determine • more accurately used as a continuous variable for monitoring • repetitive • nonuniform
Reporting	Uneven consistency and underreported	Uneven consistency and probably overreported because of multiple counting across institutions
Number of models	Several in use, including the Health Care Financing Administration's methodology and CPHA's Risk-Adjusted Mortality Index (RAMI)	Few published, e.g., Anderson and Steinberg model is one example[3]
Selected Risk Factors tested in models[4]	Clinical condition • Presence of Complications and/or Comorbidities as a proxy for severity Age Sex Prior hospitalization	Clinical condition • Severity • Degree of chronicity • Presence of CCs as proxy for severity Age Sex Number of surgeries performed Income, education level

The central purpose of the 1987 Risk-Adjusted Hospital Readmission Norms Workbook is to offer a reliable tool to characterize readmission patterns and to help illuminate the complex interdependency between quality of care and patient health outcomes.

The approach of this book applies those aspects of readmission which are easy to access, worthy of testing, and practical for professional use.

The remaining sections describe how the readmissions norms are developed and outline instructions for using the workbook.

---

[3] See Gerard F. Anderson and Earl P. Steinberg, *Predicting Hospital Readmissions in the Medicare Population*, Inquiry 22 (Fall 1985):pp.251-258.

[4] See references on page xxiv, especially Anderson and Steinberg; and Holloway, Thomas, and Shapiro, for readmission risk factor studies.

DESCRIPTION OF THE DATABASE

Data Collection

The data are compiled from individual patient discharge records submitted from 1,050 U.S. nonfederal, short-term general hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

Data storage and retrieval are accomplished as follows:

1. In each participating hospital, personnel transfer demographic and clinical data from the medical record of each discharged patient via microcomputer floppy disk, magnetic tape, or paper abstract.

2. The disk, tape, or abstract is mailed to the data input center at CPHA where the data are entered into the computer system.

3. Data then undergo manual or interactive edits and flagged errors are corrected by CPHA coding and abstracting specialists as directed by contributing hospitals.

4. Hospitals continually add data stored in the computer system's permanent history file dating back as far as 1955. Participating hospitals are provided access to their own data through interactive systems, in-house computers, and paper reports. The stored aggregate data are available for policy and contract research and through publications such as the 1987 Risk-Adjusted Hospital Readmission Norms Workbook.

CPHA'S DATA COLLECTION SYSTEM



CPHA's Database is maintained for:

- Print and electronic publications, e.g., the 1987 Risk-Adjusted Hospital Readmission and Mortality Norms Workbooks, 1987 Length of Stay Norms.
- Contract research market analysis, forecasting, survey, and epidemiological investigations.
- Policy research on major health care issues, e.g., cost containment, quality of care, equal access.
- On-line access and analysis by hospitals and other health industry groups.

Data Quality

Data quality is one of the primary concerns of CPHA. Although the hospital is ultimately responsible for the quality of its data, CPHA shares responsibility as the hospital's medical record processor. For this reason, CPHA goes to considerable length to prevent and correct errors by continually training hospital medical record personnel in coding and abstracting methods, by routinely monitoring submitted data, and by carefully checking and editing the data for errors.

Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. When missing, invalid, inconsistent, or illogical data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages. Below are the conditions which cause a patient discharge record to be excluded from the readmissions database or sample:

Missing or Invalid Data

- **No Principal Diagnosis**
  Any discharge record without a principal diagnosis.
- **Incalculable Stay**
  Discharge records where the length of stay cannot be determined because the admission or discharge dates are absent or are illogical.
- **Incalculable Age**
  Discharge records where the birth year or admission date is unrecorded or illogical.
- **Unrecorded Sex**
  Discharge records where the sex is not designated.

Inconsistent or Illogical Data

- **Disposition Inconsistency**
  Some dispositions, e.g., alive and died, are mutually exclusive.
- **Diagnosis/Procedure Age Inconsistency**
  Some diagnoses and procedures are age-specific, e.g., pregnancy and cesarean section.
- **Diagnosis/Procedure Sex Inconsistency**
  Some diagnoses and procedures are sex-specific. Examples include operations on the male genital organs and D&Cs.

Readmission or DRG Specific Exclusions

- **Stillborns, Deaths, and DRGs 123 and 385**
  Discharge records with this disposition are excluded because such records cannot be readmissions. DRGs 123 and 385 include patient discharges who died.
- **DRGs 438, 468, 469, 470**
  Discharge records with these DRGs are invalid or ungroupable.
- **Stays Less Than One Day**
  Discharge records with stays less than one day are presumed to be ambulatory surgery patient discharges.
- **Transfers to Another Short-Term Hospital, and DRGs 385 and 456**
  Discharge records representing transfers to another short-term facility are considered interhospital transfers. DRGs 385 and 456 include transfer patient discharges.
- **Readmission Occurring Within One Day**
  Discharge records with a readmission occurring within one day are assumed to be interhospital transfers.

READMISSION NORMS HOSPITAL/PATIENT SAMPLE

As previously mentioned, CPHA's database includes 1,050 U.S. nonfederal, short-term general hospitals and discharge records for approximately nine million patients per year. This represents about 24 percent of the annual discharges from the universe of nonfederal, short-term general hospitals in the United States. Nonfederal hospitals are not owned or operated by the federal government. Short-term hospitals have a median stay shorter than 30 days. General hospitals are not specialty institutions, such as psychiatric or orthopedic, and provide patient services for a variety of medical conditions.

The 1987 Risk-Adjusted Readmissions Norms Workbook is drawn from a subset of CPHA's database for calendar year 1987, and one month following, January 1988. This subset is comprised of hospitals that retain exclusive patient-identifiers for each discharge. Such an identification system, called unit numbering, enables matching of patients' additional admissions to the same hospital over a specified time.

In CPHA's 1987 database, 762 hospitals use unit numbering, representing approximately 14 percent of all U.S. nonfederal, short-term general hospitals. The patient discharge count from these unit number hospitals is 4,414,748, 12.5 percent of the 35,200,000 discharges from all U.S. hospitals.

These patients constitute the sample from which readmission records are defined and stratified into risk categories and from which the risk-adjusted readmission norms are calculated. The diagram on page xi illustrates the sampling procedure.

IMPORTANT NOTE:

In the readmissions sample, statistical tests have been conducted to eliminate nonunit number hospitals. Reliance on unit number hospitals to obtain readmission numbers, however, presumes hospitals define and apply the term uniformly. This is sometimes not the case: hospitals use different methods to unit number. In addition, a small number of hospitals re-use unit numbers annually, thus making it more difficult to obtain uniform and reliable data.

To forego some of these problems, patient identifiers from each discharge record within the specified time period are cross-checked by birth date and by sex. If a birth date and sex match does not occur, the record is excluded from the readmissions sample.

CREATION OF THE 1987 RISK-ADJUSTED HOSPITAL READMISSION NORMS SAMPLE


Hospital Universe
U.S. Nonfederal, Short – Term General Hospitals
5,500 Hospitals
35,200,000 Patient Discharges
CPHA Database
Represents Approximately 24 % of All Discharges from Hospital Universe
1,050 Hospitals
9,000,000 Patient Discharges
Readmissions, i.e., Unit Numbering Hospitals, Patient Discharge Sample
762 Hospitals
4,414,748 Patient Discharges
Readmission Patient Discharges by Region and in Risk – Adjusted Categories
Risk – Adjusted Category Patient Discharges Who were Readmitted
Risk – Adjusted Category Total Patient Discharges
Calculation of Risk – Adjusted Readmission Norms

ORGANIZATION OF
1987 RISK-ADJUSTED HOSPITAL READMISSION NORMS

The rates in the 1987 Risk-Adjusted Hospital Readmission Norms Workbook are presented in DRG Tables. These tables, beginning on Page 1 of the Tables Section, are stratified by DRG, geographic region, presence or absence of complications and comorbidities (CCs), and age group.

Diagnosis Related Group (DRGs)

There are 473 DRGs in the 1987 Risk-Adjusted Hospital Readmission Norms Workbook. These DRGs are based on the DRG revision in effect from 1 October 1986 through 30 September 1987. A list of the DRGs is included as Appendix 1. Some of these DRGs have been excluded because they include invalid, ungroupable, or inappropriate risk categories for examining readmissions The excluded DRGs are:

DRG Number	English Description	Exclusion Type
123	Circulatory Disorders with AMI, Expired	Inappropriate risk category; all patients have died
385	Neonates, Died or Transferred to Another Acute Care Facility	Inappropriate risk category; patients have died or have been transferred
438	No longer valid	Unused DRG
456	Burns, Transferred to Another Acute Care Facility	Inappropriate risk category; all patients have been transferred
467	Other Factors Influencing Health Status	Ungroupable DRG
468	Unrelated Operating Room Procedures	Invalid data present
469	Principal Diagnosis Invalid as a Discharge Diagnosis	Invalid data present
470	Ungroupable	Ungroupable DRG

Geographic Region

There are four regions in the 1987 Risk-Adjusted Hospital Readmission Norms Workbook:

1. Northeast
2. North Central
3. South
4. West

State inclusions for the four regions are listed in Appendix 2. For each DRG, readmission rates are given for each region and for the U.S.

Presence or Absence of Complications and Comorbidities (CCs)

To determine the presence of complications or comorbidities (CCs), a patient's secondary diagnoses are compared to a list of ICD-9-CM diagnosis codes defined by the Health Care Financing Administration (HCFA) as CCs.

The HCFA definitions are:

- A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.
- A comorbidity is a preexisting condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

The list of CCs is included as Appendix 3. They are part of the DRG revision in effect from 1 October 1986 through 30 September 1987.

To ensure ease of use within the workbook format and consistency with HCFA definitions, complications (which occur during the patient's stay and may be hospital or physician-caused, e.g., nosocomial or postoperative wound infections) have not been distinguished from comorbidities (which are existing conditions and unrelated to provider performance, e.g., diabetes).

Ideally, when adjusting for readmission risk factors, patient complication codes need to be separated from comorbidities in order to isolate as best as possible factors which account for a subsequent readmission. Recognizing the time constraints against subtracting patients with specified complications manually in the workbook, and acknowledging the familiarity with CCs, complication codes are not separated from comorbidity codes in the predicted readmission norms.

IMPORTANT NOTE:

Some of the DRGs, e.g., 122, 372, have diagnosis specific complicating diagnoses. These complications can differ from the HCFA defined CCs. Consequently, it is important to be familiar with DRG definitions.

Age Groups

Patients are stratified by the following age groups (in years):

<65 years
65-74
75+

IMPORTANT NOTE:

The DRGs were not originally designed to measure patient health outcomes. They are used in this workbook, however, for three reasons. First, they are broad groupings with many patients, making it possible to closely scrutinize patterns between types of care and services offered and patient health outcomes. Second, as an integral part of the Prospective Payment System, they are in common use and easily accessible.

Complication and comorbidity status and age group are used for the same reasons. The presence of CCs is routinely used as a severity of illness indicator: it is assumed the more CCs a patient has, the more severe the illness. Likewise, the presumption about age is: the older the patient, the more likely the patient is severely ill. While these should be recognized as untested presumptions, they make some intuitive sense, and at least with respect to mortality, the presence of CCs and age group are reliable predictive indicators.

Third, the DRG classification system meaningfully describes acute and chronic conditions. Some research suggests that patients with DRGs defined as chronic are more likely to be repeatedly hospitalized than are patients with DRGs defined as acute. This finding also makes intuitive sense: a patient with a chronic condition such as angina without surgery (DRG 140), is more likely to have several hospitalizations than a patient having an uncomplicated appendectomy (DRG 166).[5]

If, as the research recommends, the principal risk factor for readmission is condition chronicity, then the use of the DRGs enhances the workbook user's ability to predict readmission for specific clinical categories. Moreover, incorporating presence of CCs and age group as severity proxies, further refines the user's opportunity to identify institution or provider readmission patterns.

Predicted Readmission Norms

The norm represents a risk-adjusted predicted readmission rate. Each norm is practice-derived or empirically-based. In other words, the evaluation of risk factors is based on existing care patterns or the sample, which includes all payors and patient types and is national in scope.

IMPORTANT NOTE:

The practice-derived characteristic of the predicted readmission norms is significant. It is not the intention of CPHA researchers to establish a standard recommending what national and regional readmission rates should be. These predicted readmission norms are descriptive rather than prescriptive.

---

[5] See James J. Holloway, J. William Thomas, and Letitia Shapiro. *Clinical and Socio-demographic Risk Factors for Early Readmission of Medicare Beneficiaries*. Ann Arbor Veterans Administration Medical Center, and Departments of Internal Medicine, Medical School and Health Services Management and Policy, School of Public Health, University of Michigan (July, 1987). Unpublished paper.

Technical Model

To obtain the national and regional predicted readmission norms, the procedure is:

1. Patient counts are derived from the sample.
2. Patient discharges are split into their respective:
   - Region.
   - DRG.
   - CC category.
   - Age group.
3. The number of patient discharges who were readmitted and the total number of patient discharges in each stratified group are counted.
4. The total number of patient discharges in each stratified group who were readmitted are divided by the total projected number of patient discharges in that group.
5. This proportion is multiplied by 100 to obtain the norm, expressed as a percent.

IMPORTANT NOTE:

In reading the norms, a hyphen denotes there are no data for the patient discharge category. An asterisk means there are 25 or less patient discharges in a category. In instances where the DRG is excluded, e.g., DRG 123, a page is not created.

The 1987 Risk-Adjusted Hospital Readmission Norms have practical applications and will be used as a complement to other data sources used to administer quality assurance programs. Consequently, it is essential to know how to calculate and interpret the norms when comparing them to individual institutions and providers.

INSTRUCTIONS FOR USING THE WORKBOOK

Calculating the Actual Readmission Rates

To obtain actual readmission rates to compare to the predicted readmission norms, this procedure is recommended:

1. **Determine the patient sample, e.g., the total number and types of patients, and the time period, e.g., year, to be studied.**

   For example, if the unit of analysis is all hospital patients, use calendar year 1987 and the month of January 1988 total patient discharges. Alternatively, if the unit of analysis is employees with cardiovascular DRGs, use employees in calendar year 1987 and the month of January 1988 who were discharged with the specified DRGs, and so on.

2. **Classify the patient sample into the DRGs under examination.**

   For purposes of illustration, in 1987, a hospital has 600 patient discharges in DRG 6, Carpal Tunnel Release.

3. **Stratify and place the DRG patient discharges into their appropriate risk categories:**

- With complications/comorbidities
  <65 years
  65-74
  75+

- Without complications/comorbidities
  <65 years
  65-74
  75+

To continue the illustration using DRG 6, suppose there are 100 patients (out of 600 in DRG 6) in each of the risk categories.

Total number of patient discharges in DRG 6 = 600.

Patients with CCs			Patients without CCs		
<65	65-74	75+	<65	65-74	75+
100	100	100	100	100	100

4. **In the space provided (the empty boxes at the bottom of each table), write in the total number of patient discharges in each risk category below the division sign.**

DRG 6
Carpal Tunnel Release

ACTUAL READMISSION RATES

With CCs
Age

	<65	65 – 74	75 +
No. of Patients Who Were Readmitted **Total No. Patients**	÷ 100	÷ 100	÷ 100
	=	=	=
% Patients Who Were Readmitted			

Without CCs
Age

	<65	65 – 74	75 +
No. of Patients Who Were Readmitted **Total No. Patients**	÷ 100	÷ 100	÷ 100
	=	=	=
% Patients Who Were Readmitted			

As illustrated above, the total number of patient discharges in each risk category for DRG 6 is recorded. This number represents the denominator for the actual readmission rate.

IMPORTANT NOTE:

When a listing of readmissions in the given risk categories is developed, January 1988 patient discharges should not be included in the total number of patient discharges used in calculating the denominator for the actual readmission rate. Only January 1988 readmissions for particular risk categories should be calculated in the numerator for the actual readmission rate.

5. **Determine the number of patient discharges in each risk category who were readmitted by obtaining a patient readmission listing stratified by time period, DRG, CC group, and age category.**

Again following the example, these patient discharges were readmitted in each risk category for DRG 6:

Patients with CCs			**Patients without CCs**		
<65	65-74	75+	<65	65-74	75+
10	15	30	5	10	15

The total number of patient discharges who were readmitted is 85 out of 600 patient discharges in DRG 6.

6. **In the space provided, write in the number of patient discharges who were readmitted above the division sign.**

DRG 6
Carpal Tunnel Release

ACTUAL READMISSION RATES

With CCs
Age

	<65	65 - 74	75 +
No. of Patients Who Were Readmitted	10 ÷	15 ÷	30 ÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

Without CCs
Age

	<65	65 - 74	75 +
No. of Patients Who Were Readmitted	5 ÷	10 ÷	15 ÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

As illustrated above, the number of patient discharges who were readmitted in each risk category for DRG 6 is recorded. This number represents the numerator for the actual readmission rate.

7. **Then divide the total number of patient discharges who were readmitted by the total number of patient discharges in each risk category and multiply by 100.**

To continue the example, the total number of patient discharges who were readmitted in each risk category is divided by the respective number of patient discharges in each risk category for DRG 6 and multiplied by 100. The results are displayed below.

DRG 6
Carpal Tunnel Release

ACTUAL READMISSION RATES

	With CCs Age		
	<65	65 – 74	75 +
No. of Patients Who Were Readmitted **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted	10%	15%	30%

	Without CCs Age		
	<65	65 – 74	75 +
No. of Patients Who Were Readmitted **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted	5%	10%	15%

8. **The result is the percent of discharges in each risk category who were readmitted. This represents the actual readmission rate.**

To finish the example, the actual risk-adjusted readmission rates for DRG 6, Carpal Tunnel Release are:

Patients with CCs, Age <65 = 10%
Patients with CCs, Age 65-74 = 15%
Patients with CCs, Age 75+ = 30%
Patients without CCs, Age <65 = 5%
Patients without CCs, Age 65-74 = 10%
Patients without CCs, Age 75+ = 15%

Comparison and Interpretation of Actual Readmission Rates to Predicted Readmission Norms

The next step involves a straightforward comparison. Simply look at the predicted readmission norm and the actual readmission rate for a DRG in each risk category, and determine the difference.

For the purpose of illustration, one comparison of an actual readmission rate to a predicted readmission norm is displayed on the next page. The actual readmission rate for DRG 6, Carpal Tunnel Release is compared to the national or U.S. predicted readmission norm for patient discharges with CCs, in age group <65. The actual readmission rate is 10 percent. The predicted readmission norm is 3.6 percent.

DRG: 6
Carpal Tunnel Release

RISK – ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65 – 74	Age 75 +
U.S.	3.6		
Northeast			
North Central			
South			
West			

Without CCs

Region	Age <65	Age 65 – 74	Age 75 +
U.S.			
Northeast			
North Central			
South			
West			

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65 – 74	Age 75 +
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted	10.0		

Without CCs

	Age <65	Age 65 – 74	Age 75 +
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

In contrast to the 1987 Risk-Adjusted Hospital Mortality Norms Workbook, this publication does not include an error rate, signifying degree of confidence, with the predicted readmission norms.

As previously mentioned, mortality is a more clearly defined dichotomous variable. A patient is either discharged alive from or dies in the hospital. From a statistical standpoint, it is easier to develop an indicator, i.e., error rate, to help determine the degree to which a predicted mortality norm is representative, and therefore, reliable as a mortality rate for patient case types.

Patients repeatedly admitted to a hospital, however, require a statistical methodology that also encompasses patients' likelihood for readmission. Some studies suggest that patients readmitted once are more likely to be readmitted.[6] There is not a simple, accessible error rate calculation procedure that accurately measures the degree of confidence in both norms and actual readmission rates.

The implication of the error rate exclusion is that comparisons between predicted and actual readmission rates may be forced, subject to hasty conclusions, or inappropriately used.

In instances where institution or provider-specific actual readmission rates are the same or cluster around (e.g., are only a few percentage points away from), the predicted readmission norm, the user should be careful in making inferences about quality of medical care, e.g., the provider offers "average" quality of care. Proximity of predicted to actual readmission rates simply means the institution or provider is not a statistical outlier. A statistical outlier signifies that an institution's or provider's actual readmission rate and the predicted readmission norm for a specific DRG is extremely divergent.

Similarly, if the institution's or provider's actual readmission rate does not cluster around a specific predicted readmission norm, i.e., it is higher or lower, its outlier status does not necessarily signify the provision of high or low quality medical care. It simply suggests that further investigation into the reasons for outlier status are in order.

For example, suppose the user compares a provider's actual readmission rate for DRG 11, Nervous System Neoplasms, without CCs, age group <65 to the national predicted readmission norm. The actual readmission rate is 10, while the national predicted readmission norm is 29.9, a difference of 19.9.

In this instance, where the actual readmission rate is lower than the predicted readmission norm, the user might accomplish these additional steps:

- Question the accuracy of the rates for the patient discharges and DRG under study. Obtain the sample size on which the rates are based: they may be small or the DRG may be treated in institutions not included in the sample, e.g., DRG 302, Kidney Transplant.
- Ascertain whether the patient sample upon which the actual readmission rates are calculated is fairly comparable to the patient discharge sample on which the norm is based: the provider's sample may represent hospice patients.
- Establish whether the risk factors are appropriate for the patient sample for which the actual readmission rates are calculated: the DRG may have a high or low proportion of "scheduled" readmissions, e.g., neoplasms.

The value of additional inquiry is that it furnishes information which helps account, to some degree, for lower or higher actual readmission rates of an institution or provider.

---

[6] See Anderson and Steinberg; and Zook, Savickis, and Moore in references on page xxiv.

IMPORTANT NOTE:

When interpreting the predicted readmission norms in this workbook, outlier status (i.e., the actual readmission rate does not cluster around, or is much lower or higher than the predicted readmission norm), does not confer a poor quality of care label on those institutions or providers with higher actual readmission rates, or "center of excellence" designations on those with lower actual readmission rates. Outlier status simply means further investigation may be appropriate.

The 1987 Risk-Adjusted Hospital Readmission Norms Workbook is most valuable when it is used in conjunction with information about:

- Limitations about readmission data applications.
- Special characteristics of the patient sample of the institution or provider under study.
- Other risk-adjusted readmission rate methodologies for comparative purposes.
- Other quality measures to complement readmission data, e.g., mortality and postsurgical complication rates, integrated into a comprehensive quality assurance program.

USER SERVICES

CPHA Publications staff, who created the 1987 Risk-Adjusted Hospital Readmission Norms Workbook, are strongly committed to improving the applications of quality measures in general and in providing support and advice to users. Below is a listing of additional support services offered:

- Users with questions about the workbook and other CPHA publications and research services, contact 1-800-521-6210, Extension 3534.
- Users representing unit number PAS hospitals interested in obtaining readmission rates for their facility, contact 1-800-521-6210, Extension 2334.

The CPHA Publications staff are interested in user evaluation of the 1987 Risk-Adjusted Hospital Readmission Norms Workbook. Please call toll-free with your suggestions.

REFERENCES

Anderson, Gerard F.; and Steinberg, Earl P. *Hospital Readmissions in the Medicare Population*. New England Journal of Medicine 311:21 (November 22, 1984): 1349-1353.

Anderson, Gerard F.; and Steinberg, Earl P. *Predicting Hospital Readmissions in the Medicare Population*. Inquiry 22 (Fall 1985): 251-258.

Blumberg, Mark S. *Risk Adjusting Health Care Outcomes: A Methodologic Review*. Medical Care Review 43:2 (Fall 1986): 351-393.

DesHarnais, Susan; Chesney, James; Wroblewski, Roger; and Fleming, Steven. *The Risk-Adjusted Mortality Index: A New Measure of Hospital Performance*. Medical Care, forthcoming December 1988.

Fethke, Carol C.; Smith, Ian M.; and Johnson, Nancilee. *"Risk" Factors Affecting Readmission of the Elderly into the Health Care System*. Medical Care 24:5 (May 1986): 429-437.

Gooding, Judith; and Jette, Alan M. *Hospital Readmissions Among the Elderly*. Journal of the American Geriatric Society 33:9 (September 1985): 595-601.

Graham, Helen; and Livesley, Brian. *Can Readmissions to a Geriatric Medical Unit Be Prevented?* The Lancet 1:8321 (February 19, 1983): 404-406.

Holloway, James J.; Thomas, J. William; and Letitia Shapiro. *Clinical and Socio-demographic Risk Factors for Early Readmission of Medicare Beneficiaries*. Ann Arbor Veterans Administration Medical Center, and Departments of Internal Medicine, Medical School and Health Services Management and Policy, School of Public Health, University of Michigan (July 1987): Unpublished paper.

With CCs

Age

<65	65 - 74	75 +
- -	**	

Dashes indicate there are no patient discharges in this cell.

Asterisks indicate 25 or fewer patient discharges in this cell.

DRG 1
CRANIOTOMY AGE >17 EXCEPT FOR TRAUMA

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	16.6	15.0	15.9
Northeast	17.1	16.2	15.4
North Central	16.7	14.4	11.1
South	17.0	18.5	19.0
West	14.7	7.3	15.0

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	11.5	10.4	17.7
Northeast	13.2	11.8	18.7
North Central	12.9	11.5	6.0
South	10.2	10.1	23.3
West	8.7	7.8	15.7

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 2
CRANIOTOMY FOR TRAUMA AGE >17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region		Age	
	<65	65-74	75+
U.S.	11.1	15.7	18.1
Northeast	14.3	15.6	20.8
North Central	9.8	15.4	13.5
South	12.1	19.5	19.3
West	5.9	**	16.2

Without CCs

Region		Age	
	<65	65-74	75+
U.S.	8.1	11.9	15.9
Northeast	7.7	**	16.7
North Central	9.1	**	**
South	5.9	8.6	20.9
West	11.7	**	**

ACTUAL READMISSION RATES

With CCs

		Age	
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

		Age	
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 3
CRANIOTOMY AGE <18

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	18.5	--	--
Northeast	20.6	--	--
North Central	16.2	--	--
South	17.2	--	--
West	18.2	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	17.2	--	--
Northeast	19.9	--	--
North Central	12.6	--	--
South	18.7	--	--
West	15.0	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 4
SPINAL PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	12.6	13.9	19.1
Northeast	15.3	18.0	30.8
North Central	11.5	12.2	**
South	9.7	11.3	18.9
West	13.2	13.3	**

Region	Without CCs Age <65	 65-74	 75+
U.S.	7.4	12.1	23.4
Northeast	9.9	21.4	**
North Central	4.6	**	**
South	6.0	11.8	**
West	7.1	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 5
EXTRACRANIAL VASCULAR PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	10.0	12.4	10.9
Northeast	8.7	10.7	11.4
North Central	10.0	10.2	9.3
South	11.8	15.3	12.3
West	10.4	14.5	8.3

Region	Without CCs Age <65	 65-74	 75+
U.S.	7.7	7.7	8.6
Northeast	8.1	6.9	8.9
North Central	7.2	6.4	8.6
South	7.9	9.4	9.7
West	6.8	7.1	3.8

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 6
CARPAL TUNNEL RELEASE

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	3.6	3.8	2.5
Northeast	1.9	**	**
North Central	4.7	**	**
South	3.0	**	**
West	5.4	**	**

Region	Without CCs Age <65	 65-74	 75+
U.S.	3.2	4.3	4.3
Northeast	4.8	**	**
North Central	3.5	**	**
South	2.5	7.4	**
West	1.5	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 7
PERIPH & CRANIAL NERVE & OTHER NERV SYST PROC AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	8.0	10.7	12.1
Northeast	7.8	10.8	17.8
North Central	7.8	9.9	10.4
South	7.7	11.1	8.8
West	8.7	11.4	11.1

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	7.2	6.7
Northeast	--	10.4	7.5
North Central	--	0.0	2.6
South	--	10.9	11.8
West	--	3.2	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 8
PERIPH & CRANIAL NERVE & OTHER NERV SYST PROC AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	3.2	5.8	--
Northeast	3.8	5.7	--
North Central	3.6	**	--
South	2.7	8.5	--
West	2.6	6.1	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 9
SPINAL DISORDERS & INJURIES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	10.0	12.9	14.9
Northeast	14.2	6.3	**
North Central	5.8	**	**
South	8.1	21.4	25.8
West	11.3	**	**

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	6.7	2.6	7.0
Northeast	9.5	**	**
North Central	4.3	**	**
South	5.6	**	**
West	6.7	**	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 10
NERVOUS SYSTEM NEOPLASMS AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	22.6	16.1	13.2
Northeast	25.4	17.8	15.0
North Central	20.4	18.2	10.0
South	22.0	16.3	15.3
West	20.8	9.3	10.9

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	17.0	15.0
Northeast	--	21.6	16.4
North Central	--	11.8	14.3
South	--	15.6	17.3
West	--	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 11
NERVOUS SYSTEM NEOPLASMS AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	29.9	20.8	--
Northeast	30.5	28.6	--
North Central	29.5	13.2	--
South	29.0	19.7	--
West	30.3	**	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 12
DEGENERATIVE NERVOUS SYSTEM DISORDERS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	15.0	11.7	10.0
Northeast	15.6	10.9	10.3
North Central	16.2	10.8	7.5
South	13.7	15.0	12.0
West	14.2	8.8	8.8

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	9.8	7.8	9.6
Northeast	10.6	7.5	8.1
North Central	10.0	7.3	9.4
South	9.9	8.5	12.0
West	8.0	8.0	8.3

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 13
MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs			Region	Without CCs		
	Age				Age		
	<65	65-74	75+		<65	65-74	75+
U.S.	11.1	20.3	25.0	U.S.	6.3	11.6	13.8
Northeast	10.2	**	**	Northeast	5.6	**	**
North Central	7.8	**	**	North Central	6.2	**	**
South	16.0	**	**	South	8.8	**	**
West	12.9	**	**	West	5.5	**	--

ACTUAL READMISSION RATES

	With CCs				Without CCs		
	Age				Age		
	<65	65-74	75+		<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 14
SPECIFIC CEREBROVASCULAR DISORDERS EXCEPT TIA

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	12.8	14.6	13.2
Northeast	14.1	17.3	13.3
North Central	9.0	9.9	11.2
South	14.3	16.7	15.2
West	12.5	12.6	12.1

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	9.8	11.4	12.9
Northeast	10.5	10.8	13.4
North Central	8.4	9.4	10.5
South	10.1	12.8	14.6
West	9.6	11.9	11.9

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 15
TRANSIENT ISCHEMIC ATTACK & PRECEREBRAL OCCLUSIONS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	10.6	11.0	9.8
Northeast	11.6	11.6	10.0
North Central	8.4	10.8	9.6
South	10.8	11.1	10.5
West	11.0	9.8	8.6

Region	Without CCs Age <65	 65-74	 75+
U.S.	8.2	9.2	9.0
Northeast	9.6	9.2	9.3
North Central	9.3	8.7	7.6
South	7.1	9.8	10.6
West	5.6	9.0	7.8

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 16
NONSPECIFIC CEREBROVASCULAR DISORDERS W/ CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	15.2	13.7	11.0
Northeast	15.4	11.7	9.7
North Central	15.4	12.9	8.0
South	17.4	18.4	14.1
West	12.3	11.5	12.2

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 17
NONSPECIFIC CEREBROVASCULAR DISORDERS W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	12.3	10.4	7.2
Northeast	12.1	8.1	8.2
North Central	11.4	15.1	5.0
South	10.7	12.0	7.8
West	14.6	8.2	7.2

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 18
CRANIAL & PERIPHERAL NERVE DISORDERS AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	17.1	14.6	13.6
Northeast	15.6	14.6	12.2
North Central	18.8	13.2	14.8
South	20.8	19.6	14.2
West	12.7	8.2	13.7

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	9.3	8.9
Northeast	--	11.0	9.5
North Central	--	10.0	9.5
South	--	10.6	10.1
West	--	3.9	5.7

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 19
CRANIAL & PERIPHERAL NERVE DISORDERS AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	10.7	10.3	--
Northeast	10.6	12.8	--
North Central	9.7	3.5	--
South	12.2	15.0	--
West	10.6	6.1	--

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 20
NERVOUS SYSTEM INFECTION EXCEPT VIRAL MENINGITIS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	9.3	11.2	16.4
Northeast	8.4	11.5	20.7
North Central	7.6	8.0	17.5
South	12.1	11.3	14.8
West	9.0	14.3	10.7

Region	Without CCs Age <65	 65-74	 75+
U.S.	3.9	12.7	17.3
Northeast	4.1	13.6	23.1
North Central	2.5	**	**
South	5.1	13.5	15.6
West	3.5	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 21
VIRAL MENINGITIS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs		
	Age		
Region	<65	65-74	75+
U.S.	4.9	22.9	**
Northeast	4.8	**	**
North Central	7.4	**	--
South	4.4	**	**
West	3.4	**	--

	Without CCs		
	Age		
Region	<65	65-74	75+
U.S.	3.0	**	**
Northeast	3.1	**	--
North Central	2.6	--	**
South	2.6	**	--
West	3.6	--	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 22
HYPERTENSIVE ENCEPHALOPATHY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	12.7	12.8	11.9
Northeast	13.8	11.0	10.7
North Central	11.4	21.3	7.8
South	12.3	12.5	12.6
West	12.1	11.2	16.0

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	4.7	6.8	8.5
Northeast	3.9	4.9	14.7
North Central	5.9	9.3	0.0
South	6.2	4.5	8.8
West	3.5	9.6	4.7

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 23
NONTRAUMATIC STUPOR & COMA

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	9.0	12.5	13.3
Northeast	11.8	15.0	14.5
North Central	10.1	**	13.5
South	8.6	3.8	13.2
West	4.9	14.3	10.8

Region	Without CCs Age <65	 65-74	 75+
U.S.	6.3	11.8	9.8
Northeast	6.8	**	**
North Central	7.7	**	**
South	6.7	**	5.7
West	3.7	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 24
SEIZURE & HEADACHE AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	10.7	11.5	12.2
Northeast	10.4	12.1	11.4
North Central	9.4	11.0	12.9
South	12.7	11.0	12.1
West	10.2	11.9	12.7

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	7.8	9.0
Northeast	--	6.8	9.6
North Central	--	8.6	6.5
South	--	9.0	10.8
West	--	6.5	8.1

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 25
SEIZURE & HEADACHE AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	7.0	6.4	--
Northeast	6.8	6.4	--
North Central	7.5	6.2	--
South	7.5	8.3	--
West	6.2	3.4	--

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 26
SEIZURE & HEADACHE AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	9.4	--	--
Northeast	8.1	--	--
North Central	9.7	--	--
South	12.6	--	--
West	8.9	--	--

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	6.9	--	--
Northeast	7.0	--	--
North Central	6.7	--	--
South	8.0	--	--
West	5.9	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 27
TRAUMATIC STUPOR & COMA, COMA >1 HR

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	7.5	6.9	6.9
Northeast	6.2	**	0.0
North Central	11.8	**	**
South	7.9	**	7.7
West	4.6	**	**

Region	Without CCs Age <65	65-74	75+
U.S.	3.7	7.4	2.9
Northeast	3.6	**	**
North Central	3.6	--	**
South	4.2	**	**
West	3.1	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 28
TRAUMATIC STUPOR & COMA, COMA <1 HR AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	5.0	9.7	9.6
Northeast	4.5	8.1	8.5
North Central	6.2	13.4	7.9
South	5.4	9.4	12.6
West	3.9	7.7	9.7

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	7.0	6.7
Northeast	--	15.4	7.3
North Central	--	**	4.8
South	--	**	7.2
West	--	**	7.7

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 29
TRAUMATIC STUPOR & COMA, COMA <1 HR AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	2.9	9.6	--
Northeast	2.6	5.3	--
North Central	3.2	**	--
South	2.9	17.2	--
West	3.0	**	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 30
TRAUMATIC STUPOR & COMA, COMA <1 HR AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	3.0	--	--
Northeast	4.7	--	--
North Central	1.4	--	--
South	2.4	--	--
West	1.1	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	1.8	--	--
Northeast	1.9	--	--
North Central	1.7	--	--
South	1.8	--	--
West	1.6	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 31
CONCUSSION AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+	Region	Without CCs Age <65	65-74	75+
U.S.	2.8	7.9	7.9	U.S.	--	4.1	5.0
Northeast	2.6	6.8	10.1	Northeast	--	4.8	9.1
North Central	2.6	6.5	6.5	North Central	--	1.9	4.4
South	3.5	6.5	5.7	South	--	8.1	3.5
West	1.6	16.7	11.5	West	--	**	0.0

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+		Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 32
CONCUSSION AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	1.8	2.1	--
Northeast	2.2	2.4	--
North Central	1.3	2.3	--
South	1.5	2.5	--
West	2.7	**	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 33
CONCUSSION AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	1.8	--	--
Northeast	1.7	--	--
North Central	2.6	--	--
South	1.7	--	--
West	0.9	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	0.8	--	--
Northeast	0.7	--	--
North Central	0.7	--	--
South	0.7	--	--
West	1.3	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 34
OTHER DISORDERS OF NERVOUS SYSTEM AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	14.3	11.8	11.6
Northeast	14.4	11.2	13.0
North Central	14.7	9.3	10.8
South	13.7	15.1	11.0
West	14.4	10.1	12.0

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	4.5	11.0
Northeast	--	3.6	8.4
North Central	--	5.1	12.9
South	--	8.1	12.1
West	--	**	9.5

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 35
OTHER DISORDERS OF NERVOUS SYSTEM AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	10.7	12.2	--
Northeast	10.7	12.9	--
North Central	11.7	12.2	--
South	9.8	10.6	--
West	10.7	13.3	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 36
RETINAL PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	7.1	7.3	4.8
Northeast	8.2	1.3	1.6
North Central	6.3	6.9	7.3
South	7.7	9.3	5.6
West	3.8	10.4	3.4

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	6.6	4.8	3.5
Northeast	8.1	3.5	4.2
North Central	5.6	5.1	2.6
South	5.1	6.1	3.1
West	8.7	2.8	3.9

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 37
ORBITAL PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	5.4	3.3	2.4
Northeast	2.3	**	3.2
North Central	8.5	**	**
South	8.7	**	**
West	4.4	**	**

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	4.6	2.6	5.3
Northeast	5.8	0.0	5.4
North Central	1.3	**	**
South	3.4	**	**
West	6.2	**	**

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 38
PRIMARY IRIS PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	13.5	**	2.8
Northeast	**	**	**
North Central	**	**	**
South	**	--	**
West	**	--	**

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	10.1	2.3	5.0
Northeast	12.8	**	**
North Central	**	**	**
South	**	--	**
West	**	--	**

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 39
LENS PROCEDURES WITH OR WITHOUT VITRECTOMY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	 65-74	 75+
U.S.	6.2	6.1	4.0
Northeast	8.6	7.4	4.1
North Central	3.4	4.2	3.4
South	2.2	10.3	9.5
West	10.5	8.9	2.3

Without CCs

Region	Age <65	 65-74	 75+
U.S.	7.2	2.7	3.3
Northeast	9.5	1.0	1.9
North Central	3.2	2.3	3.0
South	6.9	5.2	5.0
West	11.8	4.3	5.7

ACTUAL READMISSION RATES

With CCs

	Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 40
EXTRAOCULAR PROCEDURES EXCEPT ORBIT AGE >17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	4.8	8.3	4.3
Northeast	5.4	**	3.4
North Central	4.5	3.8	3.3
South	2.6	**	**
West	7.3	**	**

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	1.7	1.7	2.6
Northeast	1.6	1.0	3.1
North Central	1.6	1.8	2.3
South	1.6	2.2	1.9
West	2.1	3.2	2.8

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 41
EXTRAOCULAR PROCEDURES EXCEPT ORBIT AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	2.6	--	--
Northeast	2.3	--	--
North Central	**	--	--
South	7.4	--	--
West	**	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	2.8	--	--
Northeast	4.8	--	--
North Central	1.5	--	--
South	1.9	--	--
West	3.2	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 42
INTRAOCULAR PROCEDURES EXCEPT RETINA, IRIS & LENS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	9.0	5.3	7.0
Northeast	8.8	3.2	6.8
North Central	9.8	4.6	7.0
South	6.3	2.6	5.6
West	11.9	13.9	9.5

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	6.4	4.0	2.8
Northeast	6.0	3.9	3.3
North Central	5.5	3.4	2.5
South	5.6	2.4	1.1
West	8.7	7.4	3.5

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 43
HYPHEMA

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	7.5	--	**
Northeast	0.0	--	--
North Central	**	--	--
South	**	--	--
West	**	--	--

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	2.0	**	**
Northeast	3.0	**	--
North Central	1.1	--	--
South	1.6	**	--
West	0.9	--	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 44
ACUTE MAJOR EYE INFECTIONS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	4.6	9.4	5.1
Northeast	2.0	**	**
North Central	7.6	**	**
South	6.5	**	**
West	4.8	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	2.1	1.7	4.0
Northeast	2.4	**	5.7
North Central	1.2	**	**
South	2.8	**	**
West	1.6	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 45
NEUROLOGICAL EYE DISORDERS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs		
	Age		
Region	<65	65-74	75+
U.S.	9.0	7.6	11.5
Northeast	10.2	11.3	13.9
North Central	7.9	8.1	**
South	3.0	**	**
West	12.2	0.0	**

	Without CCs		
	Age		
Region	<65	65-74	75+
U.S.	4.7	5.3	6.5
Northeast	5.6	1.6	9.4
North Central	3.7	11.1	**
South	3.4	9.1	**
West	5.6	3.4	**

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 46
OTHER DISORDERS OF THE EYE AGE >17 W/ CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	16.4	15.9	15.7
Northeast	16.7	17.7	20.0
North Central	14.4	15.8	12.7
South	15.0	12.2	11.9
West	19.6	**	21.4

Region	Without CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 47
OTHER DISORDERS OF THE EYE AGE >17 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	8.9	8.3	11.9
Northeast	5.9	6.5	13.8
North Central	8.0	7.9	6.6
South	9.9	8.7	14.0
West	13.3	11.4	14.8

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 48
OTHER DISORDERS OF THE EYE AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	12.4	--	--
Northeast	12.9	--	--
North Central	14.3	--	--
South	**	--	--
West	11.1	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	6.1	--	--
Northeast	5.2	--	--
North Central	8.4	--	--
South	5.0	--	--
West	6.9	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 49
MAJOR HEAD & NECK PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	12.6	12.5	11.2
Northeast	15.2	12.8	9.1
North Central	9.3	5.0	7.4
South	12.7	15.4	17.5
West	11.7	17.6	9.4

Region	Without CCs Age <65	 65-74	 75+
U.S.	6.0	6.4	1.3
Northeast	8.4	13.8	**
North Central	4.1	4.4	**
South	1.8	2.0	0.0
West	7.9	2.3	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 50
SIALOADENECTOMY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	3.2	5.2	4.3
Northeast	6.1	2.9	3.6
North Central	1.7	3.4	**
South	1.8	3.0	0.0
West	0.0	**	**

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	0.9	1.8	3.6
Northeast	0.6	2.0	5.7
North Central	0.5	0.0	2.2
South	1.5	0.6	2.9
West	0.8	6.7	**

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 51
SALIVARY GLAND PROCEDURES EXCEPT SIALOADENECTOMY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	0.0	**	**
Northeast	**	--	--
North Central	**	--	--
South	**	--	--
West	--	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	2.2	2.1	**
Northeast	2.0	**	**
North Central	0.0	**	--
South	1.7	**	--
West	7.1	**	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 52
CLEFT LIP & PALATE REPAIR

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	5.8	--	--
Northeast	5.1	--	--
North Central	3.8	--	--
South	11.5	--	--
West	3.7	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	1.2	**	--
Northeast	1.5	--	--
North Central	0.5	--	--
South	1.2	**	--
West	1.2	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 53
SINUS & MASTOID PROCEDURES AGE >17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	6.4	5.0	5.4
Northeast	7.6	2.9	**
North Central	7.6	5.8	**
South	5.6	6.5	**
West	4.3	5.4	**

Region	Without CCs Age <65	65-74	75+
U.S.	2.1	3.6	1.9
Northeast	2.2	3.7	0.0
North Central	1.7	2.4	0.0
South	1.6	3.0	3.6
West	3.1	5.8	7.7

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 54
SINUS & MASTOID PROCEDURES AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	6.8	--	--
Northeast	8.3	--	--
North Central	11.1	--	--
South	**	--	--
West	**	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	2.2	--	--
Northeast	3.1	--	--
North Central	1.5	--	--
South	2.3	--	--
West	0.8	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 55
MISCELLANEOUS EAR, NOSE & THROAT PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs			Without CCs		
	Age			Age		
Region	<65	65-74	75+	<65	65-74	75+
U.S.	6.2	3.6	7.4	3.1	1.4	3.8
Northeast	6.4	1.9	**	4.0	2.2	4.3
North Central	4.1	4.8	**	2.1	1.3	3.8
South	4.6	3.6	**	2.0	1.2	1.6
West	11.5	**	**	4.6	0.0	7.1

ACTUAL READMISSION RATES

	With CCs			Without CCs		
	Age			Age		
	<65	65-74	75+	<65	65-74	75+
No. of Patients Who Were Readmitted						
	÷	÷	÷	÷	÷	÷
Total No. Patients						
	=	=	=	=	=	=
% Patients Who Were Readmitted						

DRG 56
RHINOPLASTY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	3.0	0.0	**
Northeast	6.7	**	**
North Central	1.4	**	--
South	0.0	**	**
West	3.7	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	1.1	1.4	0.0
Northeast	0.7	0.0	**
North Central	1.1	0.0	**
South	1.6	2.0	**
West	1.5	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 57
T&A PROC, EXCEPT TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE >17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	7.0	3.4	**
Northeast	4.5	**	--
North Central	19.4	**	--
South	2.0	**	--
West	5.9	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	4.9	28.1	**
Northeast	6.9	**	--
North Central	4.9	**	--
South	3.1	**	--
West	4.5	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 58
T&A PROC, EXCEPT TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs			Without CCs		
	Age			Age		
	<65	65-74	75+	<65	65-74	75+
U.S.	2.6	--	--	2.4	--	--
Northeast	3.8	--	--	2.6	--	--
North Central	3.8	--	--	3.7	--	--
South	1.8	--	--	1.2	--	--
West	0.0	--	--	2.0	--	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 59
TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE >17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	5.4	--	--
Northeast	5.3	--	--
North Central	6.8	--	--
South	3.8	--	--
West	5.7	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	3.0	**	**
Northeast	3.4	**	--
North Central	2.8	--	--
South	2.5	**	--
West	3.3	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 60
TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	3.5	--	--
Northeast	3.0	--	--
North Central	5.1	--	--
South	3.2	--	--
West	2.3	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	1.8	--	--
Northeast	1.8	--	--
North Central	2.1	--	--
South	1.1	--	--
West	1.8	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 61
MYRINGOTOMY W/ TUBE INSERTION AGE >17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	**	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	0.0	**	--
Northeast	**	--	--
North Central	**	--	--
South	**	--	--
West	**	--	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 62
MYRINGOTOMY W/ TUBE INSERTION AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs		
	Age		
Region	<65	65-74	75+
U.S.	9.5	--	--
Northeast	9.8	--	--
North Central	11.6	--	--
South	**	--	--
West	3.7	--	--

	Without CCs		
	Age		
Region	<65	65-74	75+
U.S.	1.6	--	--
Northeast	3.4	--	--
North Central	1.9	--	--
South	0.5	--	--
West	1.6	--	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 63
OTHER EAR, NOSE & THROAT O.R. PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs		
	Age		
Region	<65	65-74	75+
U.S.	9.8	11.6	16.0
Northeast	14.9	13.6	21.3
North Central	5.5	8.0	20.0
South	5.6	15.8	5.0
West	10.4	7.4	**

	Without CCs		
	Age		
Region	<65	65-74	75+
U.S.	4.7	5.7	8.9
Northeast	4.8	5.5	13.9
North Central	4.7	3.3	**
South	3.2	8.8	6.1
West	6.1	3.1	**

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 64
EAR, NOSE & THROAT MALIGNANCY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	40.8	29.5	21.1
Northeast	45.6	30.7	15.0
North Central	44.2	33.7	25.6
South	31.3	27.7	26.3
West	38.3	22.9	17.1

Region	Without CCs Age <65	 65-74	 75+
U.S.	41.0	37.7	16.7
Northeast	40.7	42.1	22.2
North Central	43.6	41.7	**
South	49.2	27.3	**
West	30.7	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 65
DYSEQUILIBRIUM

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	8.0	6.4	7.2
Northeast	7.0	5.6	8.7
North Central	7.7	6.0	6.3
South	9.0	9.1	7.2
West	8.9	3.8	4.8

Region	Without CCs Age <65	 65-74	 75+
U.S.	3.4	3.2	4.5
Northeast	2.8	2.8	5.2
North Central	3.6	3.2	4.5
South	3.5	4.1	3.7
West	4.0	2.5	5.2

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 66
EPISTAXIS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	11.0	11.1	13.3
Northeast	15.3	12.7	12.6
North Central	8.8	10.8	8.7
South	6.3	11.2	19.5
West	13.1	8.2	12.5

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	4.7	5.7	6.2
Northeast	3.7	8.0	8.6
North Central	6.1	3.4	2.2
South	4.4	5.2	7.8
West	5.1	5.5	4.4

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 67
EPIGLOTTITIS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	1.2	**	**
Northeast	3.8	--	--
North Central	0.0	--	**
South	0.0	--	**
West	0.0	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	1.8	**	**
Northeast	1.1	--	--
North Central	4.1	--	--
South	0.5	**	--
West	2.6	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 68
OTITIS MEDIA & URI AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	7.5	13.6	9.6
Northeast	8.4	13.2	9.3
North Central	6.5	15.0	9.6
South	8.2	11.9	9.2
West	6.5	15.1	10.8

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	6.9	10.7
Northeast	--	5.7	11.4
North Central	--	6.7	13.5
South	--	11.6	8.8
West	--	2.7	9.9

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 69
OTITIS MEDIA & URI AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	4.4	4.7	--
Northeast	3.9	10.5	--
North Central	5.4	2.1	--
South	4.8	2.9	--
West	3.6	3.9	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 70
OTITIS MEDIA & URI AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	7.1	--	--
Northeast	8.1	--	--
North Central	7.0	--	--
South	6.3	--	--
West	5.7	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	4.7	--	--
Northeast	4.7	--	--
North Central	5.6	--	--
South	5.3	--	--
West	3.2	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 71
LARYNGOTRACHEITIS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	5.0	--	--
Northeast	3.8	--	--
North Central	3.4	--	--
South	5.3	--	--
West	9.4	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	2.2	--	**
Northeast	2.5	--	--
North Central	2.1	--	--
South	1.9	--	--
West	2.5	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 72
NASAL TRAUMA & DEFORMITY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	3.1	**	8.3
Northeast	2.9	--	**
North Central	0.0	--	**
South	1.6	**	**
West	12.5	--	**

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	4.2	**	6.5
Northeast	2.1	--	**
North Central	5.7	**	**
South	4.2	**	**
West	4.8	--	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 73
OTHER EAR, NOSE & THROAT DIAGNOSES AGE >17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs		
	Age		
Region	<65	65-74	75+
U.S.	9.7	12.8	12.3
Northeast	9.1	16.5	10.4
North Central	9.3	10.3	10.8
South	11.9	16.3	12.9
West	7.4	5.4	18.3

	Without CCs		
	Age		
Region	<65	65-74	75+
U.S.	4.7	4.9	7.1
Northeast	6.5	7.3	11.8
North Central	3.2	3.7	1.8
South	3.6	5.3	5.6
West	5.8	1.8	9.1

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 74
OTHER EAR, NOSE & THROAT DIAGNOSES AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	11.4	--	--
Northeast	9.1	--	--
North Central	14.5	--	--
South	12.8	--	--
West	11.6	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	9.6	--	--
Northeast	11.0	--	--
North Central	7.8	--	--
South	6.2	--	--
West	12.1	--	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 75
MAJOR CHEST PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	11.4	11.0	11.2
Northeast	13.4	10.9	10.5
North Central	10.1	9.7	10.2
South	9.9	12.5	11.8
West	11.6	10.2	12.9

Region	Without CCs Age <65	 65-74	 75+
U.S.	7.1	7.2	7.0
Northeast	7.5	7.4	7.9
North Central	6.5	4.4	6.3
South	6.9	7.9	7.2
West	7.3	8.5	6.3

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 76
OTHER RESP SYSTEM O.R. PROCEDURES W/ CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	22.3	20.3	16.2
Northeast	23.8	23.0	17.2
North Central	20.7	19.9	17.1
South	26.1	19.6	17.3
West	17.2	17.3	11.0

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 77
OTHER RESP SYSTEM O.R. PROCEDURES W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	18.1	24.2	27.2
Northeast	19.7	21.1	17.9
North Central	17.3	19.3	26.9
South	19.2	31.3	40.7
West	15.2	28.6	**

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 78
PULMONARY EMBOLISM

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	13.7	14.4	11.8
Northeast	12.8	15.3	9.9
North Central	10.7	12.0	13.9
South	14.8	14.4	11.5
West	16.7	15.6	13.5

Region	Without CCs Age <65	 65-74	 75+
U.S.	7.0	6.8	9.3
Northeast	6.6	7.0	6.6
North Central	8.7	4.1	7.6
South	6.3	6.6	13.0
West	7.1	10.5	7.0

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 79
RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+	Region	Without CCs Age <65	 65-74	 75+
U.S.	13.5	14.7	12.8	U.S.	--	9.2	9.8
Northeast	14.0	16.3	13.2	Northeast	--	6.0	12.4
North Central	14.6	13.7	13.9	North Central	--	15.4	6.2
South	12.9	15.3	12.5	South	--	5.9	11.1
West	12.0	12.6	11.1	West	--	13.0	8.6

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+		Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 80
RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	7.4	11.4	--
Northeast	7.5	12.1	--
North Central	7.9	11.9	--
South	8.8	12.7	--
West	4.3	7.7	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 81
RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	14.8	--	--
Northeast	14.4	--	--
North Central	13.1	--	--
South	16.5	--	--
West	15.8	--	--

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	10.8	--	--
Northeast	9.3	--	--
North Central	13.7	--	--
South	9.7	--	--
West	12.2	--	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 82
RESPIRATORY NEOPLASMS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	26.8	21.0	15.2
Northeast	27.7	22.4	15.4
North Central	26.8	20.8	14.2
South	26.7	20.2	15.7
West	25.6	20.1	15.7

Region	Without CCs Age <65	 65-74	 75+
U.S.	32.3	25.2	18.2
Northeast	35.5	27.2	13.2
North Central	31.8	28.0	20.0
South	28.2	19.4	20.0
West	32.3	25.2	22.0

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 83
MAJOR CHEST TRAUMA AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs				Without CCs		
	Age				Age		
Region	<65	65-74	75+	Region	<65	65-74	75+
U.S.	3.2	5.4	6.6	U.S.	--	4.0	6.9
Northeast	2.1	2.6	3.3	Northeast	--	3.6	5.5
North Central	3.1	6.2	7.4	North Central	--	**	5.8
South	3.5	8.0	9.3	South	--	5.9	9.3
West	4.7	4.3	5.9	West	--	**	6.7

ACTUAL READMISSION RATES

	With CCs				Without CCs		
	Age				Age		
	<65	65-74	75+		<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 84
MAJOR CHEST TRAUMA AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	1.5	2.8	--
Northeast	2.6	5.4	--
North Central	0.9	**	--
South	1.4	3.6	--
West	0.6	**	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 85
PLEURAL EFFUSION AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	20.6	16.2	16.3
Northeast	20.2	16.6	18.7
North Central	15.1	14.0	15.5
South	23.3	17.0	15.6
West	23.8	17.8	14.0

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	23.9	14.9
Northeast	--	**	21.4
North Central	--	**	16.3
South	--	16.7	12.9
West	--	**	7.4

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 86
PLEURAL EFFUSION AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	15.1	22.8	--
Northeast	16.7	**	--
North Central	15.5	**	--
South	12.3	**	--
West	16.1	**	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 87
PULMONARY EDEMA & RESPIRATORY FAILURE

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	16.4	16.4	14.5
Northeast	17.8	18.0	14.1
North Central	16.1	18.7	13.2
South	16.3	14.3	17.2
West	14.1	14.4	12.9

Region	Without CCs Age <65	 65-74	 75+
U.S.	10.0	9.9	12.7
Northeast	13.7	12.2	12.0
North Central	11.3	8.1	13.0
South	8.7	11.1	20.5
West	5.3	6.3	5.3

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 88
CHRONIC OBSTRUCTIVE PULMONARY DISEASE

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	18.4	18.3	16.1	13.6	15.8	14.5
Northeast	18.7	17.2	17.8	13.0	15.7	15.5
North Central	18.9	18.3	16.9	16.4	16.5	13.2
South	17.8	19.5	13.9	12.4	15.5	15.3
West	17.6	18.2	14.7	11.8	15.1	13.0

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷	÷	÷	÷
	=	=	=	=	=	=
% Patients Who Were Readmitted						

DRG 89
SIMPLE PNEUMONIA & PLEURISY AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	10.0	11.6	10.5
Northeast	10.2	11.7	10.8
North Central	10.0	11.6	10.2
South	9.5	12.3	10.8
West	10.4	10.4	10.0

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	6.9	7.9
Northeast	--	8.3	8.7
North Central	--	5.6	7.8
South	--	6.4	8.3
West	--	7.4	6.0

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 90
SIMPLE PNEUMONIA & PLEURISY AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	4.0	6.7	--
Northeast	4.1	8.1	--
North Central	3.6	8.0	--
South	4.1	6.1	--
West	4.0	3.8	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 91
SIMPLE PNEUMONIA & PLEURISY AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	7.8	--	--
Northeast	8.8	--	--
North Central	7.6	--	--
South	6.2	--	--
West	7.7	--	--

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	4.4	--	--
Northeast	4.7	--	--
North Central	4.7	--	--
South	4.4	--	--
West	3.5	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 92
INTERSTITIAL LUNG DISEASE AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	11.8	13.1	13.5
Northeast	12.6	16.6	11.7
North Central	11.1	13.8	17.3
South	12.1	10.7	15.0
West	10.8	9.9	9.6

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	11.2	12.6
Northeast	--	**	18.0
North Central	--	**	14.6
South	--	19.2	9.6
West	--	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 93
INTERSTITIAL LUNG DISEASE AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	8.0	14.5	--
Northeast	7.3	7.7	--
North Central	7.8	**	--
South	9.0	**	--
West	8.1	**	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 94
PNEUMOTHORAX AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	8.2	15.5	13.2
Northeast	9.6	14.7	15.2
North Central	8.1	10.7	12.7
South	6.6	21.7	13.6
West	8.3	9.8	8.6

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	--	10.9	15.9
Northeast	--	**	12.9
North Central	--	**	**
South	--	**	15.0
West	--	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 95
PNEUMOTHORAX AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	6.6	8.8	--
Northeast	6.5	**	--
North Central	6.9	**	--
South	6.1	**	--
West	7.0	**	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 96
BRONCHITIS & ASTHMA AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	12.9	15.8	13.8
Northeast	12.8	16.1	13.2
North Central	13.7	16.3	14.0
South	12.6	15.2	13.5
West	12.8	16.0	14.9

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	11.3	10.3
Northeast	--	11.5	11.2
North Central	--	11.0	10.6
South	--	11.9	10.0
West	--	10.0	9.0

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 97
BRONCHITIS & ASTHMA AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	7.7	10.8	--
Northeast	7.6	12.0	--
North Central	7.6	9.2	--
South	8.1	11.0	--
West	7.4	10.3	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 98
BRONCHITIS & ASTHMA AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	8.5	--	--
Northeast	9.3	--	--
North Central	9.3	--	--
South	6.4	--	--
West	7.8	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	6.3	--	--
Northeast	6.9	--	--
North Central	6.3	--	--
South	5.5	--	--
West	5.3	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 99
RESPIRATORY SIGNS & SYMPTOMS AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	12.1	12.0	13.0
Northeast	12.8	10.5	11.8
North Central	12.1	11.3	15.9
South	12.9	13.2	12.6
West	9.9	13.7	12.0

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	6.2	5.9
Northeast	--	4.8	5.8
North Central	--	9.8	3.6
South	--	5.1	6.3
West	--	7.3	7.3

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 100
RESPIRATORY SIGNS & SYMPTOMS AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	6.1	5.2	--
Northeast	7.0	7.2	--
North Central	5.1	4.2	--
South	5.8	4.9	--
West	5.3	2.3	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 101
OTHER RESPIRATORY SYSTEM DIAGNOSES AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	11.5	14.2	11.9
Northeast	12.6	17.3	11.8
North Central	11.2	11.3	9.6
South	10.2	13.8	12.7
West	11.4	13.6	14.0

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	7.6	9.5
Northeast	--	17.4	7.6
North Central	--	2.3	14.2
South	--	5.1	9.0
West	--	5.6	6.9

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 102
OTHER RESPIRATORY SYSTEM DIAGNOSES AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	8.2	9.8	--
Northeast	8.2	10.7	--
North Central	7.9	17.1	--
South	8.4	3.8	--
West	8.4	9.3	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 103
HEART TRANSPLANT

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	37 3	--	--
Northeast	29.4	--	--
North Central	**	--	--
South	24.2	--	--
West	56.0	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	51.9	--	--
Northeast	**	--	--
North Central	--	--	--
South	--	--	--
West	**	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 104
CARDIAC VALVE PROCEDURE W/ PUMP & W/ CARDIAC CATH

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	13.0	9.9	14.1
Northeast	13.8	12.8	20.0
North Central	7.7	4.8	**
South	12.6	8.8	13.6
West	14.6	10.7	6.5

Region	Without CCs Age <65	 65-74	 75+
U.S.	14.8	15.6	**
Northeast	12.8	15.4	**
North Central	**	--	--
South	**	**	--
West	**	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 105
CARDIAC VALVE PROCEDURE W/ PUMP & W/O CARDIAC CATH

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	9.0	9.7	6.7
Northeast	9.1	11.2	9.1
North Central	9.2	8.2	4.1
South	8.5	9.7	5.9
West	9.3	7.1	8.3

Region	Without CCs Age <65	 65-74	 75+
U.S.	7.7	7.7	7.5
Northeast	7.8	10.1	**
North Central	7.1	4.5	**
South	7.6	7.7	**
West	8.4	**	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 106
CORONARY BYPASS W/ CARDIAC CATH

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	7.0	9.8	14.2
Northeast	7.9	10.6	15.0
North Central	6.5	7.8	16.8
South	5.6	9.8	13.8
West	7.8	9.6	11.1

Region	Without CCs Age <65	65-74	75+
U.S.	5.0	6.3	6.6
Northeast	5.1	6.9	3.3
North Central	1.4	3.4	**
South	5.3	6.5	8.3
West	7.4	7.1	**

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 107
CORONARY BYPASS W/O CARDIAC CATH

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	5.9	7.4	9.6
Northeast	6.1	8.7	10.4
North Central	4.6	5.6	7.0
South	5.6	6.9	9.6
West	8.3	8.6	11.4

Region	Without CCs Age <65	 65-74	 75+
U.S.	3.7	5.2	5.5
Northeast	4.0	4.9	5.1
North Central	2.3	7.0	2.0
South	3.8	3.6	8.6
West	5.2	6.8	3.1

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 108
OTHER CARDIOTHORACIC OR VASCULAR PROCEDURES, W/ PUMP

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	10.5	12.7	**
Northeast	11.1	**	**
North Central	**	**	--
South	9.6	**	**
West	9.9	**	**

Region	Without CCs Age <65	 65-74	 75+
U.S.	4.8	**	**
Northeast	3.4	--	--
North Central	**	--	--
South	4.7	--	--
West	6.8	**	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 109
OTHER CARDIOTHORACIC PROCEDURES W/O PUMP

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	9.2	12.1	9.5
Northeast	9.3	15.2	10.2
North Central	7.5	13.7	5.6
South	10.2	9.2	12.8
West	10.7	6.0	9.1

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	4.1	8.0	2.0
Northeast	4.4	8.9	3.5
North Central	4.0	**	**
South	3.5	**	**
West	4.3	**	**

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 110
MAJOR RECONSTRUCTIVE VASCULAR PROC W/O PUMP AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	12.3	13.3	14.5
Northeast	13.4	12.6	13.4
North Central	12.0	12.2	13.1
South	10.9	14.4	17.5
West	12.5	14.6	13.5

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	--	6.6	9.3
Northeast	--	6.9	10.9
North Central	--	9.2	7.2
South	--	5.3	7.8
West	--	5.8	10.8

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 111
MAJOR RECONSTRUCTIVE VASCULAR PROC W/O PUMP AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	6.9	7.6	--
Northeast	7.6	6.7	--
North Central	6.2	5.9	--
South	5.7	9.0	--
West	7.8	9.4	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 112
VASCULAR PROCEDURES EXCEPT MAJOR RECONSTRUCTION W/O PUMP

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs		
	Age		
Region	<65	65-74	75+
U.S.	9.3	10.7	13.6
Northeast	8.8	11.7	12.7
North Central	9.4	9.4	14.4
South	9.4	9.8	14.2
West	10.1	11.8	13.3

	Without CCs		
	Age		
Region	<65	65-74	75+
U.S.	6.3	7.4	8.3
Northeast	6.5	8.7	7.5
North Central	3.9	4.1	9.4
South	6.9	7.6	6.5
West	7.4	5.6	17.3

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 113
AMPUTATION FOR CIRC SYSTEM DISORDERS EXCEPT UPPER LIMB & TOE

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	17.9	16.8	13.7
Northeast	17.2	17.4	15.4
North Central	17.8	8.8	10.4
South	19.8	23.4	16.6
West	16.4	17.9	12.2

Region	Without CCs Age <65	 65-74	 75+
U.S.	16.3	21.2	10.3
Northeast	25.0	23.1	6.8
North Central	**	**	10.3
South	**	**	12.8
West	**	**	13.6

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 114
UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	17.8	17.0	23.2
Northeast	18.4	19.2	23.2
North Central	15.7	12.1	21.5
South	17.3	18.3	27.5
West	20.3	20.0	20.5

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	6.2	22.6	13.2
Northeast	2.4	**	**
North Central	6.8	**	**
South	**	**	**
West	5.6	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 115
PERM CARDIAC PACEMAKER IMPLANT W/ AMI, HEART FAILURE OR SHOCK

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	15.7	15.8	15.2
Northeast	14.8	10.0	11.4
North Central	10.0	15.9	16.9
South	20.5	16.2	17.4
West	20.7	25.5	16.1

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	7.7	**	14.7
Northeast	**	--	**
North Central	**	**	**
South	--	--	**
West	--	**	**

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 116
PERM CARDIAC PACEMAKER IMPLANT W/O AMI, HEART FAILURE OR SHOCK

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	8.9	9.0	11.5
Northeast	10.1	10.1	11.5
North Central	8.5	9.2	12.2
South	8.3	9.3	10.6
West	8.0	6.6	11.9

Region	Without CCs Age <65	 65-74	 75+
U.S.	8.5	7.9	7.0
Northeast	10.5	7.9	5.7
North Central	11.5	9.3	9.0
South	6.2	7.6	6.8
West	5.4	6.9	7.9

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 117
CARDIAC PACEMAKER REPLACE & REVIS EXCEPT PULSE GEN REPLACEMENT

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+	Region	Without CCs Age <65	 65-74	 75+
U.S.	6.3	9.0	15.9	U.S.	7.3	7.5	8.8
Northeast	9.1	11.8	17.7	Northeast	6.3	2.7	3.8
North Central	12.1	9.3	9.4	North Central	**	**	13.2
South	2.0	7.1	18.2	South	11.5	3.1	11.6
West	**	**	18.4	West	**	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+		Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 118
CARDIAC PACEMAKER PULSE GENERATOR REPLACEMENT

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	6.0	7.8	6.7
Northeast	5.0	7.1	9.3
North Central	3.8	2.4	5.8
South	11.6	10.7	4.5
West	**	9.4	7.2

Region	Without CCs Age <65	 65-74	 75+
U.S.	3.6	3.0	2.8
Northeast	1.3	1.9	2.2
North Central	7.7	6.1	3.5
South	5.1	4.1	2.7
West	**	0.0	3.2

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 119
VEIN LIGATION & STRIPPING

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	5.1	8.0	12.5
Northeast	4.7	2.9	**
North Central	6.6	7.1	3.8
South	5.1	11.1	**
West	2.2	**	**

Region	Without CCs Age <65	 65-74	 75+
U.S.	2.1	2.6	5.9
Northeast	2.7	1.3	**
North Central	1.2	2.5	0.0
South	1.9	4.5	6.9
West	3.5	0.0	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 120
OTHER CIRCULATORY SYSTEM O.R. PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	18.8	18.5	15.1
Northeast	22.3	20.2	12.6
North Central	16.5	14.0	14.4
South	18.7	20.8	21.5
West	16.1	17.8	12.5

Region	Without CCs Age <65	65-74	75+
U.S.	9.2	8.4	11.8
Northeast	8.1	6.5	13.5
North Central	5.7	5.5	8.2
South	9.7	15.2	17.8
West	13.5	8.9	10.2

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 121
CIRCULATORY DISORDERS W/ AMI & C.V. COMP* DISCH ALIVE

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	13.8	14.9	15.9
Northeast	14.4	16.8	15.7
North Central	13.0	14.4	16.8
South	13.6	14.0	15.4
West	14.4	14.1	15.2

Region	Without CCs Age <65	 65-74	 75+
U.S.	6.0	11.7	5.3
Northeast	8.6	**	**
North Central	10.9	**	**
South	1.9	5.6	**
West	**	--	**

* CARDIOVASCULAR COMPLICATIONS REPRESENT CODES OTHER THAN CCS

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 122
CIRCULATORY DISORDERS W/ AMI W/O C.V. COMP* DISCH ALIVE

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	11.0	12.1	13.0
Northeast	11.4	12.3	13.3
North Central	10.9	12.1	13.0
South	10.9	12.2	13.5
West	10.6	11.4	11.6

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	8.0	8.7	10.7
Northeast	9.6	8.9	10.1
North Central	6.6	7.9	11.8
South	7.4	8.6	11.1
West	8.6	10.2	9.2

* CARDIOVASCULAR COMPLICATIONS REPRESENT CODES OTHER THAN CCS

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 124
CIRCULATORY DISORDERS EXCEPT AMI, W/ CARD CATH & COMPLEX DIAG

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	16.4	16.1	15.5
Northeast	15.4	16.0	14.2
North Central	17.6	16.6	15.8
South	16.4	17.0	17.1
West	16.6	14.4	14.4

Region	Without CCs Age <65	 65-74	 75+
U.S.	14.8	15.6	14.6
Northeast	15.9	16.1	15.4
North Central	14.0	16.2	10.8
South	14.6	16.5	16.4
West	14.1	11.4	14.8

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 125
CIRCULATORY DISORDERS EXCEPT AMI, W/ CARD CATH W/O COMPLEX DIAG

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+	Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	14.4	16.6	15.4	U.S.	10.7	12.9	14.1
Northeast	15.0	18.6	19.1	Northeast	11.5	14.6	15.3
North Central	14.9	16.3	9.9	North Central	10.0	12.4	12.4
South	13.4	15.1	16.8	South	10.3	10.7	13.9
West	13.8	15.1	11.4	West	10.1	12.4	13.6

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+		Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 126
ACUTE & SUBACUTE ENDOCARDITIS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	13.0	14.7	14.3
Northeast	12.9	15.4	7.7
North Central	8.4	14.3	17.6
South	17.3	18.4	15.9
West	12.3	7.7	**

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	10.1	10.3	**
Northeast	8.3	**	--
North Central	12.5	--	**
South	7.1	**	**
West	**	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 127
HEART FAILURE & SHOCK

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	17.4	17.2	15.4
Northeast	17.7	18.4	15.5
North Central	17.4	18.4	16.1
South	17.9	16.1	15.1
West	16.4	15.2	14.8

Region	Without CCs Age <65	 65-74	 75+
U.S.	13.0	13.4	13.9
Northeast	14.0	13.5	14.1
North Central	12.5	14.4	15.0
South	13.3	13.3	13.3
West	11.4	12.0	12.6

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 128
DEEP VEIN THROMBOPHLEBITIS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	10.7	10.3	9.6	5.8	7.0	6.9
Northeast	11.6	12.8	10.8	5.6	8.5	6.4
North Central	10.6	10.0	9.2	6.4	7.1	5.9
South	10.8	8.1	9.9	5.4	4.8	6.7
West	8.3	10.5	7.1	6.3	7.2	10.6

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷	÷	÷	÷
	=	=	=	=	=	=
% Patients Who Were Readmitted						

DRG 129
CARDIAC ARREST, UNEXPLAINED

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	7.1	14.9	7.5
Northeast	2.2	18.8	**
North Central	**	**	**
South	6.7	13.5	7.0
West	3.7	**	**

Region	Without CCs Age <65	 65-74	 75+
U.S.	**	**	**
Northeast	--	--	--
North Central	--	--	--
South	**	**	**
West	--	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 130
PERIPHERAL VASCULAR DISORDERS AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	16.6	18.4	13.9
Northeast	16.9	17.7	13.1
North Central	18.2	19.3	15.1
South	15.8	18.8	15.0
West	15.3	18.1	12.1

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	18.5	13.5
Northeast	--	17.0	13.6
North Central	--	19.3	13.7
South	--	20.9	14.6
West	--	17.4	11.6

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 131
PERIPHERAL VASCULAR DISORDERS AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	12.5	18.1	--
Northeast	12.7	19.9	--
North Central	13.3	15.8	--
South	11.0	16.3	--
West	12.9	20.1	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 132
ATHEROSCLEROSIS AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+	Region	Without CCs Age <65	65-74	75+
U.S.	13.7	12.8	12.6	U.S.	--	14.4	12.1
Northeast	14.7	12.8	11.9	Northeast	--	17.6	17.4
North Central	17.1	10.8	13.4	North Central	--	15.2	9.9
South	12.4	12.3	11.3	South	--	12.5	11.3
West	10.8	15.5	14.5	West	--	10.5	6.1

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+		Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 133
ATHEROSCLEROSIS AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	12.5	10.9	--
Northeast	17.3	15.5	--
North Central	13.4	6.3	--
South	6.2	8.8	--
West	10.1	14.6	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 134
HYPERTENSION

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	9.3	12.3	10.0
Northeast	8.6	12.7	9.7
North Central	10.8	14.1	10.1
South	9.8	11.0	10.0
West	8.9	11.3	10.6

Region	Without CCs Age <65	 65-74	 75+
U.S.	8.4	7.0	9.1
Northeast	11.0	8.2	10.5
North Central	4.9	6.1	6.6
South	6.3	7.1	9.4
West	8.6	5.9	9.5

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 135
CARDIAC CONGENITAL & VALVULAR DISORDERS AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	11.8	13.8	12.7
Northeast	13.1	12.8	14.3
North Central	12.9	12.9	13.5
South	13.2	14.6	11.5
West	5.8	15.9	9.5

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	14.9	10.7
Northeast	--	**	13.2
North Central	--	**	7.8
South	--	**	8.9
West	--	--	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 136
CARDIAC CONGENITAL & VALVULAR DISORDERS AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	8.5	5.1	--
Northeast	13.5	**	--
North Central	8.1	**	--
South	5.8	**	--
West	4.5	**	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 137
CARDIAC CONGENITAL & VALVULAR DISORDERS AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	20.4	--	--
Northeast	21.5	--	--
North Central	18.3	--	--
South	17.7	--	--
West	21.9	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	19.0	--	--
Northeast	18.6	--	--
North Central	20.5	--	--
South	13.0	--	--
West	20.9	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 138
CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	10.2	12.2	13.2
Northeast	10.4	12.1	13.6
North Central	11.4	12.3	12.4
South	9.5	13.1	13.7
West	9.5	10.6	12.7

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	--	9.2	10.2
Northeast	--	8.6	11.0
North Central	--	11.1	11.2
South	--	7.6	9.8
West	--	10.7	7.8

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 139
CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	-
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	6.2	8.4	--
Northeast	6.4	6.4	--
North Central	5.9	8.8	--
South	6.1	10.2	--
West	6.0	8.3	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients		÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 140
ANGINA PECTORIS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	11.3	12.6	14.2
Northeast	11.5	12.3	14.1
North Central	10.7	13.1	14.7
South	11.3	12.3	14.6
West	12.0	12.5	13.0

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	7.4	8.3	10.2
Northeast	7.7	8.8	9.9
North Central	7.3	8.2	11.2
South	7.2	8.3	10.8
West	7.2	7.5	7.7

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 141
SYNCOPE & COLLAPSE AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	6.8	9.0	9.3
Northeast	7.5	8.0	8.8
North Central	5.7	8.1	9.3
South	8.1	9.7	9.7
West	5.2	10.9	9.3

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	3.9	6.2
Northeast	--	5.3	7.3
North Central	--	2.8	6.4
South	--	3.3	5.3
West	--	4.2	5.4

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 142
SYNCOPE & COLLAPSE AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	3.8	3.9	--
Northeast	4.7	4.6	--
North Central	2.9	3.0	--
South	3.8	3.6	--
West	3.5	4.4	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 143
CHEST PAIN

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	7.1	8.7	10.3
Northeast	7.8	8.5	10.6
North Central	6.7	8.2	10.3
South	7.2	9.3	10.1
West	6.3	8.4	10.2

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	3.6	5.4	7.6
Northeast	4.3	6.0	7.7
North Central	3.2	4.7	8.6
South	3.5	5.1	8.2
West	3.4	6.4	4.2

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 144
OTHER CIRCULATORY SYSTEM DIAGNOSES W/ CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	14.9	15.4	13.9
Northeast	14.8	14.6	13.3
North Central	14.0	18.3	13.7
South	15.2	13.6	13.5
West	15.6	15.9	15.5

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 145
OTHER CIRCULATORY SYSTEM DIAGNOSES W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	7.9	9.0	9.8
Northeast	8.5	13.0	11.4
North Central	6.6	5.1	10.3
South	7.3	7.5	9.5
West	9.5	11.0	5.8

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 146
RECTAL RESECTION AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	12.1	10.4	11.8
Northeast	14.8	9.2	11.8
North Central	10.9	10.9	10.8
South	11.1	11.8	11.9
West	10.1	9.0	14.5

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	--	7.9	8.8
Northeast	--	4.5	13.1
North Central	--	9.4	9.6
South	--	9.7	5.0
West	--	**	5.3

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 147
RECTAL RESECTION AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	10.6	7.1	--
Northeast	12.5	10.4	--
North Central	8.5	5.1	--
South	9.5	7.8	--
West	10.8	0.0	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 148
MAJOR SMALL & LARGE BOWEL PROCEDURES AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs			Region	Without CCs		
	Age				Age		
	<65	65-74	75+		<65	65-74	75+
U.S.	11.0	11.2	10.3	U.S.	--	6.9	7.4
Northeast	11.8	12.9	9.5	Northeast	--	6.7	6.7
North Central	10.6	10.3	10.8	North Central	--	5.8	7.8
South	10.6	11.3	11.5	South	--	8.4	8.0
West	10.5	9.1	9.0	West	--	5.4	7.1

ACTUAL READMISSION RATES

	With CCs				Without CCs		
	Age				Age		
	<65	65-74	75+		<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 149
MAJOR SMALL & LARGE BOWEL PROCEDURES AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	7.0	6.7	--
Northeast	7.9	5.2	--
North Central	6.8	8.2	--
South	6.6	7.3	--
West	6.4	6.3	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 150
PERITONEAL ADHESIOLYSIS AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	9.3	9.4	10.5
Northeast	10.0	7.9	9.4
North Central	7.3	9.7	7.8
South	8.9	10.2	12.8
West	11.1	9.8	12.2

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	6.6	10.2
Northeast	--	8.2	12.6
North Central	--	7.1	8.8
South	--	5.8	10.5
West	--	4.5	6.8

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 151
PERITONEAL ADHESIOLYSIS AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	7.6	5.0	--
Northeast	7.9	6.7	--
North Central	8.7	2.2	--
South	6.7	5.6	--
West	7.2	3.9	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 152
MINOR SMALL & LARGE BOWEL PROCEDURES AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	11.1	10.0	12.1
Northeast	11.6	12.1	12.7
North Central	10.8	11.8	6.3
South	11.9	9.1	18.2
West	9.4	4.0	8.3

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	9.3	3.7
Northeast	--	11.5	6.2
North Central	--	7.0	4.2
South	--	9.2	2.2
West	--	10.0	2.6

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 153
MINOR SMALL & LARGE BOWEL PROCEDURES AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	7.0	6.5	--
Northeast	7.7	9.6	--
North Central	6.9	1.6	--
South	6.1	9.3	--
West	7.0	3.6	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 154
STOMACH, ESOPHAGEAL & DUODENAL PROCEDURES AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+	Region	Without CCs Age <65	 65-74	 75+
U.S.	10.9	12.5	11.8	U.S.	--	8.6	9.8
Northeast	9.7	12.2	11.9	Northeast	--	7.6	5.1
North Central	11.0	12.3	10.6	North Central	--	4.6	14.8
South	12.0	13.6	13.3	South	--	11.8	10.5
West	10.9	11.0	10.4	West	--	8.3	9.3

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+		Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted				No. of Patients Who Were Readmitted			
	÷	÷	÷		÷	÷	÷
Total No. Patients				Total No. Patients			
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 155
STOMACH, ESOPHAGEAL & DUODENAL PROCEDURES AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	7.0	7.7	--
Northeast	7.0	8.1	--
North Central	6.5	5.8	--
South	6.2	9.0	--
West	8.3	7.0	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 156
STOMACH, ESOPHAGEAL & DUODENAL PROCEDURES AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	11.5	--	--
Northeast	13.0	--	--
North Central	12.3	--	--
South	8.6	--	--
West	10.2	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	4.9	--	--
Northeast	4.7	--	--
North Central	6.6	--	--
South	4.1	--	--
West	4.7	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 157
ANAL & STOMAL PROCEDURES AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	6.6	10.6	10.4
Northeast	6.8	10.9	10.3
North Central	6.3	8.6	10.9
South	8.0	11.6	9.0
West	4.6	11.4	12.0

Region	Without CCs Age <65	65-74	75+
U.S.	--	5.7	6.1
Northeast	--	4.7	4.5
North Central	--	6.2	6.8
South	--	5.6	5.8
West	--	6.3	7.8

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 158
ANAL & STOMAL PROCEDURES AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	2.8	4.7	--
Northeast	2.6	4.5	--
North Central	2.9	3.6	--
South	3.1	4.7	--
West	2.8	6.6	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 159
HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	5.9	5.2	6.5
Northeast	6.3	6.3	6.3
North Central	5.9	3.8	8.3
South	6.1	6.3	5.2
West	5.0	3.5	5.8

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	3.5	5.3
Northeast	--	2.4	4.5
North Central	--	3.2	5.1
South	--	4.7	4.5
West	--	3.9	8.7

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 160
HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+	Region	Without CCs Age <65	 65-74	 75+
U.S.	--	--	--	U.S.	3.2	2.4	--
Northeast	--	--	--	Northeast	3.0	2.3	--
North Central	--	--	--	North Central	2.9	2.2	--
South	--	--	--	South	3.3	1.7	--
West	--	--	--	West	3.8	3.6	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+		Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 161
INGUINAL & FEMORAL HERNIA PROCEDURES AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	3.8	4.9	7.1
Northeast	4.0	5.5	6.7
North Central	2.6	4.8	7.2
South	4.6	4.7	7.1
West	4.9	4.5	7.9

Region	Without CCs Age <65	65-74	75+
U.S.	--	3.5	3.9
Northeast	--	3.2	3.6
North Central	--	4.3	3.7
South	--	2.2	3.4
West	--	3.9	5.7

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 162
INGUINAL & FEMORAL HERNIA PROCEDURES AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	1.4	2.2	--
Northeast	1.4	2.0	--
North Central	1.5	1.7	--
South	1.5	3.0	--
West	1.4	2.8	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 163
HERNIA PROCEDURES AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	6.4	--	--
Northeast	8.0	--	--
North Central	2.6	--	--
South	7.5	--	--
West	6.4	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	2.5	--	--
Northeast	3.1	-	--
North Central	2.6	--	--
South	1.7	--	--
West	2.2	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 164
APPENDECTOMY W/ COMPLICATED PRINCIPAL DIAG AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	5.8	6.6	9.1
Northeast	7.9	7.3	11.5
North Central	6.0	7.4	10.1
South	4.6	6.5	6.3
West	4.1	3.9	9.4

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	6.0	7.5
Northeast	--	6.3	12.0
North Central	--	**	**
South	--	6.5	2.2
West	--	**	**

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 165
APPENDECTOMY W/ COMPLICATED PRINCIPAL DIAG AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	4.2	4.8	--
Northeast	4.8	0.0	--
North Central	4.6	7.7	--
South	3.7	3.4	--
West	3.6	**	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 166
APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	5.4	8.0	14.0
Northeast	6.8	10.9	18.4
North Central	5.5	3.7	16.1
South	4.7	4.8	7.9
West	4.0	14.3	**

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	2.5	3.9
Northeast	--	2.6	0.0
North Central	--	**	**
South	--	4.2	4.9
West	--	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 167
APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	-	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	2.0	2.4	--
Northeast	2.2	2.9	--
North Central	2.0	5.6	--
South	1.8	1.5	--
West	2.1	0.0	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 168
MOUTH PROCEDURES AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	3.7	8.2	6.5
Northeast	4.2	9.2	9.2
North Central	3.8	3.1	3.9
South	3.2	11.8	5.6
West	3.3	6.9	5.6

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	5.7	3.6
Northeast	--	3.4	5.4
North Central	--	8.1	6.7
South	--	3.0	0.0
West	--	10.0	1.9

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted ——— Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted ——— Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 169
MOUTH PROCEDURES AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	1.4	4.5	--
Northeast	1.2	1.6	--
North Central	1.8	9.3	--
South	1.4	1.9	--
West	1.3	7.5	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 170
OTHER DIGESTIVE SYSTEM O.R. PROCEDURES AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	16.4	17.8	15.7
Northeast	18.3	17.6	15.9
North Central	18.7	17.9	13.2
South	11.5	17.2	16.6
West	18.6	19.4	13.7

Region	Without CCs Age <65	65-74	75+
U.S.	--	18.4	12.9
Northeast	--	3.7	12.5
North Central	--	**	10.7
South	--	21.4	17.0
West	--	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 171
OTHER DIGESTIVE SYSTEM O.R. PROCEDURES AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	6.8	16.8	--
Northeast	8.0	14.7	--
North Central	6.9	17.2	--
South	6.4	21.7	--
West	5.4	**	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 172
DIGESTIVE MALIGNANCY AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	27.9	23.9	19.6
Northeast	28.1	26.5	19.6
North Central	24.2	23.5	19.4
South	29.8	22.0	20.8
West	29.5	22.8	17.6

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	33.3	24.9
Northeast	--	43.9	27.2
North Central	--	23.3	26.5
South	--	36.5	20.7
West	--	28.6	22.7

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 173
DIGESTIVE MALIGNANCY AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	36.5	39.2	--
Northeast	36.4	40.0	--
North Central	32.8	41.2	--
South	44.7	41.7	--
West	33.1	31.0	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 174
G.I. HEMORRHAGE AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	10.0	10.9	11.5
Northeast	10.9	12.6	11.2
North Central	9.9	10.1	11.4
South	9.4	10.5	12.1
West	9.9	9.7	10.7

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	7.7	7.8
Northeast	--	10.1	8.4
North Central	--	5.8	7.1
South	--	8.9	7.9
West	--	4.5	7.7

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 175
G.I. HEMORRHAGE AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	5.9	4.8	--
Northeast	7.1	5.8	--
North Central	4.9	4.1	--
South	5.6	5.6	--
West	5.7	2.5	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 176
COMPLICATED PEPTIC ULCER

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	15.1	11.0	13.9
Northeast	13.9	13.4	15.2
North Central	14.4	8.5	12.7
South	15.1	12.2	14.3
West	17.9	7.7	12.1

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	11.8	9.0	10.1
Northeast	12.5	8.9	12.2
North Central	8.6	5.7	0.0
South	15.8	19.4	14.0
West	10.0	0.0	17.2

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 177
UNCOMPLICATED PEPTIC ULCER AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	8.3	9.6	12.0
Northeast	7.9	8.2	12.2
North Central	8.5	10.8	12.8
South	9.3	10.2	11.3
West	7.6	9.7	11.7

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	6.7	7.4
Northeast	--	5.4	6.2
North Central	--	4.9	6.6
South	--	11.0	8.3
West	--	5.1	9.0

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 178
UNCOMPLICATED PEPTIC ULCER AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	5.6	5.6	--
Northeast	7.4	3.8	--
North Central	4.1	7.9	--
South	6.0	6.3	--
West	4.2	5.0	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 179
INFLAMMATORY BOWEL DISEASE

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	12.4	8.3	13.6
Northeast	12.8	8.6	12.5
North Central	13.7	8.6	13.4
South	12.1	9.0	14.4
West	9.4	5.1	14.3

Region	Without CCs Age <65	65-74	75+
U.S.	11.1	8.8	14.3
Northeast	10.5	5.4	**
North Central	10.7	12.5	**
South	12.2	12.8	**
West	11.3	**	**

ACTUAL READMISSION RATES

With CCs	Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs	Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 180
G.I. OBSTRUCTION AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	17.1	15.9	12.3
Northeast	17.9	17.8	12.2
North Central	16.4	13.8	12.8
South	17.8	17.6	12.2
West	14.6	11.8	12.0

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	12.3	11.5
Northeast	--	12.3	11.8
North Central	--	11.6	11.5
South	--	11.4	12.8
West	--	15.4	7.7

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 181
G.I. OBSTRUCTION AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	9.6	11.5	--
Northeast	10.5	12.5	--
North Central	9.5	12.2	--
South	9.5	9.6	--
West	8.1	13.5	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 182
ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs				Without CCs		
	Age				Age		
Region	<65	65-74	75+	Region	<65	65-74	75+
U.S.	10.5	12.2	11.6	U.S.	--	8.4	9.3
Northeast	10.5	11.6	11.4	Northeast	--	8.5	8.4
North Central	10.3	12.2	11.7	North Central	--	9.2	9.6
South	11.5	13.3	11.8	South	--	9.7	10.8
West	9.1	11.3	11.1	West	--	5.4	8.1

ACTUAL READMISSION RATES

	With CCs				Without CCs		
	Age				Age		
	<65	65-74	75+		<65	65-74	75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷	**No. of Patients Who Were Readmitted** / **Total No. Patients**	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				**% Patients Who Were Readmitted**			

DRG 183
ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	6.6	7.7	--
Northeast	6.7	7.1	--
North Central	6.0	7.8	--
South	7.2	8.2	--
West	6.1	7.5	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 184
ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	6.1	--	--
Northeast	6.2	--	--
North Central	6.4	--	--
South	6.3	--	--
West	5.6	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	6.2	--	--
Northeast	6.9	--	--
North Central	5.2	--	--
South	6.0	--	--
West	5.8	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 185
DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	10.9	16.4	13.2
Northeast	10.1	24.7	17.3
North Central	10.0	13.3	11.1
South	11.6	10.2	10.2
West	12.7	12.5	13.5

Region	Without CCs Age <65	 65-74	 75+
U.S.	6.3	7.5	10.6
Northeast	8.0	16.7	**
North Central	4.5	**	7.4
South	6.4	7.1	**
West	6.2	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 186
DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+	Region	Without CCs Age <65	65-74	75+
U.S.	6.2	--	--	U.S.	2.9	--	--
Northeast	7.5	--	--	Northeast	3.4	--	--
North Central	4.7	--	--	North Central	3.6	--	--
South	6.0	--	--	South	1.7	--	--
West	5.0	--	--	West	2.4	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+		Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 187
DENTAL EXTRACTIONS & RESTORATIONS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	5.5	13.5	5.6
Northeast	6.3	**	**
North Central	3.5	15.6	6.9
South	7.9	**	**
West	6.5	**	**

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	1.6	3.1	3.3
Northeast	2.6	**	**
North Central	1.9	**	3.8
South	0.7	**	**
West	1.1	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 188
OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	16.5	15.8	12.9
Northeast	18.6	15.8	12.8
North Central	15.4	12.0	12.3
South	15.5	18.3	15.3
West	15.9	16.8	9.6

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	8.1	10.3
Northeast	--	8.6	10.2
North Central	--	6.7	10.7
South	--	8.7	12.1
West	--	9.5	7.2

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 189
OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	9.2	11.4	--
Northeast	9.6	11.4	--
North Central	7.5	7.8	--
South	10.8	15.4	--
West	9.1	11.1	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 190
OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	17.7	--	--
Northeast	18.8	--	--
North Central	15.6	--	--
South	14.5	--	--
West	19.9	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	7.1	--	--
Northeast	7.4	--	--
North Central	7.8	--	--
South	6.0	--	--
West	6.5	--	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 191
MAJOR PANCREAS, LIVER & SHUNT PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	15.5	15.0	14.1
Northeast	19.2	15.1	14.0
North Central	15.6	11.5	9.7
South	11.5	17.0	18.8
West	14.8	13.6	11.8

Region	Without CCs Age <65	 65-74	 75+
U.S.	10.8	11.8	6.3
Northeast	9.6	**	**
North Central	9.7	**	**
South	9.8	11.5	**
West	14.3	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 192
MINOR PANCREAS, LIVER & SHUNT PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	15.0	12.3	12.5
Northeast	16.8	12.8	24.1
North Central	19.7	**	**
South	11.0	11.1	13.9
West	14.7	**	**

Region	Without CCs Age <65	 65-74	 75+
U.S.	6.5	10.3	**
Northeast	1.8	**	--
North Central	**	--	--
South	14.0	--	**
West	5.4	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 193
BILIARY TRACT PROC EXCEPT TOT CHOLECYSTECTOMY AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	18.6	14.6	11.6
Northeast	20.5	14.2	11.1
North Central	14.9	13.5	11.1
South	24.5	18.5	10.9
West	10.0	10.4	16.1

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	11.1	8.5
Northeast	--	15.3	14.6
North Central	--	3.0	6.1
South	--	15.9	5.4
West	--	**	4.6

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 194
BILIARY TRACT PROC EXCEPT TOT CHOLECYSTECTOMY AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs		
		Age	
Region	<65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

	Without CCs		
		Age	
Region	<65	65-74	75+
U.S.	13.8	11.9	--
Northeast	13.9	2.0	--
North Central	13.3	25.0	--
South	13.5	11.9	--
West	14.8	**	--

ACTUAL READMISSION RATES

	With CCs		
		Age	
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
		Age	
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 195
TOTAL CHOLECYSTECTOMY W/ C.D.E. AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	4.9	7.6	9.2
Northeast	3.9	8.5	9.3
North Central	5.4	7.4	8.7
South	5.8	7.9	9.7
West	4.4	6.2	8.6

Region	Without CCs Age <65	65-74	75+
U.S.	--	4.5	7.5
Northeast	--	0.0	7.8
North Central	--	**	**
South	--	**	4.7
West	--	**	5.0

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 196
TOTAL CHOLECYSTECTOMY W/ C.D.E. AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	4.1	4.0	--
Northeast	5.1	3.1	--
North Central	1.8	**	--
South	3.7	2.5	--
West	4.6	**	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 197
TOTAL CHOLECYSTECTOMY W/O C.D.E. AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	3.7	5.7	8.7
Northeast	3.6	6.4	7.8
North Central	3.1	4.8	8.8
South	3.9	5.7	8.9
West	4.3	6.0	9.7

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	3.4	3.8
Northeast	--	3.3	2.9
North Central	--	4.3	3.5
South	--	3.5	4.1
West	--	2.1	5.5

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 198
TOTAL CHOLECYSTECTOMY W/O C.D.E. AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	2.0	3.0	--
Northeast	2.0	3.6	--
North Central	1.8	3.0	--
South	1.9	2.4	--
West	2.5	3.1	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 199
HEPATOBILIARY DIAGNOSTIC PROCEDURE FOR MALIGNANCY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	20.7	15.3	14.4
Northeast	27.0	14.8	13.2
North Central	10.0	11.4	11.5
South	18.8	19.3	6.8
West	22.0	14.7	**

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	25.9	5.1	**
Northeast	20.5	**	**
North Central	**	**	--
South	**	**	**
West	22.6	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 200
HEPATOBILIARY DIAGNOSTIC PROCEDURE FOR NON-MALIGNANCY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	10.3	6.2	11.1
Northeast	8.1	5.4	**
North Central	13.3	**	**
South	10.1	3.8	**
West	11.0	**	**

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	9.0	10.5	**
Northeast	9.8	**	**
North Central	12.3	**	--
South	11.8	**	**
West	1.6	**	--

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 201
OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	21.2	20.9	20.4
Northeast	20.4	6.3	15.2
North Central	24.1	29.2	20.9
South	18.4	23.2	23.2
West	22.9	32.1	**

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	25.8	**	**
Northeast	10.3	**	--
North Central	**	--	--
South	**	--	--
West	**	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 202
CIRRHOSIS & ALCOHOLIC HEPATITIS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	14.7	15.2	14.8
Northeast	14.2	14.3	7.4
North Central	12.6	12.7	14.3
South	17.7	15.3	18.9
West	12.9	20.1	21.0

Region	Without CCs Age <65	65-74	75+
U.S.	7.7	9.1	**
Northeast	7.5	6.1	--
North Central	4.3	6.9	**
South	11.0	**	**
West	8.5	**	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 203
MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	25.1	16.3	13.1
Northeast	30.1	16.3	15.1
North Central	23.1	18.5	16.6
South	21.4	14.7	10.0
West	23.7	15.7	9.0

Region	Without CCs Age <65	 65-74	 75+
U.S.	28.4	20.5	17.6
Northeast	32.8	24.7	13.5
North Central	26.0	25.4	18.1
South	20.9	13.9	21.7
West	32.0	12.9	15.4

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 204
DISORDERS OF PANCREAS EXCEPT MALIGNANCY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	13.1	15.6	14.2
Northeast	12.2	16.4	14.2
North Central	12.4	16.0	16.3
South	14.8	16.7	13.4
West	13.0	12.3	12.7

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	11.4	10.3	11.0
Northeast	11.3	9.6	12.0
North Central	9.8	13.2	14.3
South	12.8	9.5	6.5
West	11.1	9.3	11.8

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 205
DISORDERS OF LIVER EXCEPT MALIG, CIRR, ALC HEPA AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	13.7	17.6	15.0
Northeast	13.9	17.0	8.6
North Central	13.6	20.3	19.7
South	13.6	16.6	16.3
West	13.5	16.7	14.0

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	--	9.3	10.5
Northeast	--	7.4	8.9
North Central	--	2.9	8.8
South	--	10.3	15.8
West	--	17.2	**

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 206
DISORDERS OF LIVER EXCEPT MALIG, CIRR, ALC HEPA AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	6.1	9.8	--
Northeast	6.5	15.3	--
North Central	5.4	5.7	--
South	6.4	6.5	--
West	5.8	9.3	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 207
DISORDERS OF THE BILIARY TRACT AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	23.7	19.6	14.3
Northeast	25.4	19.8	15.4
North Central	21.4	19.9	14.0
South	24.9	20.9	15.2
West	21.9	17.2	11.9

Region	Without CCs Age <65	65-74	75+
U.S.	--	20.5	15.5
Northeast	--	18.0	13.4
North Central	--	16.8	16.1
South	--	25.2	18.7
West	--	21.6	12.3

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 208
DISORDERS OF THE BILIARY TRACT AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	27.4	18.0	--
Northeast	29.9	19.7	--
North Central	26.6	14.7	--
South	28.7	21.8	--
West	22.0	14.6	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 209
MAJOR JOINT & LIMB REATTACHMENT PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	7.7	8.9	11.2
Northeast	8.3	8.4	10.2
North Central	6.0	7.7	9.5
South	7.6	9.8	13.6
West	9.3	9.5	10.4

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	4.9	5.7	8.4
Northeast	4.8	5.0	8.1
North Central	4.1	5.2	5.4
South	5.3	6.0	9.7
West	5.4	7.2	9.4

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 210
HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	7.6	10.5	10.2
Northeast	8.4	12.5	11.5
North Central	7.5	7.0	8.2
South	7.5	12.6	10.8
West	6.5	7.4	9.3

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	--	8.4	9.0
Northeast	--	10.2	10.0
North Central	--	4.8	6.8
South	--	10.0	9.4
West	--	6.7	8.9

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 211
HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	5.0	7.5	--
Northeast	5.5	7.7	--
North Central	4.2	5.6	--
South	4.5	7.4	--
West	6.0	9.7	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 212
HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+	Region	Without CCs Age <65	65-74	75+
U.S.	6.7	--	--	U.S.	4.7	--	--
Northeast	7.1	--	--	Northeast	5.9	--	--
North Central	8.6	--	--	North Central	5.7	--	--
South	4.3	--	--	South	3.6	--	--
West	6.3	--	--	West	2.5	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+		Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 213
AMPUTATION FOR MUSCULOSKELETAL SYSTEM & CONN TISSUE DISORDERS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	14.6	16.6	13.9
Northeast	18.5	13.4	21.7
North Central	15.5	16.7	11.1
South	11.7	23.0	10.7
West	11.0	12.2	11.6

Region	Without CCs Age <65	65-74	75+
U.S.	8.4	6.8	4.3
Northeast	7.9	3.8	**
North Central	9.3	**	**
South	8.9	**	**
West	7.4	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 214
BACK & NECK PROCEDURES AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	4.9	8.3	10.7
Northeast	4.8	7.8	9.4
North Central	4.3	6.9	11.7
South	5.0	9.6	12.7
West	5.8	7.7	6.5

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	5.4	7.8
Northeast	--	6.9	8.3
North Central	--	4.6	8.5
South	--	4.3	7.9
West	--	5.1	5.6

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 215
BACK & NECK PROCEDURES AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	2.8	4.2	--
Northeast	2.9	4.1	--
North Central	2.3	3.3	--
South	3.0	5.2	--
West	3.0	2.8	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 216
BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+	Region	Without CCs Age <65	 65-74	 75+
U.S.	18.9	19.4	10.5	U.S.	14.7	16.6	9.7
Northeast	19.8	18.8	16.3	Northeast	12.9	10.9	8.3
North Central	9.4	18.0	6.1	North Central	18.5	17.6	**
South	17.5	16.7	5.4	South	12.3	21.4	6.9
West	25.7	27.3	**	West	15.6	17.2	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+		Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 217
WND DEBRID & SKN GRFT EXCEPT HAND, FOR MUSCSKELET & CONN TISS DIS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	9.0	16.8	13.2
Northeast	8.2	19.8	21.7
North Central	8.8	11.2	11.4
South	10.1	18.2	7.8
West	8.9	17.6	8.5

Region	Without CCs Age <65	 65-74	 75+
U.S.	4.8	5.0	17.1
Northeast	5.6	5.8	25.7
North Central	3.8	0.0	**
South	4.4	7.4	13.9
West	4.6	4.2	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 218
LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	6.8	9.0	11.0
Northeast	7.6	9.4	8.9
North Central	7.1	8.5	12.3
South	6.3	9.5	12.9
West	6.0	8.0	9.8

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	3.9	5.8
Northeast	--	3.9	6.3
North Central	--	2.9	4.0
South	--	3.7	6.4
West	--	6.1	5.6

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 219
LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+	Region	Without CCs Age <65	 65-74	 75+
U.S.	--	--	--	U.S.	2.7	3.2	--
Northeast	--	--	--	Northeast	2.6	1.7	--
North Central	--	--	--	North Central	2.8	1.4	--
South	--	--	--	South	2.7	4.5	--
West	--	--	--	West	2.5	6.3	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+		Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 220
LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	6.1	--	--
Northeast	8.9	--	--
North Central	3.1	--	--
South	7.5	--	--
West	3.7	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	1.7	--	--
Northeast	2.0	--	--
North Central	2.3	--	--
South	1.3	--	--
West	1.3	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 221
KNEE PROCEDURES AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	5.2	4.6	7.2
Northeast	8.2	3.8	8.5
North Central	3.9	2.0	4.9
South	4.4	8.3	6.0
West	2.7	2.9	**

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	4.1	5.1
Northeast	--	2.3	3.0
North Central	--	5.9	1.5
South	--	4.3	7.5
West	--	4.7	7.0

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 222
KNEE PROCEDURES AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	1.8	4.2	--
Northeast	2.1	4.0	--
North Central	1.7	5.9	--
South	1.7	2.4	--
West	1.6	5.9	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 223
MAJOR SHOULDER/ELBOW PROC, OR OTHER UPPER EXTREMITY PROC W/ CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	3.6	4.5	6.8
Northeast	3.9	5.2	7.8
North Central	4.3	4.3	2.7
South	3.9	3.5	7.0
West	1.6	6.0	9.7

Region	Without CCs Age <65	 65-74	 75+
U.S.	1.4	2.0	4.1
Northeast	1.1	0.8	4.6
North Central	1.3	1.0	5.6
South	1.3	3.4	4.1
West	2.3	2.5	1.9

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 224
SHOULDER,ELBOW OR FOREARM PROC, EXC MAJOR JOINT PROC, W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+	Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	--	--	--	U.S.	1.8	2.6	4.0
Northeast	--	--	--	Northeast	1.5	2.7	5.1
North Central	--	--	--	North Central	1.9	1.0	2.5
South	--	--	--	South	2.0	3.4	3.8
West	--	--	--	West	1.9	2.5	4.8

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+		Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 225
FOOT PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	7.5	7.5	6.9
Northeast	6.8	8.2	11.4
North Central	7.3	4.1	7.7
South	9.5	7.5	4.3
West	6.1	13.6	2.3

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	2.3	1.8	3.4
Northeast	2.1	2.5	3.6
North Central	2.7	0.4	4.4
South	2.1	1.4	3.2
West	2.8	3.1	1.8

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 226
SOFT TISSUE PROCEDURES AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	7.4	9.2	14.6
Northeast	8.3	9.3	14.3
North Central	6.4	9.2	10.5
South	8.2	10.5	18.0
West	5.5	6.5	**

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	4.8	7.0
Northeast	--	5.1	8.1
North Central	--	1.7	6.8
South	--	6.7	3.3
West	--	4.3	12.8

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 227
SOFT TISSUE PROCEDURES AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	3.2	2.8	--
Northeast	4.7	1.7	--
North Central	2.4	1.3	--
South	2.4	4.7	--
West	2.4	3.8	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 228
MAJOR THUMB OR JOINT PROC, OR OTH HAND OR WRIST PROC W/ CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	4.5	3.7	8.0
Northeast	4.7	3.1	2.9
North Central	2.6	3.0	**
South	6.2	6.6	6.7
West	4.3	0.0	**

Region	Without CCs Age <65	 65-74	 75+
U.S.	2.2	1.9	3.8
Northeast	2.7	4.5	3.4
North Central	1.6	0.0	**
South	1.8	0.7	5.6
West	2.3	0.0	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 229
HAND OR WRIST PROC, EXCEPT MAJOR JOINT PROC, W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	2.2	2.6	3.8
Northeast	2.4	2.1	3.8
North Central	2.4	3.4	5.7
South	2.0	2.8	0.0
West	1.9	1.6	7.4

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 230
LOCAL EXCISION & REMOVAL OF INT FIX DEVICES OF HIP & FEMUR

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs				Without CCs		
	Age				Age		
Region	<65	65-74	75+	Region	<65	65-74	75+
U.S.	7.8	6.9	8.9	U.S.	2.0	5.0	6.9
Northeast	7.7	**	6.8	Northeast	2.4	4.3	7.8
North Central	2.4	**	6.5	North Central	2.0	3.2	2.9
South	9.3	**	12.5	South	1.4	4.8	8.0
West	13.1	**	**	West	1.9	**	**

ACTUAL READMISSION RATES

	With CCs				Without CCs		
	Age				Age		
	<65	65-74	75+		<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 231
LOCAL EXCISION & REMOVAL OF INT FIX DEVICES EXCEPT HIP & FEMUR

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	5.4	7.0	15.1
Northeast	7.1	9.4	11.8
North Central	4.9	4.9	11.8
South	5.6	10.3	18.4
West	3.0	0.0	**

Region	Without CCs Age <65	 65-74	 75+
U.S.	2.4	3.2	5.5
Northeast	3.0	1.8	5.6
North Central	1.3	5.1	5.1
South	2.2	3.4	7.4
West	3.2	3.2	2.8

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 232
ARTHROSCOPY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	5.0	**	**
Northeast	3.8	**	--
North Central	3.3	**	--
South	3.3	--	--
West	**	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	2.7	3.4	**
Northeast	1.9	**	--
North Central	4.0	**	--
South	2.4	**	**
West	1.5	**	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 233
OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	7.8	8.3	9.0
Northeast	9.3	8.9	9.9
North Central	7.6	9.8	8.0
South	7.2	6.8	11.0
West	6.6	7.7	4.1

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	4.3	6.3
Northeast	--	3.8	10.6
North Central	--	4.0	5.5
South	--	4.5	3.7
West	--	5.7	3.7

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 234
OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	3.0	6.6	--
Northeast	4.0	7.9	--
North Central	2.8	5.9	--
South	2.2	9.1	--
West	3.3	1.6	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 235
FRACTURES OF FEMUR

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	6.5	4.5	7.9
Northeast	7.6	3.3	7.2
North Central	5.5	3.4	4.4
South	8.0	5.6	11.6
West	1.8	**	7.1

Region	Without CCs Age <65	 65-74	 75+
U.S.	3.1	13.9	8.5
Northeast	3.2	**	7.8
North Central	3.5	6.7	8.8
South	2.5	12.1	10.4
West	3.6	**	4.8

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 236
FRACTURES OF HIP & PELVIS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	5.0	7.7	9.2
Northeast	5.3	5.5	10.4
North Central	4.6	6.2	8.5
South	6.0	9.8	8.7
West	3.0	9.0	9.2

Region	Without CCs Age <65	 65-74	 75+
U.S.	2.9	5.0	8.4
Northeast	3.9	5.7	8.7
North Central	1.9	3.6	7.7
South	3.4	6.4	7.8
West	1.5	2.6	10.1

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 237
SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	7.3	3.1	8.4
Northeast	6.8	**	9.4
North Central	2.7	**	**
South	11.8	**	9.7
West	**	**	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	3.6	13.0	8.8
Northeast	3.0	**	14.8
North Central	6.1	**	**
South	2.3	**	8.2
West	3.3	--	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 238
OSTEOMYELITIS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	65-74	75+
U.S.	12.6	12.7	14.5
Northeast	10.2	14.7	12.5
North Central	17.4	13.3	12.5
South	13.6	9.1	25.0
West	7.4	**	11.5

Without CCs

Region	Age <65	65-74	75+
U.S.	6.8	3.5	18.2
Northeast	6.7	0.0	19.4
North Central	7.2	**	11.5
South	7.2	**	**
West	5.7	**	**

ACTUAL READMISSION RATES

With CCs

	Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 239
PATHOLOGICAL FRACTURES & MUSCULOSKELETAL & CONN TISS MALIGNANCY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	28.1	15.9	13.1
Northeast	27.6	15.1	12.6
North Central	26.7	16.4	12.7
South	23.2	18.0	14.4
West	36.4	12.7	11.9

Region	Without CCs Age <65	 65-74	 75+
U.S.	33.7	14.0	10.6
Northeast	30.7	13.9	12.2
North Central	34.7	18.3	7.7
South	27.7	12.8	12.1
West	41.8	11.2	8.3

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 240
CONNECTIVE TISSUE DISORDERS AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	16.7	12.7	16.7
Northeast	18.9	11.3	17.2
North Central	16.0	11.0	13.7
South	15.6	17.7	20.1
West	14.8	10.9	15.2

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	--	8.4	12.9
Northeast	--	7.0	17.1
North Central	--	12.1	9.2
South	--	10.5	12.9
West	--	6.4	9.6

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 241
CONNECTIVE TISSUE DISORDERS AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs		
	Age		
Region	<65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

	Without CCs		
	Age		
Region	<65	65-74	75+
U.S.	11.4	11.4	--
Northeast	10.7	8.1	--
North Central	11.9	11.6	--
South	12.1	18.3	--
West	11.7	7.1	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 242
SEPTIC ARTHRITIS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	8.6	11.4	9.9
Northeast	8.2	10.0	11.5
North Central	13.1	**	**
South	6.9	**	7.7
West	6.6	--	**

Region	Without CCs Age <65	 65-74	 75+
U.S.	3.1	8.3	7.6
Northeast	2.2	**	14.3
North Central	2.6	**	**
South	3.3	**	**
West	4.5	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 243
MEDICAL BACK PROBLEMS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	11.3	12.5	10.9
Northeast	10.8	12.1	9.3
North Central	11.0	13.9	10.7
South	11.8	13.4	12.8
West	11.5	9.3	10.1

Region	Without CCs Age <65	 65-74	 75+
U.S.	11.9	13.7	12.0
Northeast	12.1	13.5	12.8
North Central	10.4	11.9	8.1
South	13.6	17.3	14.1
West	11.0	10.6	11.4

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 244
BONE DISEASES & SPECIFIC ARTHROPATHIES AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	15.7	16.9	14.8
Northeast	16.6	17.0	12.6
North Central	15.4	15.8	16.7
South	12.0	20.3	17.3
West	17.8	13.2	11.8

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	14.4	13.0
Northeast	--	20.0	13.6
North Central	--	15.5	13.4
South	--	8.2	11.5
West	--	13.0	14.1

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 245
BONE DISEASES & SPECIFIC ARTHROPATHIES AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+	Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	--	--	--	U.S.	7.8	18.6	--
Northeast	--	--	--	Northeast	8.3	21.7	--
North Central	--	--	--	North Central	8.3	14.3	--
South	--	--	--	South	7.6	16.9	--
West	--	--	--	West	6.4	20.5	--

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+		Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 246
NON-SPECIFIC ARTHROPATHIES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+	Region	Without CCs Age <65	65-74	75+
U.S.	11.6	13.8	11.4	U.S.	6.8	10.1	8.0
Northeast	4.7	**	**	Northeast	5.3	**	11.8
North Central	**	**	**	North Central	5.1	**	**
South	18.8	**	10.7	South	8.0	**	**
West	**	**	**	West	9.2	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+		Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 247
SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	10.4	12.6	10.6
Northeast	11.2	7.9	11.9
North Central	10.4	20.0	5.8
South	8.9	12.5	15.2
West	11.1	13.0	6.7

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	5.1	7.0	10.1
Northeast	5.2	3.1	10.4
North Central	5.1	15.6	7.3
South	5.3	4.9	11.4
West	4.9	8.8	9.5

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 248
TENDONITIS, MYOSITIS & BURSITIS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	7.7	8.6	10.5
Northeast	7.3	7.8	9.5
North Central	6.1	7.8	8.8
South	8.5	12.8	13.8
West	9.2	5.6	9.7

Region	Without CCs Age <65	 65-74	 75+
U.S.	4.3	5.0	4.9
Northeast	6.0	3.3	5.5
North Central	3.3	5.9	3.9
South	2.9	6.8	4.9
West	4.5	5.0	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 249
AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	14.0	23.5	13.5
Northeast	13.8	30.2	12.5
North Central	11.6	**	3.8
South	9.1	17.4	21.5
West	25.0	17.2	12.5

Region	Without CCs Age <65	 65-74	 75+
U.S.	10.9	15.9	19.4
Northeast	8.1	16.0	17.9
North Central	8.8	15.6	15.6
South	14.1	17.6	24.8
West	19.6	10.3	10.0

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 250
FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+	Region	Without CCs Age <65	 65-74	 75+
U.S.	4.9	8.4	10.2	U.S.	--	8.3	7.3
Northeast	7.2	15.8	13.9	Northeast	--	12.5	9.2
North Central	4.9	3.4	8.0	North Central	--	6.0	4.6
South	4.1	4.3	10.6	South	--	9.4	7.8
West	2.3	10.7	5.0	West	--	**	6.4

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+		Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 251
FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	5.4	4.0	--
Northeast	5.1	3.8	--
North Central	6.3	5.1	--
South	5.3	1.9	--
West	5.0	6.7	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 252
FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

- % READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	1.6	--	--
Northeast	2.1	--	--
North Central	3.3	--	--
South	0.0	--	--
West	**	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	2.9	--	--
Northeast	2.3	--	--
North Central	3.0	--	--
South	3.9	--	--
West	2.6	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 253
FX, SPRN, STRN & DISL OF UPARM, LOWLEG EX FOOT AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	7.5	9.5	8.4
Northeast	8.0	8.7	9.4
North Central	6.4	11.3	6.6
South	8.5	10.3	8.7
West	6.0	5.1	10.0

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	6.3	7.7
Northeast	--	3.8	8.4
North Central	--	7.5	5.6
South	--	5.5	9.3
West	--	10.6	6.2

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 254
FX, SPRN, STRN & DISL OF UPARM, LOWLEG EX FOOT AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	7.0	4.9	--
Northeast	6.5	4.5	--
North Central	6.3	5.6	--
South	8.5	4.6	--
West	6.6	5.2	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 255
FX, SPRN, STRN & DISL OF UPARM, LOWLEG EX FOOT AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	3.1	--	--
Northeast	3.3	--	--
North Central	3.4	--	--
South	2.2	--	--
West	3.8	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	3.6	--	--
Northeast	2.8	--	--
North Central	4.2	--	--
South	4.4	--	--
West	2.9	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 256
OTHER MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE DIAGNOSES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age		
	<65	65-74	75+
U.S.	12.6	12.2	8.9
Northeast	13.3	7.7	8.3
North Central	9.9	18.5	9.0
South	13.2	14.4	10.5
West	14.0	8.7	7.0

Region	Without CCs Age		
	<65	65-74	75+
U.S.	9.8	5.5	7.7
Northeast	8.4	11.0	8.0
North Central	11.7	2.7	9.1
South	10.8	3.7	8.8
West	9.4	2.2	3.0

ACTUAL READMISSION RATES

	With CCs Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 257
TOTAL MASTECTOMY FOR MALIGNANCY AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	4.8	5.0	4.8
Northeast	6.0	5.2	6.7
North Central	3.0	4.1	3.1
South	3.9	4.8	4.5
West	6.4	5.8	3.7

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	2.1	2.4
Northeast	--	2.0	2.8
North Central	--	2.2	2.1
South	--	2.3	2.6
West	--	1.4	1.5

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 258
TOTAL MASTECTOMY FOR MALIGNANCY AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	2.5	2.7	--
Northeast	3.1	2.3	--
North Central	1.0	2.5	--
South	2.3	3.9	--
West	3.0	0.9	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 259
SUBTOTAL MASTECTOMY FOR MALIGNANCY AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	14.1	13.3	9.5
Northeast	13.3	10.5	7.6
North Central	13.8	13.5	12.0
South	14.6	11.9	9.5
West	15.4	**	6.9

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	14.5	8.4
Northeast	--	12.8	5.7
North Central	--	20.7	12.5
South	--	5.1	2.4
West	--	**	19.2

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 260
SUBTOTAL MASTECTOMY FOR MALIGNANCY AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	11.0	9.2	--
Northeast	9.5	8.1	--
North Central	13.4	8.2	--
South	8.4	10.7	--
West	14.8	10.7	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 261
BREAST PROC FOR NON-MALIGNANCY EXCEPT BIOPSY & LOCAL EXCISION

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	4.2	1.4	2.0
Northeast	4.5	**	**
North Central	7.5	**	**
South	2.1	0.0	**
West	4.1	**	**

Region	Without CCs Age <65	65-74	75+
U.S.	1.3	1.2	2.8
Northeast	1.7	1.0	**
North Central	1.1	1.5	3.6
South	1.0	1.5	0.0
West	1.4	0.0	**

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 262
BREAST BIOPSY & LOCAL EXCISION FOR NON-MALIGNANCY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	 65-74	 75+
U.S.	4.9	3.1	6.9
Northeast	12.0	**	**
North Central	0.0	**	**
South	2.5	**	**
West	4.7	**	**

Without CCs

Region	Age <65	 65-74	 75+
U.S.	1.2	3.7	5.1
Northeast	2.4	0.0	**
North Central	0.8	5.6	6.8
South	1.2	6.5	**
West	1.0	0.0	**

ACTUAL READMISSION RATES

With CCs

	Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 263
SKIN GRAFT &/OR DEBRID FOR SKN ULCER OR CELLULITIS AGE>69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	12.1	11.9	13.1
Northeast	12.3	17.0	14.4
North Central	12.4	8.6	11.2
South	13.0	11.0	17.0
West	10.1	9.1	8.2

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	9.2	12.7
Northeast	--	12.1	12.5
North Central	--	2.9	13.3
South	--	14.3	14.9
West	--	6.3	8.9

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 264
SKIN GRAFT &/OR DEBRID FOR SKN ULCER OR CELLULITIS AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	8.2	8.1	--
Northeast	7.2	4.4	--
North Central	9.1	6.3	--
South	8.1	15.8	--
West	9.1	**	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 265
SKIN GRAFT &/OR DEBRID EXCEPT FOR SKIN ULCER OR CELLULITIS W/ CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	7.1	8.1	8.0
Northeast	6.6	9.5	13.3
North Central	6.2	8.1	4.9
South	6.8	7.5	5.2
West	9.5	6.0	11.1

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 266
SKIN GRAFT &/OR DEBRID EXCEPT FOR SKIN ULCER OR CELLULITIS W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	<65	65-74	75+
		Age	
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	<65	65-74	75+
		Age	
U.S.	3.7	4.5	5.3
Northeast	3.0	6.8	6.4
North Central	5.6	3.8	1.9
South	3.8	3.7	6.0
West	3.0	2.6	7.0

ACTUAL READMISSION RATES

With CCs

	<65	65-74	75+
		Age	
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	<65	65-74	75+
		Age	
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 267
PERIANAL & PILONIDAL PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	4.8	**	**
Northeast	5.6	--	--
North Central	6.1	--	--
South	3.0	--	--
West	2.9	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	1.5	**	**
Northeast	1.1	**	--
North Central	1.3	--	--
South	2.8	**	--
West	1.4	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 268
SKIN, SUBCUTANEOUS TISSUE & BREAST PLASTIC PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	6.7	7.3	5.4
Northeast	10.0	**	**
North Central	3.4	**	**
South	3.6	**	**
West	9.3	--	**

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	3.8	2.4	1.1
Northeast	3.6	2.2	0.0
North Central	3.2	5.2	**
South	2.1	0.0	**
West	6.7	0.0	**

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 269
OTHER SKIN, SUBCUT TISS & BREAST O.R. PROC AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	9.2	9.4	9.1
Northeast	10.1	9.4	15.5
North Central	7.6	8.6	6.6
South	9.3	9.4	6.2
West	9.4	10.8	7.2

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	4.4	5.4
Northeast	--	4.1	9.1
North Central	--	3.6	2.6
South	--	5.1	3.2
West	--	4.8	8.2

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 270
OTHER SKIN, SUBCUT TISS & BREAST O.R. PROC AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	3.7	4.8	--
Northeast	4.1	6.1	--
North Central	2.4	5.1	--
South	4.4	3.7	--
West	3.9	4.5	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 271
SKIN ULCERS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	12.9	15.3	11.0
Northeast	12.8	14.8	10.8
North Central	14.7	11.3	10.7
South	9.2	18.8	10.1
West	14.3	18.8	12.7

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	11.5	10.9	11.7
Northeast	9.9	11.5	11.3
North Central	17.1	5.1	7.8
South	13.3	**	13.4
West	4.1	**	17.1

ACTUAL READMISSION RATES

With CCs	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 272
MAJOR SKIN DISORDERS AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	12.7	12.2	11.4
Northeast	8.6	13.6	14.7
North Central	17.6	10.4	9.3
South	15.7	12.2	13.7
West	11.2	12.3	3.2

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	--	7.9	10.6
Northeast	--	4.1	8.2
North Central	--	11.8	14.5
South	--	10.9	13.7
West	--	**	6.3

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 273
MAJOR SKIN DISORDERS AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	6.8	4.6	--
Northeast	4.3	8.0	--
North Central	13.0	2.9	--
South	4.2	**	--
West	6.3	**	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 274
MALIGNANT BREAST DISORDERS AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	23.0	23.7	12.7
Northeast	28.3	25.5	16.1
North Central	18.2	18.6	8.3
South	22.7	25.0	16.3
West	20.4	**	9.4

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	27.0	20.0
Northeast	--	**	**
North Central	--	**	21.4
South	--	--	**
West	--	**	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 275
MALIGNANT BREAST DISORDERS AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	Age <65	65-74	75+
U.S.	19.7	17.9	--
Northeast	23.1	**	--
North Central	14.5	**	--
South	16.3	--	--
West	31.4	**	--

ACTUAL READMISSION RATES

With CCs

	Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 276
NON-MALIGANT BREAST DISORDERS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	13.1	8.1	**
Northeast	8.1	**	--
North Central	21.6	**	--
South	10.0	--	--
West	**	**	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	6.8	2.9	**
Northeast	6.9	**	--
North Central	6.8	**	--
South	3.4	**	--
West	10.3	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 277
CELLULITIS AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	8.8	10.7	9.3
Northeast	8.8	11.6	8.7
North Central	8.9	10.0	9.0
South	9.2	11.1	10.0
West	7.6	9.3	9.6

Region	Without CCs Age <65	65-74	75+
U.S.	--	6.8	5.7
Northeast	--	4.7	5.5
North Central	--	9.0	6.5
South	--	6.9	3.9
West	--	7.2	7.4

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 278
CELLULITIS AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	4.1	4.4	--
Northeast	4.4	6.5	--
North Central	3.8	4.8	--
South	4.0	1.5	--
West	4.3	3.5	--

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 279
CELLULITIS AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+	Region	Without CCs Age <65	65-74	75+
U.S.	6.5	--	--	U.S.	2.8	--	--
Northeast	6.3	--	--	Northeast	3.2	--	--
North Central	7.6	--	--	North Central	2.9	--	--
South	4.8	--	--	South	2.5	--	--
West	7.6	--	--	West	2.5	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+		Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 280
TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	3.8	6.9	9.1
Northeast	4.8	7.3	9.9
North Central	2.9	6.0	6.9
South	4.7	6.2	11.1
West	1.8	8.6	6.9

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	--	6.0	7.4
Northeast	--	5.3	8.2
North Central	--	6.6	5.0
South	--	5.8	8.2
West	--	6.4	8.9

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 281
TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	2.6	5.6	--
Northeast	2.8	7.4	--
North Central	2.6	1.8	--
South	2.4	5.9	--
West	2.5	7.5	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 282
TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	3.5	--	--
Northeast	5.8	--	--
North Central	3.6	--	--
South	1.8	--	--
West	1.6	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	1.2	--	--
Northeast	1.5	--	--
North Central	1.3	--	--
South	0.8	--	--
West	1.2	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 283
MINOR SKIN DISORDERS AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	11.0	11.1	11.8
Northeast	12.5	14.6	6.9
North Central	7.9	8.9	14.8
South	10.0	11.3	15.2
West	13.3	6.6	11.5

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	6.6	8.8
Northeast	--	8.3	12.8
North Central	--	6.9	4.8
South	--	3.2	5.9
West	--	7.1	8.1

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 284
MINOR SKIN DISORDERS AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	5.8	9.3	--
Northeast	4.8	4.8	--
North Central	5.9	13.2	--
South	6.5	6.3	--
West	7.0	14.3	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 285
AMPUTAT OF LOWER LIMB FOR ENDOCRINE, NUTRIT, & METABOL DISORDERS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	16.6	17.7	18.5
Northeast	14.7	10.3	19.5
North Central	16.2	15.4	16.1
South	18.6	24.1	21.6
West	17.1	23.3	**

Region	Without CCs Age <65	 65-74	 75+
U.S.	14.8	**	--
Northeast	**	--	--
North Central	**	--	--
South	--	--	--
West	**	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 286
ADRENAL & PITUITARY PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	13.3	14.0	11.1
Northeast	14.8	15.6	**
North Central	13.3	**	**
South	8.8	6.5	**
West	17.5	**	**

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	8.6	6.3	**
Northeast	9.0	**	**
North Central	4.4	**	**
South	8.4	**	**
West	11.2	**	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 287
SKIN GRAFTS & WOUND DEBRID FOR ENDOC, NUTRIT & METAB DISORDERS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	14.1	12.5	11.7
Northeast	13.5	12.9	11.7
North Central	15.4	9.1	9.9
South	16.6	19.8	13.7
West	10.0	7.5	13.2

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	8.2	**	**
Northeast	**	**	**
North Central	**	--	--
South	**	**	--
West	**	**	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 288
O.R. PROCEDURES FOR OBESITY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	9.9	**	--
Northeast	9.0	--	--
North Central	9.4	--	--
South	7.8	--	--
West	14.3	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	4.7	**	--
Northeast	3.4	--	--
North Central	6.7	--	--
South	4.4	**	--
West	4.7	--	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 289
PARATHYROID PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	9.1	6.1	12.7
Northeast	12.5	8.8	**
North Central	**	**	**
South	7.5	**	**
West	9.5	**	**

Region	Without CCs Age <65	 65-74	 75+
U.S.	3.1	4.7	4.1
Northeast	4.2	6.0	8.3
North Central	1.9	**	**
South	1.8	2.7	0.0
West	5.1	2.3	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 290
THYROID PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	6.5	6.2	3.8
Northeast	7.1	5.9	1.8
North Central	7.3	4.3	0.0
South	7.3	9.9	9.5
West	2.0	2.4	**

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	2.4	3.3	2.3
Northeast	2.6	6.2	1.3
North Central	2.4	1.8	0.0
South	2.1	2.1	4.3
West	2.8	1.0	2.4

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 291
THYROGLOSSAL PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	**	--	--
Northeast	**	--	--
North Central	--	--	--
South	--	--	--
West	**	--	--

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	0.8	**	**
Northeast	1.0	--	--
North Central	1.3	--	--
South	0.7	**	--
West	0.0	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 292
OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	20.0	21.5	10.7
Northeast	25.0	28.0	10.8
North Central	18.1	20.7	8.8
South	15.9	22.8	11.4
West	17.9	8.9	12.9

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	15.4	6.5
Northeast	--	**	**
North Central	--	--	**
South	--	--	**
West	--	--	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 293
OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs		
	Age		
Region	<65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

	Without CCs		
	Age		
Region	<65	65-74	75+
U.S.	9.0	**	--
Northeast	14.5	**	--
North Central	6.0	**	--
South	4.1	--	--
West	8.1	--	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 294
DIABETES AGE >35

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	10.3	11.1	11.7
Northeast	10.0	10.4	11.5
North Central	8.8	10.1	11.0
South	12.9	12.8	13.3
West	9.2	11.3	10.5

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	5.0	5.3	8.6
Northeast	4.8	4.9	9.8
North Central	5.8	5.3	8.8
South	5.3	6.1	7.6
West	4.3	5.1	7.1

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 295
DIABETES AGE 0-35

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+	Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	14.4	--	--	U.S.	11.0	--	--
Northeast	16.1	--	--	Northeast	12.6	--	--
North Central	12.7	--	--	North Central	11.2	--	--
South	14.7	--	--	South	10.7	--	--
West	11.3	--	--	West	8.1	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+		Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 296
NUTRITIONAL & MISC METABOLIC DISORDERS AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	17.6	15.3	11.5
Northeast	18.1	15.3	12.1
North Central	18.3	15.1	11.3
South	17.7	15.2	11.0
West	15.9	15.8	11.1

Region	Without CCs Age <65	65-74	75+
U.S.	--	12.3	10.0
Northeast	--	9.1	10.0
North Central	--	12.8	9.8
South	--	13.6	10.3
West	--	15.7	9.7

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 297
NUTRITIONAL & MISC METABOLIC DISORDERS AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs		
	Age		
Region	<65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

	Without CCs		
	Age		
Region	<65	65-74	75+
U.S.	10.4	10.1	--
Northeast	10.3	12.6	--
North Central	10.4	9.6	--
South	11.7	6.9	--
West	8.9	11.5	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 298
NUTRITIONAL & MISC METABOLIC DISORDERS AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	12.5	--	--
Northeast	13.3	--	--
North Central	12.9	--	--
South	10.5	--	--
West	12.5	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	6.1	--	--
Northeast	5.6	--	--
North Central	6.0	--	--
South	6.6	--	--
West	7.2	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 299
INBORN ERRORS OF METABOLISM

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	20.2	30.0	**
Northeast	18.5	**	--
North Central	20.5	--	--
South	22.0	**	--
West	20.5	**	--

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	11.7	3.2	**
Northeast	16.0	--	--
North Central	9.4	**	--
South	7.6	**	--
West	8.5	**	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 300
ENDOCRINE DISORDERS AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+	Region	Without CCs Age <65	 65-74	 75+
U.S.	20.4	12.5	11.9	U.S.	--	17.8	10.1
Northeast	18.6	10.6	10.0	Northeast	--	15.2	13.6
North Central	25.0	13.2	12.3	North Central	--	15.4	15.4
South	14.5	12.9	17.7	South	--	22.2	4.2
West	25.2	14.7	4.5	West	--	**	6.1

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+		Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 301
ENDOCRINE DISORDERS AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	11.3	18.9	--
Northeast	11.7	18.8	--
North Central	8.8	**	--
South	7.0	28.1	--
West	16.4	**	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 302
KIDNEY TRANSPLANT

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	33.8	**	--
Northeast	37.9	**	--
North Central	37.7	--	--
South	33.6	--	--
West	28.4	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	35.7	**	--
Northeast	39.1	--	--
North Central	**	--	--
South	**	--	--
West	29.5	--	--

ACTUAL READMISSION RATES

With CCs	Age <65	65-74	75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs	Age <65	65-74	75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 303
KIDNEY, URETER & MAJOR BLADDER PROCEDURES FOR NEOPLASM

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs		
	Age		
Region	<65	65-74	75+
U.S.	13.6	13.6	11.3
Northeast	11.9	13.1	12.1
North Central	17.2	13.5	13.5
South	13.2	13.8	10.2
West	13.0	14.2	8.6

	Without CCs		
	Age		
Region	<65	65-74	75+
U.S.	10.9	9.7	8.6
Northeast	11.6	7.4	2.4
North Central	6.4	10.1	10.2
South	7.3	9.3	12.9
West	18.8	13.9	12.1

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 304
KIDNEY, URETER & MAJOR BLADDER PROC FOR NON-NEOPL AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+	Region	Without CCs Age <65	 65-74	 75+
U.S.	13.5	15.7	16.4	U.S.	--	7.7	12.3
Northeast	14.6	13.9	13.9	Northeast	--	7.4	12.3
North Central	12.3	14.5	15.3	North Central	--	14.0	8.2
South	11.4	18.5	20.8	South	--	7.4	13.0
West	15.9	16.1	15.3	West	--	2.3	15.2

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+		Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 305
KIDNEY, URETER & MAJOR BLADDER PROC FOR NON-NEOPL AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	7.9	10.5	--
Northeast	8.6	12.1	--
North Central	7.2	6.8	--
South	7.7	11.3	--
West	7.6	10.3	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 306
PROSTATECTOMY AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	6.7	8.7	11.5
Northeast	6.3	12.7	9.8
North Central	9.5	5.4	14.5
South	4.3	8.0	10.0
West	8.2	5.1	15.0

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	4.8	6.8
Northeast	--	4.1	7.4
North Central	--	7.0	5.6
South	--	4.9	6.7
West	--	3.6	6.8

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 307
PROSTATECTOMY AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	6.0	4.7	--
Northeast	3.8	6.1	--
North Central	12.5	**	--
South	3.3	5.4	--
West	7.0	0.0	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 308
MINOR BLADDER PROCEDURES AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	12.2	10.6	11.0
Northeast	14.2	12.1	11.2
North Central	13.9	5.1	7.9
South	9.5	11.4	13.6
West	8.5	12.9	11.6

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	6.5	5.7
Northeast	--	2.2	4.7
North Central	--	5.9	8.3
South	--	5.2	6.0
West	--	15.6	4.4

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 309
MINOR BLADDER PROCEDURES AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	7.4	6.3	--
Northeast	8.5	8.5	--
North Central	7.0	3.6	--
South	5.0	7.1	--
West	8.8	2.9	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 310
TRANSURETHRAL PROCEDURES AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	10.4	11.6	11.7
Northeast	11.1	11.6	10.8
North Central	11.4	11.4	11.3
South	10.3	12.5	13.4
West	8.4	10.8	10.8

Region	Without CCs Age <65	65-74	75+
U.S.	--	9.9	8.2
Northeast	--	12.1	8.3
North Central	--	8.3	8.5
South	--	11.2	7.5
West	--	5.9	9.1

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 311
TRANSURETHRAL PROCEDURES AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	7.2	8.2	--
Northeast	8.1	7.8	--
North Central	6.6	10.0	--
South	7.0	7.6	--
West	6.7	7.5	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 312
URETHRAL PROCEDURES, AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	5.0	6.0	10.4
Northeast	5.2	11.4	10.0
North Central	4.7	0.0	10.1
South	3.0	4.6	14.3
West	7.1	5.6	6.1

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	5.5	6.6
Northeast	--	3.2	6.8
North Central	--	7.5	4.3
South	--	8.2	7.7
West	--	**	7.7

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 313
URETHRAL PROCEDURES, AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	4.2	1.6	--
Northeast	4.2	2.9	--
North Central	5.1	0.0	--
South	3.1	2.4	--
West	4.3	**	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 314
URETHRAL PROCEDURES, AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	1.6	--	--
Northeast	3.8	--	--
North Central	**	--	--
South	**	--	--
West	**	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	4.7	--	--
Northeast	4.5	--	--
North Central	2.8	--	--
South	7.9	--	--
West	5.1	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 315
OTHER KIDNEY & URINARY TRACT O.R. PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	22.3	22.3	19.2
Northeast	27.3	23.9	18.9
North Central	25.0	22.3	16.0
South	19.2	20.9	22.6
West	18.5	21.9	19.4

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	15.6	15.9	16.9
Northeast	15.8	20.5	19.6
North Central	12.4	8.3	12.9
South	13.2	14.3	22.5
West	21.2	18.0	**

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 316
RENAL FAILURE

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	18.5	18.1	14.3
Northeast	20.5	18.1	14.8
North Central	19.3	18.7	15.2
South	19.3	18.0	13.6
West	15.3	17.5	13.3

Region	Without CCs Age <65	 65-74	 75+
U.S.	19.9	16.9	15.9
Northeast	18.7	18.0	9.3
North Central	21.4	13.3	9.7
South	18.5	21.3	22.2
West	21.1	**	22.6

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 317
ADMIT FOR RENAL DIALYSIS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	74.4	58.6	73.5
Northeast	82.6	68.8	87.5
North Central	72.5	**	--
South	17.9	**	**
West	**	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	**	--	--
Northeast	--	--	--
North Central	**	--	--
South	--	--	--
West	--	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 318
KIDNEY & URINARY TRACT NEOPLASMS AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	33.3	27.7	19.3
Northeast	37.4	29.0	21.3
North Central	34.3	26.7	19.9
South	32.2	26.9	18.2
West	25.0	28.1	15.4

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	27.8	19.6
Northeast	--	**	14.3
North Central	--	**	15.9
South	--	30.8	29.3
West	--	**	**

ACTUAL READMISSION RATES

With CCs	<65	65-74	75+
No. of Patients Who Were Readmitted	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

Without CCs	<65	65-74	75+
No. of Patients Who Were Readmitted	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 319
KIDNEY & URINARY TRACT NEOPLASMS AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	35.2	31.9	--
Northeast	40.8	**	--
North Central	39.8	15.4	--
South	33.3	**	--
West	21.1	**	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 320
KIDNEY & URINARY TRACT INFECTIONS AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	10.5	13.4	11.8
Northeast	10.9	14.3	12.8
North Central	10.0	13.8	11.7
South	10.4	13.8	11.2
West	10.3	10.9	11.1

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	10.1	9.0
Northeast	--	12.0	10.0
North Central	--	9.3	9.0
South	--	9.0	8.7
West	--	9.9	8.2

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 321
KIDNEY & URINARY TRACT INFECTIONS AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	5.4	8.0	--
Northeast	5.6	10.4	--
North Central	5.4	5.6	--
South	4.7	7.5	--
West	6.1	7.9	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 322
KIDNEY & URINARY TRACT INFECTIONS AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	8.9	--	--
Northeast	8.9	--	--
North Central	11.6	--	--
South	4.4	--	--
West	10.3	--	--

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	4.4	--	--
Northeast	4.6	--	--
North Central	4.4	--	--
South	3.9	--	--
West	4.5	--	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 323
URINARY STONES AGE >69 &/OR CC, &/OR ESW LITHOTRIPSY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	10.7	12.0	11.4
Northeast	12.9	10.7	11.5
North Central	9.5	14.0	12.7
South	9.5	14.2	11.9
West	9.6	9.5	9.1

Region	Without CCs Age <65	 65-74	 75+
U.S.	5.6	9.6	10.2
Northeast	7.8	10.3	9.0
North Central	5.9	11.6	9.4
South	8.5	11.7	14.0
West	4.2	6.4	8.1

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 324
URINARY STONES AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	Age <65	65-74	75+
U.S.	9.8	9.2	--
Northeast	10.6	8.5	--
North Central	9.4	11.3	--
South	9.8	9.9	--
West	9.1	5.6	--

ACTUAL READMISSION RATES

With CCs

	Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 325
KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs				Without CCs		
	Age				Age		
Region	<65	65-74	75+	Region	<65	65-74	75+
U.S.	14.3	19.3	17.1	U.S.	--	16.6	15.4
Northeast	13.4	18.9	19.5	Northeast	--	12.0	13.2
North Central	16.7	22.5	17.8	North Central	--	22.9	20.0
South	14.5	18.3	15.9	South	--	15.8	11.4
West	12.6	15.7	12.1	West	--	**	17.5

ACTUAL READMISSION RATES

	With CCs				Without CCs		
	Age				Age		
	<65	65-74	75+		<65	65-74	75+
No. of Patients Who Were Readmitted	÷	÷	÷	No. of Patients Who Were Readmitted	÷	÷	÷
Total No. Patients				Total No. Patients			
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 326
KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	7.8	14.7	--
Northeast	7.6	10.3	--
North Central	9.5	21.3	--
South	5.1	17.6	--
West	9.2	6.1	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 327
KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	17.4	--	--
Northeast	16.9	--	--
North Central	24.5	--	--
South	2.9	--	--
West	19.8	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	10.7	--	--
Northeast	10.9	--	--
North Central	8.3	--	--
South	7.8	--	--
West	13.0	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 328
URETHRAL STRICTURE AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	6.2	17.1	11.6
Northeast	11.3	12.5	15.1
North Central	2.0	24.2	11.6
South	5.9	**	11.4
West	3.1	**	**

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	--	10.3	11.3
Northeast	--	**	**
North Central	--	**	3.7
South	--	--	**
West	--	--	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 329
URETHRAL STRICTURE AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	5.5	12.9	--
Northeast	5.4	**	--
North Central	4.5	**	--
South	3.3	--	--
West	8.8	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 330
URETHRAL STRICTURE AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	11.1	--	--
Northeast	**	--	--
North Central	**	--	--
South	--	--	--
West	**	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	13.1	--	--
Northeast	12.5	--	--
North Central	**	--	--
South	**	--	--
West	**	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 331
OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	15.7	18.0	15.6
Northeast	15.8	20.2	17.3
North Central	15.3	14.7	11.5
South	14.5	18.6	17.4
West	18.5	17.7	15.2

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	13.3	13.9
Northeast	--	14.0	13.1
North Central	--	14.1	14.7
South	--	8.9	12.8
West	--	15.4	16.7

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 332
OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	9.5	13.9	--
Northeast	13.2	14.5	--
North Central	9.2	14.5	--
South	8.0	10.2	--
West	6.3	15.7	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 333
OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs		
	Age		
Region	<65	65-74	75+
U.S.	11.5	--	--
Northeast	12.2	--	--
North Central	10.9	--	--
South	7.6	--	--
West	13.5	--	--

	Without CCs		
	Age		
Region	<65	65-74	75+
U.S.	10.2	--	--
Northeast	10.4	--	--
North Central	8.8	--	--
South	6.4	--	--
West	12.9	--	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 334
MAJOR MALE PELVIC PROCEDURES W/ CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs				Without CCs		
	Age				Age		
Region	<65	65-74	75+	Region	<65	65-74	75+
U.S.	6.5	6.9	7.6	U.S.	--	--	--
Northeast	8.3	8.8	6.8	Northeast	--	--	--
North Central	8.2	7.3	5.8	North Central	--	--	--
South	2.3	5.7	10.8	South	--	--	--
West	11.1	6.9	2.9	West	--	--	--

ACTUAL READMISSION RATES

	With CCs				Without CCs		
	Age				Age		
	<65	65-74	75+		<65	65-74	75+
No. of Patients Who Were Readmitted **Total No. Patients**	÷	÷	÷	**No. of Patients Who Were Readmitted** **Total No. Patients**	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				**% Patients Who Were Readmitted**			

DRG 335
MAJOR MALE PELVIC PROCEDURES W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	5.4	5.2	6.4
Northeast	5.4	5.3	8.1
North Central	10.1	7.0	6.3
South	2.6	4.6	6.5
West	6.8	4.6	3.8

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 336
TRANSURETHRAL PROSTATECTOMY AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	5.8	6.1	7.3
Northeast	6.5	6.1	7.6
North Central	7.1	6.7	7.4
South	4.4	5.4	7.1
West	5.5	7.0	7.1

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	5.1	6.1
Northeast	--	5.5	7.5
North Central	--	5.1	6.2
South	--	4.6	4.9
West	--	5.2	5.7

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 337
TRANSURETHRAL PROSTATECTOMY AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	5.5	4.5	--
Northeast	6.5	4.4	--
North Central	4.7	4.5	--
South	4.3	5.1	--
West	7.0	3.5	--

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 338
TESTES PROCEDURES, FOR MALIGNANCY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	23.8	7.7	7.8
Northeast	26.4	6.8	5.4
North Central	17.3	12.4	9.2
South	20.5	6.6	8.1
West	32.5	4.4	10.5

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	12.9	3.5	4.7
Northeast	15.3	2.8	4.0
North Central	12.2	5.0	5.3
South	10.2	1.9	5.5
West	13.5	5.3	3.1

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 339
TESTES PROCEDURES, NON-MALIGNANCY AGE >17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+	Region	Without CCs Age <65	 65-74	 75+
U.S.	6.8	4.2	5.3	U.S.	2.0	2.8	4.3
Northeast	9.6	4.8	4.8	Northeast	1.7	6.5	4.3
North Central	4.1	2.1	6.9	North Central	1.9	1.2	7.9
South	3.8	6.7	3.0	South	2.1	1.3	2.6
West	8.3	**	7.1	West	2.3	0.0	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+		Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 340
TESTES PROCEDURES, NON-MALIGNANCY AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	5.1	--	--
Northeast	2.2	--	--
North Central	2.8	--	--
South	**	--	--
West	9.4	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	1.3	--	--
Northeast	1.7	--	--
North Central	1.4	--	--
South	0.5	--	--
West	1.1	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 341
PENIS PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	6.9	8.0	8.3
Northeast	6.5	6.0	12.1
North Central	6.8	11.8	6.7
South	6.4	7.9	4.7
West	8.9	8.7	9.7

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	2.8	3.3	5.1
Northeast	3.7	2.7	5.4
North Central	2.7	1.6	12.3
South	2.5	3.1	2.2
West	1.4	7.4	0.0

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 342
CIRCUMCISION AGE >17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	4.3	6.9	0.0
Northeast	**	--	**
North Central	10.8	**	**
South	**	--	--
West	0.0	--	**

Region	Without CCs Age <65	 65-74	 75+
U.S.	3.5	0.0	**
Northeast	**	**	--
North Central	3.9	**	**
South	**	--	--
West	**	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 343
CIRCUMCISION AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	0.0	--	--
Northeast	**	--	--
North Central	--	--	--
South	--	--	--
West	**	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	0.9	--	--
Northeast	3.4	--	--
North Central	0.0	--	--
South	0.0	--	--
West	**	--	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 344
OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURES FOR MALIGNANCY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	18.9	12.2	13.4
Northeast	6.1	21.4	17.0
North Central	23.5	8.1	3.1
South	13.9	6.4	16.1
West	**	19.2	**

Region	Without CCs Age <65	 65-74	 75+
U.S.	14.3	10.1	9.7
Northeast	22.7	10.5	**
North Central	**	**	**
South	6.3	12.3	**
West	**	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 345
OTHER MALE REPRODUCTIVE SYSTEM O.R. PROC EXCEPT FOR MALIGNANCY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	8.4	16.5	13.3
Northeast	24.1	16.2	9.3
North Central	7.5	12.2	17.5
South	2.5	13.5	17.9
West	**	**	**

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	6.6	5.6	13.3
Northeast	9.7	**	**
North Central	3.3	**	**
South	**	**	**
West	**	--	**

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 346
MALIGNANCY, MALE REPRODUCTIVE SYSTEM, AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	31.3	21.2	17.7
Northeast	33.0	21.7	19.8
North Central	35.4	21.5	16.7
South	25.7	23.8	18.7
West	29.4	15.5	12.4

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	13.1	14.0
Northeast	--	**	6.7
North Central	--	10.0	17.3
South	--	10.7	7.9
West	--	11.5	27.6

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 347
MALIGNANCY, MALE REPRODUCTIVE SYSTEM, AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	31.4	23.5	--
Northeast	25.0	18.5	--
North Central	26.9	18.2	--
South	36.2	**	--
West	37.5	**	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 348
BENIGN PROSTATIC HYPERTROPHY AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	22.9	29.4	24.2
Northeast	24.2	27.8	25.9
North Central	24.3	28.9	20.8
South	21.2	36.2	32.4
West	19.0	25.0	14.9

Region	Without CCs Age <65	65-74	75+
U.S.	--	11.6	13.2
Northeast	--	11.8	11.6
North Central	--	8.9	7.5
South	--	11.5	22.2
West	--	**	14.3

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 349
BENIGN PROSTATIC HYPERTROPHY AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	9.2	12.1	--
Northeast	13.3	10.0	--
North Central	1.9	10.9	--
South	14.8	18.5	--
West	10.8	10.3	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 350
INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	7.3	11.4	11.2
Northeast	10.1	8.9	12.5
North Central	6.6	9.9	2.8
South	5.2	15.1	17.1
West	6.3	11.1	11.9

Region	Without CCs Age <65	 65-74	 75+
U.S.	4.8	6.1	10.1
Northeast	4.9	6.1	9.1
North Central	5.4	5.4	15.6
South	4.9	8.5	6.1
West	3.9	4.5	10.7

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 351
STERILIZATION, MALE

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	**	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 352
OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	13.7	19.6	14.0
Northeast	15.6	**	**
North Central	14.0	**	**
South	**	**	**
West	**	**	**

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	5.5	9.8	7.1
Northeast	4.7	**	--
North Central	6.1	**	**
South	4.8	**	**
West	6.7	**	**

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 353
PELVIC EVISCERATION, RADICAL HYSTERECTOMY & RADICAL VULVECTOMY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	10.3	16.9	15.2
Northeast	17.6	**	**
North Central	8.9	**	**
South	2.7	**	**
West	6.9	**	--

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	5.4	8.3	5.7
Northeast	4.3	**	**
North Central	8.0	**	--
South	6.3	**	**
West	4.3	**	--

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 354
UTERINE,ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+	Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	7.6	8.2	7.1	U.S.	--	3.9	1.8
Northeast	8.0	10.4	7.7	Northeast	--	3.3	1.9
North Central	6.0	6.6	9.0	North Central	--	4.9	1.5
South	6.8	6.6	4.2	South	--	3.2	0.8
West	10.3	9.1	9.4	West	--	5.6	4.7

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+		Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 355
UTERINE,ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	2.2	3.0	--
Northeast	2.3	2.7	--
North Central	2.1	3.2	--
South	1.9	3.5	--
West	2.7	1.5	--

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 356
FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	4.2	3.4	5.4
Northeast	5.0	4.0	5.3
North Central	3.6	3.6	6.8
South	3.7	2.5	5.6
West	4.4	4.2	2.2

Region	Without CCs Age <65	 65-74	 75+
U.S.	2.0	1.8	2.8
Northeast	1.8	2.1	2.8
North Central	2.1	2.3	0.7
South	1.8	1.4	4.2
West	2.6	1.5	1.7

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 357
UTERINE & ADNEXA PROC FOR OVARIAN OR ADNEXAL MALIG

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs		
	Age		
Region	<65	65-74	75+
U.S.	40.5	38.9	25.4
Northeast	41.8	43.8	26.4
North Central	36.9	39.5	28.3
South	39.3	31.8	23.7
West	46.3	40.8	22.7

	Without CCs		
	Age		
Region	<65	65-74	75+
U.S.	17.1	16.8	12.0
Northeast	21.1	19.0	**
North Central	16.4	**	**
South	14.8	20.8	**
West	14.9	**	**

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 358
UTERINE & ADNEXA PROC FOR NON-MALIGNANCY AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	3.5	3.5	5.2
Northeast	3.9	2.8	5.4
North Central	3.1	3.3	4.6
South	3.3	3.7	5.2
West	3.6	4.4	5.6

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	2.1	3.1
Northeast	--	1.4	4.4
North Central	--	2.3	2.5
South	--	1.1	2.4
West	--	4.8	2.5

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 359
UTERINE & ADNEXA PROC FOR NON-MALIGNANCY AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	1.9	1.7	--
Northeast	2.0	1.6	--
North Central	1.7	1.8	--
South	1.7	1.3	--
West	2.1	2.7	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 360
VAGINA, CERVIX & VULVA PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	10.8	15.4	10.3
Northeast	13.4	15.4	12.1
North Central	10.9	14.3	10.0
South	6.3	10.3	6.1
West	11.6	20.6	**

Region	Without CCs Age <65	 65-74	 75+
U.S.	4.2	11.4	6.6
Northeast	4.5	8.0	9.9
North Central	2.4	14.5	7.9
South	2.8	7.9	4.4
West	7.4	14.6	2.4

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 361
LAPAROSCOPY & INCISIONAL TUBAL INTERRUPTION

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+	Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	8.2	**	**	U.S.	4.6	**	--
Northeast	8.1	--	--	Northeast	4.5	--	--
North Central	7.0	--	--	North Central	3.7	--	--
South	8.3	**	--	South	5.3	--	--
West	8.9	--	--	West	5.1	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+		Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted				No. of Patients Who Were Readmitted			
	÷	÷	÷		÷	÷	÷
Total No. Patients				Total No. Patients			
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 362
ENDOSCOPIC TUBAL INTERRUPTION

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+	Region	Without CCs Age <65	65-74	75+
U.S.	3 3	--	--	U.S.	1.5	--	--
Northeast	**	--	--	Northeast	0.0	--	--
North Central	**	--	--	North Central	1.6	--	--
South	**	--	--	South	3.3	--	--
West	**	--	--	West	0.0	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+		Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 363
D&C, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs			Region	Without CCs		
	Age				Age		
	<65	65-74	75+		<65	65-74	75+
U.S.	29.7	29.8	22.4	U.S.	17.4	26.3	32.3
Northeast	45.5	31.6	22.2	Northeast	24.6	28.0	30.4
North Central	22.5	30.6	21.6	North Central	13.0	32.6	36.8
South	21.1	**	**	South	14.2	20.9	**
West	25.8	24.1	**	West	16.9	23.1	**

ACTUAL READMISSION RATES

	With CCs				Without CCs		
	Age				Age		
	<65	65-74	75+		<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 364
D&C, CONIZATION EXCEPT FOR MALIGNANCY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	10.2	15.0	7.4
Northeast	9.0	21.4	11.8
North Central	8.7	5.4	5.1
South	14.7	29.6	**
West	8.7	3.7	7.4

Region	Without CCs Age <65	 65-74	 75+
U.S.	6.3	10.7	4.6
Northeast	8.8	11.4	3.1
North Central	4.5	9.3	2.4
South	6.2	11.4	**
West	7.1	11.1	6.1

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 365
OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	19.1	26.3	20.7
Northeast	20.6	24.6	25.0
North Central	17.6	35.5	20.7
South	13.1	28.3	**
West	27.5	20.0	**

Region	Without CCs Age <65	65-74	75+
U.S.	3.8	10.1	6.8
Northeast	3.4	7.7	**
North Central	4.1	**	**
South	3.6	5.0	**
West	4.6	**	--

ACTUAL READMISSION RATES

With CCs	Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs	Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 366
MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	38.0	32.0	16.5
Northeast	44.6	31.3	18.1
North Central	41.2	26.7	21.7
South	32.3	27.5	9.5
West	30.4	39.2	15.8

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	38.3	22.5
Northeast	--	**	21.9
North Central	--	**	**
South	--	**	**
West	--	**	**

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 367
MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	48.2	40.8	--
Northeast	50.0	**	--
North Central	40.5	**	--
South	40.9	**	--
West	53.8	**	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 368
INFECTIONS, FEMALE REPRODUCTIVE SYSTEM

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	5.3	10.3	10.0
Northeast	5.3	**	**
North Central	3.5	**	**
South	6.0	**	**
West	5.6	**	**

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	6.1	7.1	11.5
Northeast	5.5	**	**
North Central	5.2	--	**
South	7.6	**	**
West	5.9	**	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 369
MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs		
	Age		
Region	<65	65-74	75+
U.S.	15.8	24.4	18.3
Northeast	16.7	21.2	16.1
North Central	14.4	**	15.8
South	14.3	**	23.3
West	17.9	**	**

	Without CCs		
	Age		
Region	<65	65-74	75+
U.S.	10.8	28.4	15.5
Northeast	9.0	**	**
North Central	9.6	**	**
South	13.3	**	**
West	12.4	**	**

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 370
CESAREAN SECTION W/ CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	1.7	--	--
Northeast	1.8	--	--
North Central	1.5	--	--
South	1.7	--	--
West	1.6	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 371
CESAREAN SECTION W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	0.9	--	--
Northeast	1.0	--	--
North Central	0.8	--	--
South	0.9	--	--
West	1.0	--	--

ACTUAL READMISSION RATES

With CCs

Age	<65	65-74	75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

Age	<65	65-74	75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 372
VAGINAL DELIVERY W/ COMPLICATING* DIAGNOSES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	1.6	--	--
Northeast	1.8	--	--
North Central	1.8	--	--
South	1.6	--	--
West	1.3	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	1.2	--	--
Northeast	1.1	--	--
North Central	1.5	--	--
South	1.1	--	--
West	1.1	--	--

* COMPLICATING DIAGNOSES REPRESENT CODES OTHER THAN CCS

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 373
VAGINAL DELIVERY W/O COMPLICATING* DIAGNOSES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	1.4	--	--
Northeast	1.4	--	--
North Central	1.5	--	--
South	1.3	--	--
West	1.3	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	0.6	--	--
Northeast	0.7	--	--
North Central	0.6	--	--
South	0.6	--	--
West	0.8	--	--

* COMPLICATING DIAGNOSES REPRESENT CODES OTHER THAN CCS

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 374
VAGINAL DELIVERY W/ STERILIZATION &/OR D&C

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	1.2	--	--
Northeast	1.3	--	--
North Central	0.0	--	--
South	1.4	--	--
West	1.1	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	0.8	--	--
Northeast	1.0	--	--
North Central	0.5	--	--
South	0.9	--	--
West	0.8	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 375
VAGINAL DELIVERY W/ O.R. PROC EXCEPT STERIL &/OR D&C

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs		
	Age		
Region	<65	65-74	75+
U.S.	0.7	--	--
Northeast	0.0	--	--
North Central	**	--	--
South	3.0	--	--
West	0.0	--	--

	Without CCs		
	Age		
Region	<65	65-74	75+
U.S.	0.6	--	--
Northeast	1.0	--	--
North Central	**	--	--
South	0.0	--	--
West	0.0	--	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 376
POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	4.2	--	--
Northeast	4.7	--	--
North Central	4.8	--	--
South	3.7	--	--
West	3.7	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	2.8	--	--
Northeast	2.9	--	--
North Central	2.8	--	--
South	2.7	--	--
West	2.7	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 377
POSTPARTUM & POST ABORTION DIAGNOSES W/ O.R. PROCEDURE

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	4.2	--	--
Northeast	1.9	--	--
North Central	6.3	--	--
South	5.0	--	--
West	3.1	--	--

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	2.2	--	--
Northeast	3.0	--	--
North Central	2.0	--	--
South	1.9	--	--
West	1.4	--	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 378
ECTOPIC PREGNANCY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	1.9	--	--
Northeast	1.2	--	--
North Central	3.3	--	--
South	2.0	--	--
West	1.7	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	1.7	--	--
Northeast	2.1	--	--
North Central	1.8	--	--
South	1.1	--	--
West	2.2	--	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 379
THREATENED ABORTION

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	42.0	--	--
Northeast	44.6	--	--
North Central	37.1	--	--
South	42.5	--	--
West	40.4	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	42.6	--	--
Northeast	43.9	--	--
North Central	38.7	--	--
South	43.7	--	--
West	43.0	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 380
ABORTION W/O D&C

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+	Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	7.9	--	--	U.S.	3.5	--	--
Northeast	7.9	--	--	Northeast	4.8	--	--
North Central	13.3	--	--	North Central	4.3	--	--
South	7.6	--	--	South	1.9	--	--
West	2.7	--	--	West	2.9	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+		Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 381
ABORTION W/ D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	2.9	--	--
Northeast	3.4	--	--
North Central	3.8	--	--
South	2.6	--	--
West	1.5	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	2.3	--	--
Northeast	1.8	--	--
North Central	2.3	--	--
South	2.8	--	--
West	2.6	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 382
FALSE LABOR

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	63.4	--	--
Northeast	59.0	--	--
North Central	75.0	--	--
South	59.2	--	--
West	64.9	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	80.0	--	--
Northeast	81.0	--	--
North Central	83.1	--	--
South	77.9	--	--
West	73.1	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 383
OTHER ANTEPARTUM DIAGNOSES W/ MEDICAL COMPLICATIONS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	30.0	--	--
Northeast	30.5	--	--
North Central	30.6	--	--
South	29.1	--	--
West	29.7	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	36.6	--	--
Northeast	36.1	--	--
North Central	36.9	--	--
South	37.9	--	--
West	35.5	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 384
OTHER ANTEPARTUM DIAGNOSES W/O MEDICAL COMPLICATIONS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	40.5	--	--
Northeast	41.6	--	--
North Central	31.9	--	--
South	43.5	--	--
West	42.6	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	41.7	--	--
Northeast	41.8	--	--
North Central	38.8	--	--
South	45.6	--	--
West	38.3	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 386
EXTREME IMMATURITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	5.4	--	--
Northeast	5.6	--	--
North Central	5.4	--	--
South	5.2	--	--
West	5.1	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	4.6	--	--
Northeast	5.2	--	--
North Central	6.8	--	--
South	2.1	--	--
West	3.7	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted ——— Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted ——— Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 387
PREMATURITY W/ MAJOR PROBLEMS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	3.5	--	--
Northeast	2.9	--	--
North Central	3.4	--	--
South	4.4	--	--
West	3.5	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	4.1	--	--
Northeast	4.7	--	--
North Central	4.7	--	--
South	3.5	--	--
West	2.7	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 388
PREMATURITY W/O MAJOR PROBLEMS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+	Region	Without CCs Age <65	 65-74	 75+
U.S.	3.1	--	--	U.S.	3.8	--	--
Northeast	3.1	--	--	Northeast	3.2	--	--
North Central	2.0	--	--	North Central	3.0	--	--
South	4.5	--	--	South	5.1	--	--
West	0.0	--	--	West	3.7	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+		Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 389
FULL TERM NEONATE W/ MAJOR PROBLEMS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	2.9	--	--
Northeast	2.7	--	--
North Central	3.4	--	--
South	3.1	--	--
West	2.6	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	3.3	--	--
Northeast	3.2	--	--
North Central	3.6	--	--
South	3.0	--	--
West	3.6	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 390
NEONATE W/ OTHER SIGNIFICANT PROBLEMS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	3.5	--	--
Northeast	4.8	--	--
North Central	1.7	--	--
South	3.3	--	--
West	3.7	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	2.2	--	--
Northeast	1.8	--	--
North Central	1.9	--	--
South	2.4	--	--
West	2.9	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 391
NORMAL NEWBORN

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs		
		Age	
Region	<65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

	Without CCs		
		Age	
Region	<65	65-74	75+
U.S.	1.8	--	--
Northeast	1.7	--	--
North Central	1.4	--	--
South	2.1	--	--
West	1.5	--	--

ACTUAL READMISSION RATES

	With CCs		
		Age	
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
		Age	
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 392
SPLENECTOMY AGE >17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	8.5	9.2	14.8
Northeast	9.8	8.8	**
North Central	9.7	13.3	**
South	5.7	6.3	16.1
West	10.0	**	**

Region	Without CCs Age <65	 65-74	 75+
U.S.	4.9	23.8	**
Northeast	3.6	**	**
North Central	5.3	**	--
South	4.4	**	--
West	7.0	**	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 393
SPLENECTOMY AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	3.4	--	--
Northeast	6.3	--	--
North Central	5.1	--	--
South	0.0	--	--
West	2.4	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	3.2	--	--
Northeast	1.6	--	--
North Central	7.1	--	--
South	1.0	--	--
West	4.3	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 394
OTHER O.R. PROCEDURES OF THE BLOOD AND BLOOD FORMING ORGANS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	15.4	15.5	10.5
Northeast	19.2	13.3	**
North Central	13.2	**	**
South	12.4	**	**
West	15.5	**	**

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	6.1	7.4	8.1
Northeast	6.7	8.3	**
North Central	5.8	**	**
South	5.0	**	**
West	6.8	**	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 395
RED BLOOD CELL DISORDERS AGE >17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	24.7	18.6	15.2
Northeast	26.0	17.9	15.7
North Central	23.9	20.1	14.5
South	25.0	20.5	15.5
West	23.6	15.2	14.9

Region	Without CCs Age <65	 65-74	 75+
U.S.	30.2	12.6	13.8
Northeast	34.4	13.9	13.8
North Central	28.8	9.3	11.0
South	29.0	12.8	16.8
West	24.4	13.6	14.6

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 396
RED BLOOD CELL DISORDERS AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	24.0	--	--
Northeast	23.1	--	--
North Central	27.1	--	--
South	23.6	--	--
West	23.9	--	--

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	23.1	--	--
Northeast	25.1	--	--
North Central	21.7	--	--
South	21.9	--	--
West	21.0	--	--

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 397
COAGULATION DISORDERS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	18.9	16.1	15.7
Northeast	15.6	13.1	14.9
North Central	16.3	14.3	19.8
South	23.9	13.4	10.2
West	20.8	32.7	21.0

Region	Without CCs Age <65	65-74	75+
U.S.	14.2	12.6	13.7
Northeast	15.1	8.9	15.2
North Central	14.2	17.6	12.8
South	13.5	17.6	15.4
West	12.9	3.8	**

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 398
RETICULOENDOTHELIAL & IMMUNITY DISORDERS AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	29.2	28.0	21.3
Northeast	30.9	30.1	19.9
North Central	28.4	23.7	23.5
South	25.7	33.5	22.7
West	30.8	23.4	18.0

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	25.9	19.1
Northeast	--	**	14.5
North Central	--	**	24.3
South	--	**	20.0
West	--	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 399
RETICULOENDOTHELIAL & IMMUNITY DISORDERS AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	15.6	19.0	--
Northeast	14.7	**	--
North Central	14.9	**	--
South	14.7	**	--
West	19.2	**	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 400
LYMPHOMA & LEUKEMIA W/ MAJOR O.R. PROCEDURE

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	23.9	17.2	16.0
Northeast	24.2	22.8	17.4
North Central	26.0	9.9	16.9
South	22.5	15.7	14.5
West	22.3	18.2	15.4

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	15.4	9.8	14.1
Northeast	15.3	9.9	16.7
North Central	15.3	10.8	**
South	14.0	9.1	7.1
West	17.8	9.7	**

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 401
LYMPHOMA & NON-ACUTE LEUKEMIA W/ OTHER O.R. PROC W/ CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65			Region	Without CCs Age <65		
	<65	65-74	75+		<65	65-74	75+
U.S.	30.9	20.4	19.1	U.S.	--	--	--
Northeast	35.4	18.7	11.8	Northeast	--	--	--
North Central	30.3	18.5	22.4	North Central	--	--	--
South	24.2	22.3	21.3	South	--	--	--
West	31.4	23.1	24.5	West	--	--	--

ACTUAL READMISSION RATES

	With CCs Age				Without CCs Age		
	<65	65-74	75+		<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 402
LYMPHOMA & NON-ACUTE LEUKEMIA W/ OTHER O.R. PROC W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	22.1	16.0	20.6
Northeast	22.8	22.3	17.9
North Central	22.9	19.4	25.9
South	17.4	6.1	19.4
West	26.4	18.6	20.0

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 403
LYMPHOMA & NON-ACUTE LEUKEMIA W/ CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+	Region	Without CCs Age <65	65-74	75+
U.S.	33.4	25.7	19.3	U.S.	--	--	--
Northeast	36.6	26.9	21.5	Northeast	--	--	--
North Central	31.8	29.0	17.6	North Central	--	--	--
South	31.3	20.8	17.9	South	--	--	--
West	32.1	25.1	20.3	West	--	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+		Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 404
LYMPHOMA & NON-ACUTE LEUKEMIA W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Without CCs

Region	Age <65	65-74	75+
U.S.	35.0	27.0	22.2
Northeast	35.2	29.7	18.3
North Central	36.7	21.9	20.8
South	33.0	30.6	21.8
West	35.1	26.6	32.4

ACTUAL READMISSION RATES

With CCs

	Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 405
ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	47.7	--	--
Northeast	50.7	--	--
North Central	49.3	--	--
South	44.0	--	--
West	46.1	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	48.0	--	--
Northeast	51.5	--	--
North Central	46.2	--	--
South	41.1	--	--
West	49.7	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 406
MYELOPROLIF DISORD OR POORLY DIFF NEOPL W/ MAJ O.R.PROC W/ CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	25.8	20.4	10.6
Northeast	25.4	17.5	8.5
North Central	26.1	21.9	7.5
South	20.9	26.0	23.9
West	33.3	11.6	0.0

Region	Without CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 407
MYELOPROLIF DISORD OR POORLY DIFF NEOPL W/ MAJ O.R.PROC W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+	Region	Without CCs Age <65	65-74	75+
U.S.	--	--	--	U.S.	14.5	10.6	0.0
Northeast	--	--	--	Northeast	15.5	9.4	**
North Central	--	--	--	North Central	20.3	10.7	**
South	--	--	--	South	8.9	10.4	**
West	--	--	--	West	15.3	13.3	**

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+		Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 408
MYELOPROLIF DISORD OR POORLY DIFF NEOPL W/ OTHER O.R.PROC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	37.6	28.2	22.5
Northeast	41.3	33.0	27.1
North Central	33.5	22.6	13.1
South	33.7	28.6	23.3
West	37.7	24.4	21.4

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	16.5	15.8	16.7
Northeast	19.9	21.9	29.3
North Central	14.2	18.2	16.4
South	11.9	10.3	7.7
West	19.8	11.9	13.5

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 409
RADIOTHERAPY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	28.8	22.5	17.2
Northeast	27.7	19.8	17.9
North Central	30.5	25.9	18.1
South	20.8	21.7	26.1
West	38.8	19.5	26.4

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	10.6	14.4	24.1
Northeast	9.2	15.0	**
North Central	16.2	**	**
South	5.8	6.9	**
West	20.0	**	**

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 410
CHEMOTHERAPY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	65-74	75+
U.S.	55.3	52.4	49.0
Northeast	58.1	56.8	53.3
North Central	53.5	51.7	44.3
South	54.5	50.5	49.0
West	51.8	44.1	44.8

Without CCs

Region	Age <65	65-74	75+
U.S.	59.8	57.1	52.6
Northeast	61.9	62.8	58.3
North Central	57.1	51.3	44.5
South	61.2	56.2	55.7
West	56.7	50.2	39.4

ACTUAL READMISSION RATES

With CCs

	Age <65	65-74	75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	65-74	75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 411
HISTORY OF MALIGNANCY W/O ENDOSCOPY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	<65	65-74	75+
U.S.	23.8	**	**
Northeast	**	--	--
North Central	**	--	**
South	**	--	**
West	**	--	--

Without CCs

Region	<65	65-74	75+
U.S.	23.4	**	**
Northeast	22.2	--	**
North Central	12.5	**	--
South	**	--	--
West	34.3	**	--

ACTUAL READMISSION RATES

With CCs

Age	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

Age	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 412
HISTORY OF MALIGNANCY W/ ENDOSCOPY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	**	**	**
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	**	**	**
Northeast	**	--	--
North Central	--	--	--
South	**	**	--
West	**	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 413
OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG AGE>69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	26.8	17.9	12.1
Northeast	31.0	16.7	16.7
North Central	24.9	20.8	10.1
South	26.8	17.2	8.8
West	21.4	17.9	12.5

Region	Without CCs Age <65	65-74	75+
U.S.	--	14.5	16.5
Northeast	--	**	12.9
North Central	--	**	**
South	--	**	24.2
West	--	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 414
OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG AGE<70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	34.0	23.5	--
Northeast	37.6	**	--
North Central	29.0	**	--
South	31.0	**	--
West	37.6	**	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 415
O.R. PROCEDURE FOR INFECTIOUS & PARASITIC DISEASES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	14.9	14.6	13.6
Northeast	16.8	16.5	15.1
North Central	14.5	13.6	9.5
South	13.1	17.0	15.4
West	15.0	7.7	14.0

Region	Without CCs Age <65	 65-74	 75+
U.S.	7.5	7.4	11.0
Northeast	7.5	7.0	4.2
North Central	7.8	7.3	5.9
South	8.0	6.5	17.3
West	6.1	9.7	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 416
SEPTICEMIA AGE >17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	17.8	16.4	11.7
Northeast	19.7	15.3	12.1
North Central	16.9	17.4	11.4
South	17.0	18.5	10.9
West	16.6	13.8	12.4

Region	Without CCs Age <65	65-74	75+
U.S.	10.1	10.4	13.0
Northeast	10.6	5.5	16.2
North Central	10.3	7.1	9.4
South	8.6	12.3	6.5
West	11.4	20.0	20.8

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 417
SEPTICEMIA AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	16.1	--	--
Northeast	15.4	--	--
North Central	17.5	--	--
South	15.8	--	--
West	16.4	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	5.6	--	--
Northeast	5.3	--	--
North Central	7.2	--	--
South	4.1	--	--
West	5.9	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 418
POSTOPERATIVE & POST-TRAUMATIC INFECTIONS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	10.4	14.5	9.4
Northeast	10.7	14.8	9.9
North Central	11.6	12.9	5.1
South	10.5	14.4	10.4
West	7.8	15.9	12.8

Region	Without CCs Age <65	65-74	75+
U.S.	6.8	8.3	7.3
Northeast	5.8	10.6	8.6
North Central	7.3	7.6	5.9
South	7.3	6.7	7.5
West	7.1	7.1	5.9

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 419
FEVER OF UNKNOWN ORIGIN AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	18.8	17.8	12.9
Northeast	17.6	15.2	16.7
North Central	17.1	20.0	10.5
South	20.9	20.2	14.2
West	19.3	13.4	9.3

Region	Without CCs Age <65	65-74	75+
U.S.	--	13.5	9.2
Northeast	--	7.7	11.7
North Central	--	15.0	8.2
South	--	10.3	8.4
West	--	23.3	9.1

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 420
FEVER OF UNKNOWN ORIGIN AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	9.3	4.5	--
Northeast	8.3	6.3	--
North Central	11.0	6.3	--
South	10.0	0.0	--
West	8.2	6.9	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 421
VIRAL ILLNESS AGE >17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	7.6	9.7	11.6
Northeast	8.1	6.9	10.0
North Central	5.2	13.7	8.9
South	8.2	6.8	13.8
West	8.7	14.3	14.9

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	4.1	3.4	9.9
Northeast	3.9	4.5	6.2
North Central	4.3	0.0	7.2
South	3.3	4.7	15.9
West	5.4	5.7	10.0

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 422
VIRAL ILLNESS & FEVER OF UNKNOWN ORIGIN AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	10.8	--	--
Northeast	11.5	--	--
North Central	9.2	--	--
South	10.2	--	--
West	11.1	--	--

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	3.9	--	--
Northeast	3.4	--	--
North Central	4.4	--	--
South	3.6	--	--
West	4.5	--	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted			
	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 423
OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	13.4	18.3	13.6
Northeast	15.0	17.9	9.8
North Central	10.7	16.9	6.3
South	14.9	23.1	16.7
West	12.1	12.2	20.0

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	5.0	7.4	5.9
Northeast	2.3	**	**
North Central	6.7	**	**
South	6.3	**	**
West	5.1	**	**

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 424
O.R. PROCEDURE W/ PRINCIPAL DIAGNOSES OF MENTAL ILLNESS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+	Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	15.8	19.1	9.2	U.S.	8.9	3.4	8.5
Northeast	14.0	13.3	12.0	Northeast	11.0	6.1	10.0
North Central	11.6	14.8	4.1	North Central	3.6	**	**
South	25.3	**	15.4	South	9.0	**	**
West	14.1	**	5.6	West	8.1	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+		Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 425
ACUTE ADJUST REACT & DISTURBANCES OF PSYCHOSOCIAL DYSFUNCTION

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs		
	Age		
Region	<65	65-74	75+
U.S.	10.7	12.4	12.4
Northeast	13.0	11.0	13.1
North Central	9.5	14.4	11.2
South	10.1	11.3	12.6
West	9.3	14.2	12.3

	Without CCs		
	Age		
Region	<65	65-74	75+
U.S.	6.2	11.3	8.9
Northeast	6.4	11.3	8.0
North Central	6.9	20.0	8.0
South	6.3	9.4	10.6
West	4.8	4.2	8.5

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 426
DEPRESSIVE NEUROSES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	74	75+
U.S.	9.2	13.1	11.3
Northeast	9.0	12.0	9.6
North Central	10.5	16.0	11.7
South	9.2	10.0	11.7
West	8.0	15.9	13.1

Region	Without CCs Age <65	65-74	75+
U.S.	6.7	12.9	13.4
Northeast	6.9	13.9	16.8
North Central	7.2	15.8	17.3
South	6.9	10.9	8.6
West	5.4	9.8	6.1

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 427
NEUROSES EXCEPT DEPRESSIVE

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs		
	Age		
Region	<65	65-74	75+
U.S.	9.9	12.4	11.4
Northeast	9.3	**	**
North Central	12.0	**	**
South	9.3	10.3	**
West	8.8	**	**

	Without CCs		
	Age		
Region	<65	65-74	75+
U.S.	6.0	6.1	8.0
Northeast	5.7	8.2	3.2
North Central	6.1	6.3	**
South	6.4	6.7	15.6
West	5.9	2.7	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 428
DISORDERS OF PERSONALITY & IMPULSE CONTROL

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age		
	<65	65-74	75+
U.S.	10.8	3.4	23.1
Northeast	8.1	**	--
North Central	11.0	--	--
South	13.4	**	**
West	11.6	**	--

Without CCs

Region	Age		
	<65	65-74	75+
U.S.	9.7	**	**
Northeast	9.2	**	--
North Central	10.0	--	--
South	10.7	**	--
West	8.2	--	--

ACTUAL READMISSION RATES

With CCs

	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 429
ORGANIC DISTURBANCES & MENTAL RETARDATION

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	9.8	12.1	9.4
Northeast	9.0	12.0	8.2
North Central	9.6	12.2	10.7
South	9.8	10.5	8.4
West	11.8	15.1	11.1

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	8.8	8.8	7.9
Northeast	5.9	8.5	7.2
North Central	9.8	3.9	8.4
South	13.1	10.7	8.0
West	7.2	11.5	8.4

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 430
PSYCHOSES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	11.3	12.8	13.9
Northeast	10.6	13.3	13.1
North Central	11.1	13.5	15.2
South	12.9	11.1	16.5
West	9.7	13.5	8.2

Region	Without CCs Age <65	 65-74	 75+
U.S.	9.8	10.5	11.3
Northeast	9.6	9.7	10.6
North Central	8.7	10.6	12.4
South	11.6	12.3	12.7
West	8.1	9.5	8.1

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 431
CHILDHOOD MENTAL DISORDERS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	5.5	--	--
Northeast	6.8	--	--
North Central	6.9	--	--
South	5.3	--	--
West	1.2	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	4.3	--	--
Northeast	5.1	--	--
North Central	4.6	--	--
South	5.4	--	--
West	1.6	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 432
OTHER MENTAL DISORDER DIAGNOSES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	9.9	**	**
Northeast	10.0	--	--
North Central	15.4	--	--
South	7.8	**	--
West	9.4	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	7.0	**	**
Northeast	5.3	**	--
North Central	2.3	--	**
South	10.6	--	--
West	4.7	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 434
ALC/DRUG ABUSE, INTOX, INDUCE MNTL SYN EXC DEPND &/OR OTH SYMPT TRT

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+	Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	10.1	12.6	11.2	U.S.	5.1	10.7	6.8
Northeast	10.2	13.1	10.6	Northeast	4.2	6.7	5.7
North Central	15.0	12.7	8.6	North Central	8.2	6.5	6.3
South	7.6	15.3	12.0	South	4.0	12.7	8.8
West	6.8	6.2	14.0	West	5.1	15.8	5.7

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+		Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 435
ALC/DRUG DEPENDENCE, DETOX &/OR OTHER SYMPTOMATIC TREATMENT

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	<65	65-74	75+
U.S.	7.9	11.6	11.9
Northeast	8.9	12.8	18.4
North Central	8.1	10.9	10.0
South	7.1	12.2	10.4
West	5.6	8.6	9.8

Without CCs

Region	<65	65-74	75+
U.S.	7.4	10.3	10.9
Northeast	7.3	12.9	8.6
North Central	10.8	8.0	**
South	5.2	11.0	15.6
West	3.7	6.9	**

ACTUAL READMISSION RATES

With CCs

	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 436
ALC/DRUG DEPENDENCE W/ REHABILITATION THERAPY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	3.5	9.0	12.5
Northeast	4.4	11.8	**
North Central	2.1	9.7	**
South	3.3	6.1	**
West	3.5	**	--

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	2.8	4.4	10.0
Northeast	3.3	3.3	**
North Central	1.3	**	--
South	3.4	4.8	**
West	3.1	**	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 437
ALC/DRUG DEPENDENCE, COMBINED REHAB & DETOX THERAPY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	6.5	4.0	6.7
Northeast	11.5	2.6	3.3
North Central	2.8	0.0	**
South	3.9	5.5	11.6
West	4.6	2.7	**

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	4.3	4.9	0.0
Northeast	6.5	4.6	**
North Central	2.0	**	--
South	3.0	5.7	**
West	2.0	0.0	**

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 439
SKIN GRAFTS FOR INJURIES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	11.3	20.0	12.5
Northeast	12.0	**	**
North Central	**	**	**
South	8.6	**	**
West	12.1	--	**

Region	Without CCs Age <65	 65-74	 75+
U.S.	4.7	6.5	7.7
Northeast	4.6	**	**
North Central	6.1	**	--
South	6.2	**	**
West	1.9	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / **Total No. Patients**	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 440
WOUND DEBRIDEMENTS FOR INJURIES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	11.4	11.6	11.8
Northeast	11.5	11.2	12.5
North Central	9.6	8.6	10.5
South	12.8	15.3	4.0
West	10.9	7.1	**

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	5.0	9.6	10.3
Northeast	4.9	11.8	10.5
North Central	5.5	**	**
South	4.6	9.4	6.3
West	5.2	10.3	19.2

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 441
HAND PROCEDURES FOR INJURIES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	6.9	3.8	**
Northeast	8.3	**	**
North Central	2.7	**	--
South	4.8	**	--
West	15.4	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	3.7	0.0	0.0
Northeast	3.1	0.0	**
North Central	3.5	0.0	**
South	4.4	0.0	**
West	4.4	**	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 442
OTHER O.R. PROCEDURES FOR INJURIES AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	17.6	18.4	17.8
Northeast	18.7	16.0	16.2
North Central	15.4	16.3	15.2
South	17.7	21.6	20.1
West	18.2	17.5	18.6

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	--	6.5	9.1
Northeast	--	8.9	8.5
North Central	--	5.9	12.5
South	--	5.9	8.9
West	--	2.8	6.5

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 443
OTHER O.R. PROCEDURES FOR INJURIES AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	6.3	10.4	--
Northeast	6.5	10.0	--
North Central	6.9	6.1	--
South	5.5	12.8	--
West	6.6	11.3	--

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 444
MULTIPLE TRAUMA AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	5.0	7.0	9.7
Northeast	5.2	6.4	12.0
North Central	2.5	9.5	11.3
South	7.2	3.9	10.1
West	4.6	9.7	2.4

Region	Without CCs Age <65	65-74	75+
U.S.	--	5.0	11.3
Northeast	--	**	7.7
North Central	--	**	12.3
South	--	7.1	10.5
West	--	**	17.2

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 445
MULTIPLE TRAUMA AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	65-74	75+
U.S.	3.2	3.2	--
Northeast	3.4	0.0	--
North Central	3.4	**	--
South	2.8	**	--
West	3.3	**	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 446
MULTIPLE TRAUMA AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+	Region	Without CCs Age <65	65-74	75+
U.S.	2.3	--	--	U.S.	2.3	--	--
Northeast	1.5	--	--	Northeast	2.6	--	--
North Central	1.3	--	--	North Central	3.2	--	--
South	4.8	--	--	South	1.8	--	--
West	1.9	--	--	West	1.0	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+		Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 447
ALLERGIC REACTIONS AGE >17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	10.5	9.9	7.0
Northeast	16.7	12.9	**
North Central	8.2	13.3	**
South	10.0	**	**
West	3.8	10.3	**

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	5.0	6.2	8.2
Northeast	4.6	4.3	**
North Central	6.2	**	**
South	4.8	17.2	**
West	4.7	**	**

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 448
ALLERGIC REACTIONS AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	8.9	--	--
Northeast	**	--	--
North Central	**	--	--
South	**	--	--
West	**	--	--

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	5.3	--	--
Northeast	1.0	--	--
North Central	12.5	--	--
South	4.5	--	--
West	4.4	--	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 449
POISONING & TOXIC EFFECTS OF DRUGS AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	10.9	14.0	12.7
Northeast	12.7	11.6	12.1
North Central	11.6	17.2	13.8
South	9.7	14.7	12.5
West	8.2	12.7	12.7

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	--	7.9	12.1
Northeast	--	11.9	9.1
North Central	--	9.1	16.8
South	--	3.8	10.4
West	--	7.1	13.3

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 450
POISONING & TOXIC EFFECTS OF DRUGS AGE 18-69 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	7.7	11.1	--
Northeast	7.1	9.9	--
North Central	10.5	11.4	--
South	7.4	13.3	--
West	5.9	7.7	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 451
POISONING & TOXIC EFFECTS OF DRUGS AGE 0-17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	5.4	--	--
Northeast	5.5	--	--
North Central	5.8	--	--
South	4.7	--	--
West	5.3	--	--

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	3.3	--	--
Northeast	3.6	--	--
North Central	4.0	--	--
South	2.9	--	--
West	2.4	--	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 452
COMPLICATIONS OF TREATMENT AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	21.1	17.5	16.0
Northeast	22.4	18.8	15.7
North Central	19.2	15.2	17.9
South	19.0	19.0	15.3
West	24.0	14.7	15.3

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	10.7	10.6
Northeast	--	13.3	8.6
North Central	--	8.0	9.9
South	--	8.8	15.1
West	--	13.0	7.5

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 453
COMPLICATIONS OF TREATMENT AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	10.3	11.0	--
Northeast	11.6	12.6	--
North Central	8.2	4.9	--
South	9.4	11.8	--
West	11.9	13.6	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 454
OTHER INJURY, POISONING & TOXIC EFF DIAG AGE >69 &/OR CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	4.9	5.9	8.8
Northeast	5.4	5.5	10.8
North Central	3.3	6.7	12.5
South	4.3	3.8	6.7
West	7.0	9.4	4.6

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	--	13.2	6.3
Northeast	--	**	7.1
North Central	--	**	6.1
South	--	**	5.1
West	--	**	6.9

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 455
OTHER INJURY, POISONING & TOXIC EFF DIAG AGE <70 W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

	With CCs		
	Age		
Region	<65	65-74	75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

	Without CCs		
	Age		
Region	<65	65-74	75+
U.S.	3.1	6.1	--
Northeast	2.6	**	--
North Central	3.4	--	--
South	2.8	**	--
West	3.7	**	--

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 457
EXTENSIVE BURNS W/O O.R. PROCEDURE

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+	Region	Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
U.S.	**	--	--	U.S.	2.6	--	--
Northeast	--	--	--	Northeast	**	--	--
North Central	--	--	--	North Central	**	--	--
South	--	--	--	South	**	--	--
West	--	--	--	West	**	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	With CCs Age 65-74	With CCs Age 75+		Without CCs Age <65	Without CCs Age 65-74	Without CCs Age 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷	No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=		=	=	=
% Patients Who Were Readmitted				% Patients Who Were Readmitted			

DRG 458
NON-EXTENSIVE BURNS W/ SKIN GRAFT

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	8.8	12.5	6.8
Northeast	9.0	**	**
North Central	8.5	**	**
South	9.4	**	**
West	8.2	**	**

Region	Without CCs Age <65	 65-74	 75+
U.S.	4.2	6.9	9.7
Northeast	4.2	**	**
North Central	3.7	--	**
South	4.7	**	**
West	4.3	**	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 459
NON-EXTENSIVE BURNS W/ WOUND DEBRIDEMENT OR OTHER O.R. PROC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	65-74	75+
U.S.	10.8	18.4	17.6
Northeast	11.0	**	**
North Central	7.0	**	**
South	21.7	**	**
West	5.8	**	**

Region	Without CCs Age <65	65-74	75+
U.S.	4.9	**	**
Northeast	5.3	--	**
North Central	3.4	**	--
South	5.7	**	**
West	5.3	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	65-74	75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 460
NON-EXTENSIVE BURNS W/O O.R. PROCEDURE

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	6.5	8.9	7.6
Northeast	7.8	7.4	**
North Central	7.2	**	**
South	3.5	**	**
West	6.8	**	**

Region	Without CCs Age <65	 65-74	 75+
U.S.	4.1	7.9	13.0
Northeast	4.1	**	**
North Central	4.4	**	**
South	4.6	**	**
West	3.5	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 461
O.R. PROC W/ DIAGNOSES OF OTHER CONTACT W/ HEALTH SERVICES

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	9.0	13.1	12.5
Northeast	8.9	13.4	11.3
North Central	10.3	10.7	11.1
South	9.7	13.6	12.6
West	6.0	17.1	20.0

Region	Without CCs Age <65	 65-74	 75+
U.S.	4.1	6.7	4.8
Northeast	5.0	8.1	5.1
North Central	2.4	6.9	6.9
South	3.5	6.1	4.3
West	4.7	5.4	0.0

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 462
REHABILITATION

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	6.7	8.9	9.4
Northeast	7.1	9.7	10.4
North Central	5.8	9.1	10.2
South	7.7	9.2	9.3
West	4.8	6.6	6.6

Region	Without CCs Age <65	 65-74	 75+
U.S.	4.3	5.7	6.6
Northeast	4.2	6.4	6.9
North Central	3.1	8.2	9.2
South	5.8	4.8	5.9
West	3.0	3.9	4.6

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted	÷	÷	÷
Total No. Patients			
	=	=	=
% Patients Who Were Readmitted			

DRG 463
SIGNS & SYMPTOMS W/ CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	15.6	13.5	11.6
Northeast	15.9	12.9	13.1
North Central	16.7	11.9	8.1
South	16.0	15.0	13.3
West	13.3	14.6	11.1

Region	Without CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 464
SIGNS & SYMPTOMS W/O CC

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	--	--	--
Northeast	--	--	--
North Central	--	--	--
South	--	--	--
West	--	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	7.4	7.9	8.0
Northeast	7.1	8.3	9.9
North Central	8.9	5.1	9.2
South	8.0	8.1	5.9
West	5.3	10.6	7.0

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 465
AFTERCARE W/ HISTORY OF MALIGNANCY AS SECONDARY DIAGNOSIS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	20.8	6.5	8.0
Northeast	**	**	**
North Central	**	**	**
South	**	**	**
West	**	--	**

Region	Without CCs Age <65	 65-74	 75+
U.S.	10.5	4.1	4.5
Northeast	13.8	**	**
North Central	6.3	**	**
South	**	**	**
West	**	--	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 466
AFTERCARE W/O HISTORY OF MALIGNANCY AS SECONDARY DIAGNOSIS

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs		
	Age		
	<65	65-74	75+
U.S.	10.3	13.4	15.2
Northeast	8.6	15.1	16.1
North Central	13.9	14.6	17.6
South	10.2	11.1	14.5
West	8.5	**	**

Region	Without CCs		
	Age		
	<65	65-74	75+
U.S.	4.9	6.4	4.9
Northeast	7.3	7.4	5.1
North Central	3.0	2.5	2.8
South	4.9	9.9	4.9
West	5.3	0.0	7.1

ACTUAL READMISSION RATES

	With CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs		
	Age		
	<65	65-74	75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 471
BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

With CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	10.1	8.0	14.3
Northeast	**	8.3	11.1
North Central	**	**	**
South	**	**	**
West	**	**	**

Without CCs

Region	Age <65	Age 65-74	Age 75+
U.S.	4.5	7.8	15.1
Northeast	2.5	4.9	12.5
North Central	**	**	**
South	**	**	**
West	**	13.3	**

ACTUAL READMISSION RATES

With CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

Without CCs

	Age <65	Age 65-74	Age 75+
No. of Patients Who Were Readmitted ÷ Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 472
EXTENSIVE BURNS W/ O.R. PROCEDURE

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	11.3	--	--
Northeast	7.1	--	--
North Central	6.9	--	--
South	**	--	--
West	**	--	--

Region	Without CCs Age <65	 65-74	 75+
U.S.	15.9	--	--
Northeast	14.8	--	--
North Central	**	--	--
South	**	--	--
West	**	--	--

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted / Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

DRG 473
ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE AGE >17

RISK-ADJUSTED EXPECTED READMISSION RATES

% READMITTED

Region	With CCs Age <65	 65-74	 75+
U.S.	42.4	27.5	20.0
Northeast	49.1	24.3	18.8
North Central	38.6	23.2	28.6
South	44.1	28.6	19.5
West	32.2	36.6	12.8

Region	Without CCs Age <65	 65-74	 75+
U.S.	44.4	21.4	31.6
Northeast	45.0	**	**
North Central	42.6	**	**
South	40.2	**	**
West	51.4	**	**

ACTUAL READMISSION RATES

	With CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

	Without CCs Age <65	 65-74	 75+
No. of Patients Who Were Readmitted Total No. Patients	÷	÷	÷
	=	=	=
% Patients Who Were Readmitted			

RISK-ADJUSTED HOSPITAL READMISSION NORMS

APPENDICES

Pull this sheet before assembly

TABLE OF CONTENTS

Appendix 1 Diagnosis Related Groups 465

Appendix 2 State Inclusions by Region 474

Appendix 3 Health Care Financing Administration (HCFA) Defined Complications and Comorbidities ... 475

Appendix 1

DIAGNOSIS RELATED GROUPS

DRG	English Description
1	Craniotomy Age >17 except for Trauma
2	Craniotomy for Trauma Age >17
3	Craniotomy Age <18
4	Spinal Procedures
5	Extracranial Vascular Procedures
6	Carpal Tunnel Release
7	Periph & Cranial Nerve & Other Nerv Syst Proc Age >69 &/or CC
8	Periph & Cranial Nerve & Other Nerv Syst Proc Age <70 w/o CC
9	Spinal Disorders & Injuries
10	Nervous System Neoplasms Age >69 &/or CC
11	Nervous System Neoplasms Age <70 w/o CC
12	Degenerative Nervous System Disorders
13	Multiple Sclerosis & Cerebellar Ataxia
14	Specific Cerebrovascular Disorders except TIA
15	Transient Ischemic Attack & Precerebral Occlusions
16	Nonspecific Cerebrovascular Disorders w/ CC
17	Nonspecific Cerebrovascular Disorders w/o CC
18	Cranial & Peripheral Nerve Disorders Age >69 &/or CC
19	Cranial & Peripheral Nerve Disorders Age <70 w/o CC
20	Nervous System Infection except Viral Meningitis
21	Viral Meningitis
22	Hypertensive Encephalopathy
23	Nontraumatic Stupor & Coma
24	Seizure & Headache Age >69 &/or CC
25	Seizure & Headache Age 18-69 w/o CC
26	Seizure & Headache Age 0-17
27	Traumatic Stupor & Coma, Coma >1 Hr
28	Traumatic Stupor & Coma, Coma <1 Hr Age >69 &/or CC
29	Traumatic Stupor & Coma, Coma <1 Hr Age 18-69 w/o CC
30	Traumatic Stupor & Coma, Coma <1 Hr Age 0-17
31	Concussion Age >69 &/or CC
32	Concussion Age 18-69 w/o CC
33	Concussion Age 0-17
34	Other Disorders of Nervous System Age >69 &/or CC
35	Other Disorders of Nervous System Age <70 w/o CC
36	Retinal Procedures
37	Orbital Procedures
38	Primary Iris Procedures
39	Lens Procedures with or without Vitrectomy
40	Extraocular Procedures except Orbit Age >17
41	Extraocular Procedures except Orbit Age 0-17
42	Intraocular Procedures except Retina, Iris & Lens
43	Hyphema
44	Acute Major Eye Infections
45	Neurological Eye Disorders
46	Other Disorders of the Eye Age >17 w/ CC
47	Other Disorders of the Eye Age >17 w/o CC
48	Other Disorders of the Eye Age 0-17
49	Major Head & Neck Procedures
50	Sialoadenectomy

DIAGNOSIS RELATED GROUPS (Continued)

DRG	English Description
51	Salivary Gland Procedures except Sialoadenectomy
52	Cleft Lip & Palate Repair
53	Sinus & Mastoid Procedures Age >17
54	Sinus & Mastoid Procedures Age 0-17
55	Miscellaneous Ear, Nose & Throat Procedures
56	Rhinoplasty
57	T&A Proc, except Tonsillectomy &/or Adenoidectomy only, Age >17
58	T&A Proc, except Tonsillectomy &/or Adenoidectomy only, Age 0-17
59	Tonsillectomy &/or Adenoidectomy only, Age >17
60	Tonsillectomy &/or Adenoidectomy only, Age 0-17
61	Myringotomy w/ Tube Insertion Age >17
62	Myringotomy w/ Tube Insertion Age 0-17
63	Other Ear, Nose & Throat O.R. Procedures
64	Ear, Nose & Throat Malignancy
65	Dysequilibrium
66	Epistaxis
67	Epiglottitis
68	Otitis Media & Uri Age >69 &/or CC
69	Otitis Media & Uri Age 18-69 w/o CC
70	Otitis Media & Uri Age 0-17
71	Laryngotracheitis
72	Nasal Trauma & Deformity
73	Other Ear, Nose & Throat Diagnoses Age >17
74	Other Ear, Nose & Throat Diagnoses Age 0-17
75	Major Chest Procedures
76	Other Resp System O.R. Procedures w/ CC
77	Other Resp System O.R. Procedures w/o CC
78	Pulmonary Embolism
79	Respiratory Infections & Inflammations Age >69 &/or CC
80	Respiratory Infections & Inflammations Age 18-69 w/o CC
81	Respiratory Infections & Inflammations Age 0-17
82	Respiratory Neoplasms
83	Major Chest Trauma Age >69 &/or CC
84	Major Chest Trauma Age <70 w/o CC
85	Pleural Effusion Age >69 &/or CC
86	Pleural Effusion Age <70 w/o CC
87	Pulmonary Edema & Respiratory Failure
88	Chronic Obstructive Pulmonary Disease
89	Simple Pneumonia & Pleurisy Age >69 &/or CC
90	Simple Pneumonia & Pleurisy Age 18-69 w/o CC
91	Simple Pneumonia & Pleurisy Age 0-17
92	Interstitial Lung Disease Age >69 &/or CC
93	Interstitial Lung Disease Age <70 w/o CC
94	Pneumothorax Age >69 &/or CC
95	Pneumothorax Age <70 w/o CC
96	Bronchitis & Asthma Age >69 &/or CC
97	Bronchitis & Asthma Age 18-69 w/o CC
98	Bronchitis & Asthma Age 0-17
99	Respiratory Signs & Symptoms Age >69 &/or CC
100	Respiratory Signs & Symptoms Age <70 w/o CC
101	Other Respiratory System Diagnoses Age >69 &/or CC
102	Other Respiratory System Diagnoses Age <70 w/o CC
103	Heart Transplant
104	Cardiac Valve Procedure w/ Pump & w/ Cardiac Cath

DIAGNOSIS RELATED GROUPS (Continued)

DRG	English Description
105	Cardiac Valve Procedure w/ Pump & w/o Cardiac Cath
106	Coronary Bypass w/ Cardiac Cath
107	Coronary Bypass w/o Cardiac Cath
108	Other Cardiothoracic or Vascular Procedures, w/ Pump
109	Other Cardiothoracic Procedures w/o Pump
110	Major Reconstructive Vascular Proc w/o Pump Age >69 &/or CC
111	Major Reconstructive Vascular Proc w/o Pump Age <70 w/o CC
112	Vascular Procedures except Major Reconstruction w/o Pump
113	Amputation for Circ System Disorders except Upper Limb & Toe
114	Upper Limb & Toe Amputation for Circ System Disorders
115	Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock
116	Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock
117	Cardiac Pacemaker Replace & Revis except Pulse Gen Replacement
118	Cardiac Pacemaker Pulse Generator Replacement
119	Vein Ligation & Stripping
120	Other Circulatory System O.R. Procedures
121	Circulatory Disorders w/ AMI & C.V. Comp Disch Alive
122	Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive
123	Circulatory Disorders w/ AMI, Expired
124	Circulatory Disorders except AMI, w/ Card Cath & Complex Diag
125	Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag
126	Acute & Subacute Endocarditis
127	Heart Failure & Shock
128	Deep Vein Thrombophlebitis
129	Cardiac Arrest, Unexplained
130	Peripheral Vascular Disorders Age >69 &/or CC
131	Peripheral Vascular Disorders Age <70 w/o CC
132	Atherosclerosis Age >69 &/or CC
133	Atherosclerosis Age <70 w/o CC
134	Hypertension
135	Cardiac Congenital & Valvular Disorders Age >69 &/or CC
136	Cardiac Congenital & Valvular Disorders Age 18-69 w/o CC
137	Cardiac Congenital & Valvular Disorders Age 0-17
138	Cardiac Arrhythmia & Conduction Disorders Age >69 &/or CC
139	Cardiac Arrhythmia & Conduction Disorders Age <70 w/o CC
140	Angina Pectoris
141	Syncope & Collapse Age >69 &/or CC
142	Syncope & Collapse Age <70 w/o CC
143	Chest Pain
144	Other Circulatory System Diagnoses w/ CC
145	Other Circulatory System Diagnoses w/o CC
146	Rectal Resection Age >69 &/or CC
147	Rectal Resection Age <70 w/o CC
148	Major Small & Large Bowel Procedures Age >69 &/or CC
149	Major Small & Large Bowel Procedures Age <70 w/o CC
150	Peritoneal Adhesiolysis Age >69 &/or CC
151	Peritoneal Adhesiolysis Age <70 w/o CC
152	Minor Small & Large Bowel Procedures Age >69 &/or CC
153	Minor Small & Large Bowel Procedures Age <70 w/o CC
154	Stomach, Esophageal & Duodenal Procedures Age >69 &/or CC
155	Stomach, Esophageal & Duodenal Procedures Age 18-69 w/o CC
156	Stomach, Esophageal & Duodenal Procedures Age 0-17
157	Anal & Stomal Procedures Age >69 &/or CC
158	Anal & Stomal Procedures Age <70 w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	English Description
159	Hernia Procedures except Inguinal & Femoral Age >69 &/or CC
160	Hernia Procedures except Inguinal & Femoral Age 18-69 w/o CC
161	Inguinal & Femoral Hernia Procedures Age >69 &/or CC
162	Inguinal & Femoral Hernia Procedures Age 18-69 w/o CC
163	Hernia Procedures Age 0-17
164	Appendectomy w/ Complicated Principal Diag Age >69 &/or CC
165	Appendectomy w/ Complicated Principal Diag Age <70 w/o CC
166	Appendectomy w/o Complicated Principal Diag Age >69 &/or CC
167	Appendectomy w/o Complicated Principal Diag Age <70 w/o CC
168	Mouth Procedures Age >69 &/or CC
169	Mouth Procedures Age <70 w/o CC
170	Other Digestive System O.R. Procedures Age >69 &/or CC
171	Other Digestive System O.R. Procedures Age <70 w/o CC
172	Digestive Malignancy Age >69 &/or CC
173	Digestive Malignancy Age <70 w/o CC
174	G.I. Hemorrhage Age >69 &/or CC
175	G.I. Hemorrhage Age <70 w/o CC
176	Complicated Peptic Ulcer
177	Uncomplicated Peptic Ulcer Age >69 &/or CC
178	Uncomplicated Peptic Ulcer Age <70 w/o CC
179	Inflammatory Bowel Disease
180	G.I. Obstruction Age >69 &/or CC
181	G.I. Obstruction Age <70 w/o CC
182	Esophagitis, Gastroent & Misc Digest Disorders Age >69 &/or CC
183	Espohagitis, Gastroent & Misc Digest Disorders Age 18-69 w/o CC
184	Esophagitis, Gastroent & Misc Digest Disorders Age 0-17
185	Dental & Oral Dis except Extractions & Restorations, Age >17
186	Dental & Oral Dis except Extractions & Restorations, Age 0-17
187	Dental Extractions & Restorations
188	Other Digestive System Diagnoses Age >69 &/or CC
189	Other Digestive System Diagnoses Age 18-69 w/o CC
190	Other Digestive System Diagnoses Age 0-17
191	Major Pancreas, Liver & Shunt Procedures
192	Minor Pancreas, Liver & Shunt Procedures
193	Biliary Tract Proc except Tot Cholecystectomy Age >69 &/or CC
194	Biliary Tract Proc except Tot Cholecystectomy Age <70 w/o CC
195	Total Cholecystectomy w/ C.D.E. Age >69 &/or CC
196	Total Cholecystectomy w/ C.D.E. Age <70 w/o CC
197	Total Cholecystectomy w/o C.D.E. Age >69 &/or CC
198	Total Cholecystectomy w/o C.D.E. Age <70 w/o CC
199	Hepatobiliary Diagnostic Procedure for Malignancy
200	Hepatobiliary Diagnostic Procedure for Non-malignancy
201	Other Hepatobiliary or Pancreas O.R. Procedures
202	Cirrhosis & Alcoholic Hepatitis
203	Malignancy of Hepatobiliary System or Pancreas
204	Disorders of Pancreas except Malignancy
205	Disorders of Liver except Malig, Cirr, Alc Hepa Age >69 &/or CC
206	Disorders of Liver except Malig, Cirr, Alc Hepa Age <70 w/o CC
207	Disorders of the Biliary Tract Age >69 &/or CC
208	Disorders of the Biliary Tract Age <70 w/o CC
209	Major Joint & Limb Reattachment Procedures
210	Hip & Femur Procedures except Major Joint Age >69 &/or CC
211	Hip & Femur Procedures except Major Joint Age 18-69 w/o CC
212	Hip & Femur Procedures except Major Joint Age 0-17

DIAGNOSIS RELATED GROUPS (Continued)

DRG	English Description
213	Amputation for Musculoskeletal System & Conn Tissue Disorders
214	Back & Neck Procedures Age >69 &/or CC
215	Back & Neck Procedures Age <70 w/o CC
216	Biopsies of Musculoskeletal System & Connective Tissue
217	Wnd Debrid & Skn Grft except Hand, for Muscskelet & Conn Tiss Dis
218	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >69 &/or CC
219	Lower Extrem & Humer Proc except Hip, Foot, Femur Age 18-69 w/o CC
220	Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17
221	Knee Procedures Age >69 &/or CC
222	Knee Procedures Age <70 w/o CC
223	Major Shoulder/ Elbow Proc, or Other Upper Extremity Proc w/ CC
224	Shoulder, Elbow or Forearm Proc, except Major Joint Proc, w/o CC
225	Foot Procedures
226	Soft Tissue Procedures Age >69 &/or CC
227	Soft Tissue Procedures Age <70 w/o CC
228	Major Thumb or Joint Proc, or Oth Hand or Wrist Proc w/ CC
229	Hand or Wrist Proc, except Major Joint Proc, w/o CC
230	Local Excision & Removal of Int Fix Devices of Hip & Femur
231	Local Excision & Removal of Int Fix Devices except Hip & Femur
232	Arthroscopy
233	Other Musculoskelet Sys & Conn Tiss O.R. Proc Age >69 &/or CC
234	Other Musculoskelet Sys & Conn Tiss O.R. Proc Age <70 w/o CC
235	Fractures of Femur
236	Fractures of Hip & Pelvis
237	Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh
238	Osteomyelitis
239	Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy
240	Connective Tissue Disorders Age >69 &/or CC
241	Connective Tissue Disorders Age <70 w/o CC
242	Septic Arthritis
243	Medical Back Problems
244	Bone Diseases & Specific Arthropathies Age >69 &/or CC
245	Bone Diseases & Specific Arthropathies Age <70 w/o CC
246	Non-specific Arthropathies
247	Signs & Symptoms of Musculoskeletal System & Conn Tissue
248	Tendonitis, Myositis & Bursitis
249	Aftercare, Musculoskeletal System & Connective Tissue
250	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >69 &/or CC
251	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 18-69 w/o CC
252	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17
253	Fx, Sprn, Strn & Disl of Uparm, Lowleg except Foot Age >69 &/or CC
254	Fx, Sprn, Strn & Disl of Uparm, Lowleg except Foot Age 18-69 w/o CC
255	Fx, Sprn, Strn & Disl of Uparm, Lowleg except Foot Age 0-17
256	Other Musculoskeletal System & Connective Tissue Diagnoses
257	Total Mastectomy for Malignancy Age >69 &/or CC
258	Total Mastectomy for Malignancy Age <70 w/o CC
259	Subtotal Mastectomy for Malignancy Age >69 &/or CC
260	Subtotal Mastectomy for Malignancy Age <70 w/o CC
261	Breast Proc for Non-malignancy except Biopsy & Local Excision
262	Breast Biopsy & Local Excision for Non-malignancy
263	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis Age>69 &/or CC
264	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis Age <70 w/o CC
265	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC
266	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	English Description
267	Perianal & Pilonidal Procedures
268	Skin, Subcutaneous Tissue & Breast Plastic Procedures
269	Other Skin, Subcut Tiss & Breast O.R. Proc Age >69 &/or CC
270	Other Skin, Subcut Tiss & Breast O.R. Proc Age <70 w/o CC
271	Skin Ulcers
272	Major Skin Disorders Age >69 &/or CC
273	Major Skin Disorders Age <70 w/o CC
274	Malignant Breast Disorders Age >69 &/or CC
275	Malignant Breast Disorders Age <70 w/o CC
276	Non-maligant Breast Disorders
277	Cellulitis Age >69 &/or CC
278	Cellulitis Age 18-69 w/o CC
279	Cellulitis Age 0-17
280	Trauma to the Skin, Subcut Tiss & Breast Age >69 &/or CC
281	Trauma to the Skin, Subcut Tiss & Breast Age 18-69 w/o CC
282	Trauma to the Skin, Subcut Tiss & Breast Age 0-17
283	Minor Skin Disorders Age >69 &/or CC
284	Minor Skin Disorders Age <70 w/o CC
285	Amputat of Lower Limb for Endocrine, Nutrit & Metabol Disorders
286	Adrenal & Pituitary Procedures
287	Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders
288	O.R. Procedures for Obesity
289	Parathyroid Procedures
290	Thyroid Procedures
291	Thyroglossal Procedures
292	Other Endocrine, Nutrit & Metab O.R. Proc Age >69 &/or CC
293	Other Endocrine, Nutrit & Metab O.R. Proc Age <70 w/o CC
294	Diabetes Age >35
295	Diabetes Age 0-35
296	Nutritional & Misc Metabolic Disorders Age >69 &/or CC
297	Nutritional & Misc Metabolic Disorders Age 18-69 w/o CC
298	Nutritional & Misc Metabolic Disorders Age 0-17
299	Inborn Errors of Metabolism
300	Endocrine Disorders Age >69 &/or CC
301	Endocrine Disorders Age <70 w/o CC
302	Kidney Transplant
303	Kidney, Ureter & Major Bladder Procedures for Neoplasm
304	Kidney, Ureter & Major Bladder Proc for Non-neopl Age >69 &/or CC
305	Kidney, Ureter & Major Bladder Proc for Non-neopl Age <70 w/o CC
306	Prostatectomy Age >69 &/or CC
307	Prostatectomy Age <70 w/o CC
308	Minor Bladder Procedures Age >69 &/or CC
309	Minor Bladder Procedures Age <70 w/o CC
310	Transurethral Procedures Age >69 &/or CC
311	Transurethral Procedures Age <70 w/o CC
312	Urethral Procedures, Age >69 &/or CC
313	Urethral Procedures, Age 18-69 w/o CC
314	Urethral Procedures, Age 0-17
315	Other Kidney & Urinary Tract O.R. Procedures
316	Renal Failure
317	Admit for Renal Dialysis
318	Kidney & Urinary Tract Neoplasms Age >69 &/or CC
319	Kidney & Urinary Tract Neoplasms Age <70 w/o CC
320	Kidney & Urinary Tract Infections Age >69 &/or CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	English Description
321	Kidney & Urinary Tract Infections Age 18-69 w/o CC
322	Kidney & Urinary Tract Infections Age 0-17
323	Urinary Stones Age >69 &/or CC, &/or ESW Lithotripsy
324	Urinary Stones Age <70 w/o CC
325	Kidney & Urinary Tract Signs & Symptoms Age >69 &/or CC
326	Kidney & Urinary Tract Signs & Symptoms Age 18-69 w/o CC
327	Kidney & Urinary Tract Signs & Symptoms Age 0-17
328	Urethral Stricture Age >69 &/or CC
329	Urethral Stricture Age 18-69 w/o CC
330	Urethral Stricture Age 0-17
331	Other Kidney & Urinary Tract Diagnoses Age >69 &/or CC
332	Other Kidney & Urinary Tract Diagnoses Age 18-69 w/o CC
333	Other Kidney & Urinary Tract Diagnoses Age 0-17
334	Major Male Pelvic Procedures w/ CC
335	Major Male Pelvic Procedures w/o CC
336	Transurethral Prostatectomy Age >69 &/or CC
337	Transurethral Prostatectomy Age <70 w/o CC
338	Testes Procedures, for Malignancy
339	Testes Procedures, Non-malignancy Age >17
340	Testes Procedures, Non-malignancy Age 0-17
341	Penis Procedures
342	Circumcision Age >17
343	Circumcision Age 0-17
344	Other Male Reproductive System O.R. Procedures for Malignancy
345	Other Male Reproductive System O.R. Proc except for Malignancy
346	Malignancy, Male Reproductive System, Age >69 &/or CC
347	Malignancy, Male Reproductive System, Age <70 w/o CC
348	Benign Prostatic Hypertrophy Age >69 &/or CC
349	Benign Prostatic Hypertrophy Age <70 w/o CC
350	Inflammation of the Male Reproductive System
351	Sterilization, Male
352	Other Male Reproductive System Diagnoses
353	Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy
354	Uterine, Adnexa Proc for Non-ovarian/ Adnexal Malig Age >69 &/or CC
355	Uterine, Adnexa Proc for Non-ovarian/ Adnexal Malig Age <70 w/o CC
356	Female Reproductive System Reconstructive Procedures
357	Uterine & Adnexa Proc for Ovarian or Adnexal Malig
358	Uterine & Adnexa Proc for Non-malignancy Age >69 &/or CC
359	Uterine & Adnexa Proc for Non-malignancy Age <70 w/o CC
360	Vagina, Cervix & Vulva Procedures
361	Laparoscopy & Incisional Tubal Interruption
362	Endoscopic Tubal Interruption
363	D&C, Conization & Radio-implant, for Malignancy
364	D&C Conization except for Malignancy
365	Other Female Reproductive System O.R. Procedures
366	Malignancy, Female Reproductive System Age >69 &/or CC
367	Malignancy, Female Reproductive System Age <70 w/o CC
368	Infections, Female Reproductive System
369	Menstrual & Other Female Reproductive System Disorders
370	Cesarean Section w/ CC
371	Cesarean Section w/o CC
372	Vaginal Delivery w/ Complicating Diagnoses
373	Vaginal Delivery w/o Complicating Diagnoses
374	Vaginal Delivery w/ Sterilization &/or D&C

DIAGNOSIS RELATED GROUPS (Continued)

DRG	English Description
375	Vaginal Delivery w/ O.R. Proc except Steril &/or D&C
376	Postpartum & Post Abortion Diagnoses w/o O.R. Procedure
377	Postpartum & Post Abortion Diagnoses w/ O.R. Procedure
378	Ectopic Pregnancy
379	Threatened Abortion
380	Abortion w/o D&C
381	Abortion w/ D&C, Aspiration Curettage or Hysterotomy
382	False Labor
383	Other Antepartum Diagnoses w/ Medical Complications
384	Other Antepartum Diagnoses w/o Medical Complications
385	Neonates, Died or Transferred to Another Acute Care Facility
386	Extreme Immaturity or Respiratory Distress Syndrome, Neonate
387	Prematurity w/ Major Problems
388	Prematurity w/o Major Problems
389	Full Term Neonate w/ Major Problems
390	Neonate w/ Other Significant Problems
391	Normal Newborn
392	Splenectomy Age >17
393	Splenectomy Age 0-17
394	Other O.R. Procedures of the Blood And Blood Forming Organs
395	Red Blood Cell Disorders Age >17
396	Red Blood Cell Disorders Age 0-17
397	Coagulation Disorders
398	Reticuloendothelial & Immunity Disorders Age >69 &/or CC
399	Reticuloendothelial & Immunity Disorders Age <70 w/o CC
400	Lymphoma & Leukemia w/ Major O.R. Procedure
401	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC
402	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC
403	Lymphoma & Non-acute Leukemia w/ CC
404	Lymphoma & Non-acute Leukemia w/o CC
405	Acute Leukemia w/o Major O.R. Procedure Age 0-17
406	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/ CC
407	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/o CC
408	Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R. Proc
409	Radiotherapy
410	Chemotherapy
411	History of Malignancy w/o Endoscopy
412	History of Malignancy w/ Endoscopy
413	Other Myeloprolif Dis or Poorly Diff Neopl Diag Age>69 &/or CC
414	Other Myeloprolif Dis or Poorly Diff Neopl Diag Age<70 w/o CC
415	O.R. Procedure for Infectious & Parasitic Diseases
416	Septicemia Age >17
417	Septicemia Age 0-17
418	Postoperative & Post-traumatic Infections
419	Fever of Unknown Origin Age >69 &/or CC
420	Fever of Unknown Origin Age 18-69 w/o CC
421	Viral Illness Age >17
422	Viral Illness & Fever of Unknown Origin Age 0-17
423	Other Infectious & Parasitic Diseases Diagnoses
424	O.R. Procedure w/ Principal Diagnoses of Mental Illness
425	Acute Adjust React & Disturbances of Psychosocial Dysfunction
426	Depressive Neuroses
427	Neuroses except Depressive
428	Disorders of Personality & Impulse Control

DIAGNOSIS RELATED GROUPS (Continued)

DRG	English Description
429	Organic Disturbances & Mental Retardation
430	Psychoses
431	Childhood Mental Disorders
432	Other Mental Disorder Diagnoses
433	Alcohol/ Drug Use & Induced Organic Mental Disorders, Left AMA
434	Alc/ Drug Abuse, Intox, Induce Mntl Syn exc Depnd &/or Oth Sympt Trt
435	Alc/ Drug Dependence, Detox &/or Other Symptomatic Treatment
436	Alc/ Drug Dependence w/ Rehabilitation Therapy
437	Alc/ Drug Dependence, Combined Rehab & Detox Therapy
438	No Longer Valid
439	Skin Grafts for Injuries
440	Wound Debridements for Injuries
441	Hand Procedures for Injuries
442	Other O.R. Procedures for Injuries Age >69 &/or CC
443	Other O.R. Procedures for Injuries Age <70 w/o CC
444	Multiple Trauma Age >69 &/or CC
445	Multiple Trauma Age 18-69 w/o CC
446	Multiple Trauma Age 0-17
447	Allergic Reactions Age >17
448	Allergic Reactions Age 0-17
449	Poisoning & Toxic Effects of Drugs Age >69 &/or CC
450	Poisoning & Toxic Effects of Drugs Age 18-69 w/o CC
451	Poisoning & Toxic Effects of Drugs Age 0-17
452	Complications of Treatment Age >69 &/or CC
453	Complications of Treatment Age <70 w/o CC
454	Other Injury, Poisoning & Toxic Eff Diag Age >69 &/or CC
455	Other Injury, Poisoning & Toxic Eff Diag Age <70 w/o CC
456	Burns, Transferred to Another Acute Care Facility
457	Extensive Burns w/o O.R. Procedure
458	Non-extensive Burns w/ Skin Graft
459	Non-extensive Burns w/ Wound Debridement or Other O.R. Proc
460	Non-extensive Burns w/o O.R. Procedure
461	O.R. Proc w/ Diagnoses of Other Contact w/ Health Services
462	Rehabilitation
463	Signs & Symptoms w/ CC
464	Signs & Symptoms w/o CC
465	Aftercare w/ History of Malignancy As Secondary Diagnosis
466	Aftercare w/o History of Malignancy As Secondary Diagnosis
467	Other Factors Influencing Health Status
468	Unrelated Operating Room Procedures
469	Principal Diagnosis Invalid As Discharge Diagnosis
470	Ungroupable
471	Bilateral or Multiple Major Joint Procs of Lower Extremity
472	Extensive Burns w/ O.R. Procedure
473	Acute Leukemia w/o Major O.R. Procedure Age >17
999	All DRGs

Appendix 2

STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texas	
		Virginia	
		West Virginia	


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

Appendix 3

HEALTH CARE FINANCING ADMINISTRATION (HCFA) DEFINED COMPLICATIONS AND COMORBIDITIES

This list consists of ICD-9-CM diagnosis codes which represent substantial complications and comorbidities when present as secondary diagnoses, as defined by HCFA.

V23.8
V23.9
V42.0
V42.1
V42.2
V42.6
V42.7
V42.8
V43.2
V45.1
V46.1
011.00
011.01
011.02
011.03
011.04
011.05
011.06
011.10
011.11
011.12
011.13
011.14
011.15
011.16
011.20
011.21
011.22
011.23
011.24
011.25
011.26
011.30
011.31
011.32
011.33
011.34
011.35
011.36
011.40
011.41
011.42
011.43
011.44
011.45
011.46
011.50
011.51
011.52
011.53
011.54
011.55
011.56
011.60
011.61
011.62
011.63
011.64
011.65
011.66
011.70
011.71
011.72
011.73
011.74
011.75
011.76
011.80
011.81
011.82
011.83
011.84
011.85
011.86
011.90
011.91
011.92
011.93
011.94
011.95
011.96
012.00
012.01
012.02
012.03
012.04
012.05
012.06
012.10
012.11
012.12
012.13
012.14
012.15
012.16
013.00
013.01
013.02
013.03
013.04
013.05
013.06
013.10
013.11
013.12
013.13
013.14
013.15
013.16
013.20
013.21
013.22
013.23
013.24
013.25
013.26
013.30
013.31
013.32
013.33
013.34
013.35
013.36
013.40
013.41
013.42
013.43
013.44
013.45
013.46
013.50
013.51
013.52
013.53
013.54
013.55
013.56
013.60
013.61
013.62
013.63
013.64
013.65
013.66
013.80
013.81
013.82
013.83
013.84
013.85
013.86
013.90
013.91
013.92
013.93
013.94
013.95
013.96
014.00
014.01
014.02
014.03
014.04
014.05
014.06
014.80
014.81
014.82
014.83
014.84
014.85
014.86
016.00
016.01
016.02
016.03
016.04
016.05
016.06
016.10
016.11
016.12
016.13
016.14
016.15
016.16
016.20
016.21
016.22
016.23
016.24
016.25
016.26
016.30
016.31
016.32
016.33
016.34
016.35
016.36
016.40
016.41
016.42
016.43
016.44
016.45
016.46
016.50
016.51
016.52
016.53
016.54
016.55
016.56
016.60
016.61
016.62
016.63
016.64
016.65
016.66
016.70
016.71
016.72
016.73
016.74
016.75
016.76
016.90
016.91
016.92
016.93
016.94
016.95
016.96
017.20
017.21
017.22
017.23
017.24
017.25
017.26
017.30
017.31
017.32
017.33
017.34
017.35
017.36
017.40
017.41
017.42
017.43
017.44
017.45
017.46
017.50
017.51
017.52
017.53
017.54
017.55
017.56
017.60
017.61
017.62
017.63
017.64
017.65
017.66
017.70
017.71
017.72
017.73
017.74
017.75
017.76
017.80
017.81
017.82
017.83
017.84
017.85
017.86
017.90
017.91
017.92
017.93
017.94
017.95
017.96
018.00
018.01
018.02
018.03
018.04
018.05
018.06
018.80
018.81
018.82
018.83
018.84
018.85
018.86
018.90
018.91
018.92
018.93
018.94
018.95
018.96
031.0
036.0
036.1
036.2
036.3
036.40
036.41
036.42
036.43
036.81
036.82
036.89
036.9
037
038.0
038.1
038.2
038.3
038.40
038.41
038.42
038.43
038.44
038.49
038.8
038.9
040.0
042.0
042.1
042.2
042.9
043.0
043.1
043.2
043.3
043.9
044.0
044.9
046.2
052.0
052.1
052.7
052.8
052.9
053.0
053.10
053.11
053.12
053.13
053.19
053.79
053.8
054.3
054.5
054.71
054.72
054.79
054.8
055.0
055.1
055.2
055.71
055.79
055.8
056.00
056.01
056.09
056.71
056.79
056.8
070.2
070.3
070.4
070.5
070.6
070.9
072.0
072.1
072.2
072.3
072.71
072.72
072.79
072.8
086.0
090.40
090.41
090.42
090.49
093.0
093.1
093.20
093.21
093.22
093.23
093.24
093.81
093.82
093.89
093.9
094.0
094.1

HCFA DEFINED COMPLICATIONS AND COMORBIDITIES (Continued)

094.2
094.3
094.81
094.87
094.89
094.9
098.0
098.10
098.11
098.12
098.13
098.14
098.15
098.16
098.17
098.19
112.4
112.5
112.81
112.82
112.83
114.0
114.2
114.3
114.9
115.00
115.01
115.02
115.03
115.04
115.05
115.10
115.11
115.12
115.13
115.14
115.15
115.19
115.90
115.91
115.92
115.93
115.94
115.95
115.99
116.0
116.1
117.3
117.4
117.5
117.6
117.7
118
130.0
130.1
130.2
130.3
130.4
130.5
130.7
130.8
135.
136.3
137.0
137.1
137.2
138
150.0
150.1
150.2
150.3
150.4
150.5
150.8
150.9
151.0
151.1
151.2
151.3
151.4
151.5
151.6
151.8
151.9
152.0
152.1
152.2
152.3
152.8
152.9
153.0
153.1
153.2
153.3
153.4
153.5
153.6
153.7
153.8
153.9
154.0
154.1
154.2
154.3
154.8
155.0
155.1
155.2
156.0
156.1
156.2
156.8
156.9
157.0
157.1
157.2
157.3
157.4
157.8
157.9
162.2
162.3
162.4
162.5
162.8
162.9
163.0
163.1
163.8
163.9
164.0
164.1
164.2
164.3
164.8
164.9
189.0
189.1
189.2
191.0
191.1
191.2
191.3
191.4
191.5
191.6
191.7
191.8
191.9
192.0
192.1
192.2
192.3
192.8
196.0
196.1
196.2
196.3
196.5
196.6
196.8
196.9
197.0
197.1
197.2
197.3
197.4
197.5
197.6
197.7
197.8
198.0
198.1
198.2
198.3
198.4
198.5
198.6
198.7
198.81
198.82
198.89
199.0
200.00
200.01
200.02
200.03
200.04
200.05
200.06
200.07
200.08
200.10
200.11
200.12
200.13
200.14
200.15
200.16
200.17
200.18
200.20
200.21
200.22
200.23
200.24
200.25
200.26
200.27
200.28
200.80
200.81
200.82
200.83
200.84
200.85
200.86
200.87
200.88
201.00
201.01
201.02
201.03
201.04
201.05
201.06
201.07
201.08
201.10
201.11
201.12
201.13
201.14
201.15
201.16
201.17
201.18
201.20
201.21
201.22
201.23
201.24
201.25
201.26
201.27
201.28
201.40
201.41
201.42
201.43
201.44
201.45
201.46
201.47
201.48
201.50
201.51
201.52
201.53
201.54
201.55
201.56
201.57
201.58
201.60
201.61
201.62
201.63
201.64
201.65
201.66
201.67
201.68
201.70
201.71
201.72
201.73
201.74
201.75
201.76
201.77
201.78
201.90
201.91
201.92
201.93
201.94
201.95
201.96
201.97
201.98
202.00
202.01
202.02
202.03
202.04
202.05
202.06
202.07
202.08
202.10
202.11
202.12
202.13
202.14
202.15
202.16
202.17
202.18
202.20
202.21
202.22
202.23
202.24
202.25
202.26
202.27
202.28
202.30
202.31
202.32
202.33
202.34
202.35
202.36
202.37
202.38
202.40
202.41
202.42
202.43
202.44
202.45
202.46
202.47
202.48
202.50
202.51
202.52
202.53
202.54
202.55
202.56
202.57
202.58
202.60
202.61
202.62
202.63
202.64
202.65
202.66
202.67
202.68
202.80
202.81
202.82
202.83
202.84
202.85
202.86
202.87
202.88
202.90
202.91
202.92
202.93
202.94
202.95
202.96
202.97
202.98
203.0
203.1
203.8
204.0
204.1
204.2
204.8
204.9
205.0
205.1
205.2
205.3
205.8
205.9
206.0
206.1
206.2
206.8
206.9
207.0
207.1
207.2
207.8
208.0
208.1
208.2
208.8
208.9
242.00
242.01
242.10
242.11
242.20
242.21
242.30
242.31
242.40
242.41
242.80
242.81
242.90
242.91
250.01
250.10
250.11
250.20
250.21
250.30
250.31
250.40
250.41
250.50
250.51
250.60
250.61
250.70
250.71
250.80
250.81
250.90
250.91
251.0
251.3
252.1
253.2
253.5
254.1
255.0
255.3
255.4
255.5
255.6
258.0
258.1
258.8
258.9
259.2
260
261
262
263.0
263.1
263.2
263.8
263.9
269.0
273.3
276.0
276.1
276.2
276.3
276.4
276.5
276.6
276.7
276.8
276.9
277.00
277.01
279.02
279.03
279.04
279.05
279.06
279.09
279.10
279.11
279.12
279.13
279.19
279.2
279.3
279.4
279.8
279.9
280.0
281.4
281.8
282.4
282.60
282.61
282.62
282.63
282.69
283.0
283.1
283.2
283.9
284.0
284.8
284.9
285.0

HCFA DEFINED COMPLICATIONS AND COMORBIDITIES (Continued)

285.1
286.0
286.1
286.2
286.3
286.4
286.5
286.6
286.7
286.9
287.0
287.1
287.2
287.3
287.4
287.5
287.8
287.9
288.0
288.1
291.0
291.1
291.2
291.3
291.4
291.8
291.9
292.0
292.11
292.12
292.2
292.81
292.82
292.83
292.84
292.89
292.9
295.00
295.01
295.02
295.03
295.04
295.10
295.11
295.12
295.13
295.14
295.21
295.22
295.23
295.24
295.30
295.31
295.32
295.33
295.34
295.40
295.41
295.42
295.43
295.44
295.60
295.61
295.62
295.63
295.64
295.70
295.71
295.72
295.73
295.74
295.80
295.81
295.82
295.83
295.84
295.90
295.91
295.92
295.93
295.94
296.04
296.14
296.34
296.44
296.54
296.64
298.0
298.3
298.4
299.00
299.10
299.80
299.90
303.00
303.01
303.02
303.90
303.91
303.92
304.00
304.01
304.02
304.10
304.11
304.12
304.40
304.41
304.42
304.70
304.71
304.72
304.80
304.81
304.82
304.90
304.91
304.92
305.00
305.01
305.02
305.40
305.41
305.42
305.50
305.51
305.52
305.70
305.71
305.72
307.1
318.2
320.0
320.1
320.2
320.3
320.7
320.8
320.9
321.0
321.1
321.2
321.3
321.4
321.8
322.0
322.1
322.2
322.9
324.0
324.1
324.9
325
331.4
335.0
335.10
335.11
335.19
335.20
335.21
335.22
335.23
335.24
335.29
335.8
335.9
340
343.2
344.0
345.1
345.2
345.3
348.1
349.0
349.1
349.81
349.82
358.0
358.1
359.0
359.1
377.00
377.01
377.02
383.01
383.30
383.81
394.0
394.1
394.2
394.9
395.0
395.1
395.2
395.9
396.0
396.1
396.2
396.3
396.8
396.9
397.0
397.1
397.9
398.0
398.91
401.0
402.00
402.01
402.11
402.91
403.0
404.0
405.01
405.09
410.0
410.1
410.2
410.3
410.4
410.5
410.6
410.7
410.8
410.9
411.0
411.1
411.8
413.0
413.1
413.9
415.0
415.1
416.0
420.0
420.90
420.91
420.99
421.0
421.1
421.9
422.0
422.90
422.91
422.92
422.93
422.99
423.0
423.1
423.2
424.0
424.1
424.2
424.3
424.90
424.91
424.99
425.0
425.1
425.2
425.3
425.4
425.5
425.7
425.8
425.9
426.0
426.10
426.11
426.12
426.13
426.2
426.3
426.4
426.50
426.51
426.52
426.53
426.54
426.6
426.7
426.81
426.89
426.9
427.0
427.1
427.2
427.31
427.32
427.41
427.42
427.5
428.0
428.1
428.9
429.0
429.4
429.5
429.6
429.81
429.82
430
431
432.0
432.1
433.0
433.1
433.2
433.3
434.0
434.1
434.9
436
437.2
437.4
437.5
437.6
441.0
441.1
441.3
441.5
444.0
444.1
444.21
444.22
444.81
444.89
444.9
446.0
446.2
446.3
446.4
446.5
446.6
446.7
447.0
448.0
451.0
451.11
451.19
451.2
451.81
452
453.0
453.1
453.2
453.3
456.0
456.20
457.2
459.0
464.11
464.21
464.31
475
478.21
478.22
478.24
478.30
478.31
478.32
478.33
478.34
481
482.0
482.1
482.2
482.3
482.4
482.8
482.9
483
484.1
484.3
484.5
484.6
484.7
484.8
485
486
487.0
491.1
491.2
491.8
491.9
492.8
493.01
493.11
493.91
494
495.0
495.1
495.2
495.3
495.4
495.5
495.6
495.7
495.8
495.9
496
500
501
502
503
504
505
506.0
506.1
507.0
507.1
507.8
508.0
508.1
510.0
510.9
511.1
511.8
511.9
512.0
512.8
513.0
513.1
515
516.0
516.1
516.2
516.3
516.8
516.9
517.1
517.2
517.8
518.0
518.1
518.4
518.5
518.81
518.82
519.0
519.2
527.3
527.4
528.3
530.4
530.7
531.00
531.01
531.10
531.11
531.20
531.21
531.31
531.40
531.41
531.50
531.51
531.60
531.61
531.71
531.91
532.00
532.01
532.10
532.11
532.20
532.21
532.31
532.40
532.41
532.50
532.51
532.60
532.61
532.71
532.91
533.00
533.01
533.10
533.11
533.20
533.21
533.31
533.40
533.41
533.50
533.51
533.60
533.61
533.71
533.91
534.00
534.01
534.10
534.11
534.20
534.21
534.31
534.40
534.41
534.50
534.51
534.60
534.61

HCFA DEFINED COMPLICATIONS AND COMORBIDITIES (Continued)

534.71
534.91
535.0
536.1
537.0
537.3
537.4
540.0
540.1
540.9
550.00
550.01
550.02
550.03
550.10
550.11
550.12
550.13
551.00
551.01
551.02
551.03
551.1
551.20
551.21
551.29
551.3
551.8
551.9
552.00
552.01
552.02
552.03
552.1
552.20
552.21
552.29
552.3
552.8
552.9
557.0
558.1
558.2
560.0
560.1
560.2
560.30
560.31
560.39
560.81
560.89
560.9
566
567.0
567.1
567.2
567.8
567.9
568.81
569.3
569.5
569.6
569.83
570
571.1
571.2
571.49
571.5
571.6
572.0
572.1
572.2
572.4
573.1
573.2
573.3
573.4
574.00
574.01
574.10
574.11
574.21
574.30
574.31
574.40
574.41
574.50
574.51
575.0
575.2
575.3
575.4
575.5
575.6
575.8
576.1
576.3
576.4
577.0
577.2
578.0
578.1
578.9
579.3
580.0
580.4
580.81
580.89
580.9
581.0
581.1
581.2
581.3
581.81
581.89
581.9
583.4
584.5
584.6
584.7
584.8
584.9
585
590.10
590.11
590.2
590.3
590.80
590.81
590.9
591
592.1
593.5
595.0
595.1
595.2
595.4
595.81
595.82
595.89
595.9
596.0
596.1
596.2
596.4
596.6
596.7
597.0
598.1
598.2
599.0
599.4
599.6
599.7
601.0
601.2
601.3
602.1
603.1
604.0
607.1
607.2
607.3
611.72
614.0
614.3
614.5
615.0
616.3
616.4
619.0
619.1
619.2
619.8
619.9
620.7
634.00
634.01
634.02
634.10
634.11
634.12
634.20
634.21
634.22
634.30
634.31
634.32
634.40
634.41
634.42
634.50
634.51
634.52
634.60
634.61
634.62
634.70
634.71
634.72
634.80
634.81
634.82
634.90
634.91
634.92
639.0
639.1
639.2
639.3
639.4
639.5
639.6
639.8
639.9
640.00
640.01
640.03
640.80
640.81
640.83
640.90
640.91
640.93
641.00
641.01
641.03
641.10
641.11
641.13
641.30
641.31
641.33
641.80
641.81
641.83
641.90
641.91
641.93
642.40
642.41
642.42
642.43
642.44
642.50
642.51
642.52
642.53
642.54
642.60
642.61
642.62
642.63
642.64
642.70
642.71
642.72
642.73
642.74
644.00
644.03
644.10
644.13
646.60
646.61
646.62
646.63
646.64
646.70
646.71
646.73
647.30
647.31
647.32
647.33
647.34
647.40
647.41
647.42
647.43
647.44
648.00
648.01
648.02
648.03
648.04
648.20
648.21
648.22
648.23
648.24
648.30
648.31
648.32
648.33
648.34
648.50
648.51
648.52
648.53
648.54
648.60
648.61
648.62
648.63
648.64
659.30
659.31
659.33
665.00
665.01
665.03
665.10
665.11
665.12
665.14
666.32
666.34
668.00
668.01
668.02
668.03
668.04
668.10
668.11
668.12
668.13
668.14
668.20
668.21
668.22
668.23
668.24
668.80
668.81
668.82
668.83
668.84
668.90
668.91
668.92
668.93
668.94
669.10
669.11
669.12
669.13
669.14
669.30
669.32
669.34
670.00
670.02
670.04
671.20
671.21
671.22
671.23
671.24
671.30
671.31
671.33
671.40
671.42
671.44
673.00
673.01
673.02
673.03
673.04
673.10
673.11
673.12
673.13
673.14
673.20
673.21
673.22
673.23
673.24
673.30
673.31
673.32
673.33
673.34
673.80
673.81
673.82
673.83
673.84
674.00
674.01
674.02
674.03
674.04
674.10
674.12
674.20
674.22
674.24
675.10
675.11
675.12
680.0
680.1
680.2
680.3
680.4
680.5
680.6
680.7
680.8
680.9
682.0
682.1
682.2
682.3
682.4
682.5
682.6
682.7
682.8
682.9
683
684
685.0
694.4
694.5
695.0
707.0
707.1
708.0
710.0
710.1
710.3
710.4
710.8
711.00
711.01
711.02
711.03
711.04
711.05
711.06
711.07
711.08
711.09
711.60
711.61
711.62
711.63
711.64
711.65
711.66
711.67
711.68
711.69
714.1
714.2
714.30
714.31
714.32
714.33
722.80
722.81
722.82
722.83
723.4
723.5
728.0
730.00
730.01
730.02
730.03
730.04
730.05
730.06
730.07
730.08
730.09
730.80
730.81
730.82
730.83
730.84
730.85
730.86
730.87
730.88
730.89
730.90
730.91
730.92
730.93
730.94
730.95
730.96
730.97
730.98
730.99
733.1
741.00
741.01
741.02

HCFA DEFINED COMPLICATIONS AND COMORBIDITIES (Continued)

741.03
741.90
741.91
741.92
741.93
745.0
745.10
745.11
745.12
745.19
745.2
745.3
745.4
745.60
745.69
745.7
746.01
746.02
746.1
746.2
746.3
746.4
746.5
746.6
746.7
746.81
746.82
746.83
746.84
746.86
747.10
747.11
747.22
748.4
748.5
748.61
765.0
767.0
768.5
769
770.0
770.1
770.2
770.3
770.4
770.5
770.7
771.0
771.1
771.3
771.8
772.1
772.2
772.4
772.5
773.0
773.1
773.2
773.3
773.4
774.0
774.1
774.2
774.30
774.31
774.39
774.4
774.5
774.7
775.1
775.2
775.3
775.4
775.5
775.6
775.7
776.0
776.1
776.2
776.3
777.1
777.2
777.5
777.6
778.0
779.0
779.1
779.3
779.4
780.0
780.1
780.3
781.7
785.4
785.50
785.51
785.59
786.3
788.0
788.2
789.5
790.7
790.8
791.1
791.3
795.8
799.1
799.4
800.00
800.01
800.02
800.03
800.04
800.05
800.06
800.09
800.10
800.11
800.12
800.13
800.14
800.15
800.16
800.19
800.20
800.21
800.22
800.23
800.24
800.25
800.26
800.29
800.30
800.31
800.32
800.33
800.34
800.35
800.36
800.39
800.40
800.41
800.42
800.43
800.44
800.45
800.46
800.49
800.50
800.51
800.52
800.53
800.54
800.55
800.56
800.59
800.60
800.61
800.62
800.63
800.64
800.65
800.66
800.69
800.70
800.71
800.72
800.73
800.74
800.75
800.76
800.79
800.80
800.81
800.82
800.83
800.84
800.85
800.86
800.89
800.90
800.91
800.92
800.93
800.94
800.95
800.96
800.99
801.00
801.01
801.02
801.03
801.04
801.05
801.06
801.09
801.10
801.11
801.12
801.13
801.14
801.15
801.16
801.19
801.20
801.21
801.22
801.23
801.24
801.25
801.26
801.29
801.30
801.31
801.32
801.33
801.34
801.35
801.36
801.39
801.40
801.41
801.42
801.43
801.44
801.45
801.46
801.49
801.50
801.51
801.52
801.53
801.54
801.55
801.56
801.59
801.60
801.61
801.62
801.63
801.64
801.65
801.66
801.69
801.70
801.71
801.72
801.73
801.74
801.75
801.76
801.79
801.80
801.81
801.82
801.83
801.84
801.85
801.86
801.89
801.90
801.91
801.92
801.93
801.94
801.95
801.96
801.99
802.1
802.20
802.21
802.22
802.23
802.24
802.25
802.26
802.27
802.28
802.29
802.30
802.31
802.32
802.33
802.34
802.35
802.36
802.37
802.38
802.39
802.4
802.5
802.6
802.7
802.8
802.9
803.00
803.01
803.02
803.03
803.04
803.05
803.06
803.09
803.10
803.11
803.12
803.13
803.14
803.15
803.16
803.19
803.20
803.21
803.22
803.23
803.24
803.25
803.26
803.29
803.30
803.31
803.32
803.33
803.34
803.35
803.36
803.39
803.40
803.41
803.42
803.43
803.44
803.45
803.46
803.49
803.50
803.51
803.52
803.53
803.54
803.55
803.56
803.59
803.60
803.61
803.62
803.63
803.64
803.65
803.66
803.69
803.70
803.71
803.72
803.73
803.74
803.75
803.76
803.79
803.80
803.81
803.82
803.83
803.84
803.85
803.86
803.89
803.90
803.91
803.92
803.93
803.94
803.95
803.96
803.99
804.00
804.01
804.02
804.03
804.04
804.05
804.06
804.09
804.10
804.11
804.12
804.13
804.14
804.15
804.16
804.19
804.20
804.21
804.22
804.23
804.24
804.25
804.26
804.29
804.30
804.31
804.32
804.33
804.34
804.35
804.36
804.39
804.40
804.41
804.42
804.43
804.44
804.45
804.46
804.49
804.50
804.51
804.52
804.53
804.54
804.55
804.56
804.59
804.60
804.61
804.62
804.63
804.64
804.65
804.66
804.69
804.70
804.71
804.72
804.73
804.74
804.75
804.76
804.79
804.80
804.81
804.82
804.83
804.84
804.85
804.86
804.89
804.90
804.91
804.92
804.93
804.94
804.95
804.96
804.99
805.00
805.01
805.02
805.03
805.04
805.05
805.06
805.07
805.08
805.10
805.11
805.12
805.13
805.14
805.15
805.16
805.17
805.18
805.2
805.3
805.4
805.5
805.6
805.7
805.8
805.9
806.00
806.01
806.02
806.03
806.04
806.05
806.06
806.07
806.08
806.09
806.10
806.11
806.12
806.13
806.14
806.15
806.16
806.17
806.18
806.19
806.20
806.21
806.22

HCFA DEFINED COMPLICATIONS AND COMORBIDITIES (Continued)

806.23
806.24
806.25
806.26
806.27
806.28
806.29
806.30
806.31
806.32
806.33
806.34
806.35
806.36
806.37
806.38
806.39
806.4
806.5
806.60
806.61
806.62
806.69
806.70
806.71
806.72
806.79
806.8
806.9
807.04
807.05
807.06
807.07
807.08
807.09
807.10
807.11
807.12
807.13
807.14
807.15
807.16
807.17
807.18
807.19
807.2
807.3
807.4
807.5
807.6
808.0
808.1
808.2
808.3
808.43
808.49
808.51
808.52
808.53
808.59
808.8
808.9
820.00
820.01
820.02
820.03
820.09
820.10
820.11
820.12
820.13
820.19
820.20
820.21
820.22
820.30
820.31
820.32
820.8
820.9
821.00
821.01
821.10
821.11
838.19
839.00
839.01
839.02
839.03
839.04
839.05
839.06
839.07
839.08
839.10
839.11
839.12
839.13
839.14
839.15
839.16
839.17
839.18
850.0
850.1
850.2
850.3
850.4
850.5
850.9
851.00
851.01
851.02
851.03
851.04
851.05
851.06
851.09
851.10
851.11
851.12
851.13
851.14
851.15
851.16
851.19
851.20
851.21
851.22
851.23
851.24
851.25
851.26
851.29
851.30
851.31
851.32
851.33
851.34
851.35
851.36
851.39
851.40
851.41
851.42
851.43
851.44
851.45
851.46
851.49
851.50
851.51
851.52
851.53
851.54
851.55
851.56
851.59
851.60
851.61
851.62
851.63
851.64
851.65
851.66
851.69
851.70
851.71
851.72
851.73
851.74
851.75
851.76
851.79
851.80
851.81
851.82
851.83
851.84
851.85
851.86
851.89
851.90
851.91
851.92
851.93
851.94
851.95
851.96
851.99
852.00
852.01
852.02
852.03
852.04
852.05
852.06
852.09
852.10
852.11
852.12
852.13
852.14
852.15
852.16
852.19
852.20
852.21
852.22
852.23
852.24
852.25
852.26
852.29
852.30
852.31
852.32
852.33
852.34
852.35
852.36
852.39
852.40
852.41
852.42
852.43
852.44
852.45
852.46
852.49
852.50
852.51
852.52
852.53
852.54
852.55
852.56
852.59
853.00
853.01
853.02
853.03
853.04
853.05
853.06
853.09
853.10
853.11
853.12
853.13
853.14
853.15
853.16
853.19
854.00
854.01
854.02
854.03
854.04
854.05
854.06
854.09
854.10
854.11
854.12
854.13
854.14
854.15
854.16
854.19
860.0
860.1
860.2
860.3
860.4
860.5
861.01
861.02
861.03
861.10
861.11
861.12
861.13
861.22
861.30
861.31
861.32
862.1
862.21
862.22
862.29
862.31
862.32
862.39
862.9
863.1
863.30
863.31
863.39
863.50
863.51
863.52
863.53
863.54
863.55
863.56
863.59
863.90
863.91
863.92
863.93
863.94
863.95
863.99
864.00
864.01
864.02
864.03
864.04
864.09
864.10
864.11
864.12
864.13
864.14
864.19
865.00
865.01
865.02
865.03
865.04
865.09
865.10
865.11
865.12
865.13
865.14
865.19
866.00
866.01
866.02
866.03
866.10
866.11
866.12
866.13
867.0
867.1
867.2
867.3
867.4
867.5
867.6
867.7
867.8
867.9
868.00
868.01
868.02
868.03
868.04
868.09
868.10
868.11
868.12
868.13
868.14
868.19
869.0
869.1
870.3
870.4
870.8
870.9
871.0
871.1
871.2
871.3
871.4
871.9
872.72
872.73
872.74
873.33
873.9
874.00
874.01
874.02
874.10
874.11
874.12
874.3
874.5
875.0
875.1
887.0
887.1
887.2
887.3
887.4
887.5
887.6
887.7
896.0
896.1
896.2
896.3
897.0
897.1
897.2
897.3
897.4
897.5
897.6
897.7
900.00
900.01
900.02
900.03
900.1
900.81
900.82
900.89
900.9
901.0
901.1
901.2
901.3
901.41
901.42
901.83
902.0
902.10
902.11
902.19
902.20
902.22
902.23
902.24
902.25
902.26
902.27
902.29
902.31
902.32
902.33
902.34
902.39
902.40
902.41
902.42
902.49
902.50
902.51
902.52
902.53
902.54
902.59
902.87
904.0
925
929.0
952.00
952.01
952.02
952.03
952.04
952.05
952.06
952.07
952.08
952.09
952.10
952.11
952.12
952.13
952.14
952.15
952.16
952.17
952.18
952.19
952.2
952.3
952.4
952.8
952.9
953.0
953.1
953.2
953.3
953.4
953.5
953.8
953.9
958.0
958.1
958.2
958.3
958.4
958.5
958.7
995.4
996.00

HCFA DEFINED COMPLICATIONS AND COMORBIDITIES (Continued)

996.01
996.02
996.03
996.09
996.1
996.2
996.30
996.39
996.4
996.5
996.51
996.52
996.53
996.54
996.59
996.6
996.7
996.8
996.80
996.81
996.82
996.83
996.84
996.86
996.89
996.90
996.91
996.92
996.93
996.94
996.95
996.96
996.99
997.0
997.1
997.2
996.7
996.8
997.3
997.4
997.5
997.62
997.9
998.0
998.1
998.2
998.3
998.4
998.5
998.6
998.7
998.8
998.9
999.1
999.2
999.3
999.4
999.5
999.6
999.7
999.8